

## CERTIFICATE OF ANALYSIS

Report Number : GGMPL/PN/3101E/292/01

Reporting Date: 27/01/2026

M/s Moil Limited

Chikla Manganese Mines L1=150.650 Ha Site PO. Sitasangi Tah-Tumsar  
District:- Bhandara (M.S) 441907




### SAMPLE DETAILS

Lab ID:	Lab/PN/3101E/292/01	Sampling Start Date:	17/01/2026
Sample Drawn By:	Shailesh Pandey	Sampling End Date:	18/01/2026
Sample Type:	Ambient Air	Sample Receipt Date:	20/01/2026
Sample Description:	Near Mine Office	Analysis start- End Date:	20/01/2026-24/01/2026
Env. Cond.-Sampling:	Temp-21°C/ Humidity-63%	Total Sampling hours:	24
Env. Cond.-Sample Receipt:	Satisfactory	Env. Cond.-Testing:	25±5°C


Sr.No	Parameters	Results	Unit	Test Method	Norms
1	Particulate Matter (PM2.5)	37.91	µg/m3	GGMPL/SOP/AA/60	60
2	Sulphur Dioxide (SO2)	15.22	µg/m3	IS 5182-Part 2	80
3	Oxides of Nitrogen	28.84	µg/m3	IS 5182- Part 6	80
4	Ozone (O3)	14.78	µg/m3	IS 5182- Part 9	180
5	Ammonia (NH3)	16.67	µg/m3	GGMPL/SOP/AA/62	400
6	Benzene	BQL (QL=2.5)	µg/m3	IS 5182- Part 11	5
7	Benzo(a) pyrene	BQL (QL=0.5)	ng/m3	Is 5182- Part 12	1
8	Carbon Monoxide (CO)	1.00	mg/m3	IS 5182- Part 10	4
9	Nickel as Ni	BQL (QL=5)	ng/m3	Method IO 3.4	20
10	Arsenic as As	BQL (QL=1)	ng/m3	Method IO 3.4	6
11	Lead	BQL (QL=0.001)	µg/m3	Method IO 3.4	1
12	Particulate Matter (PM10)	75.81	µg/m3	IS 5182- Part 23	100

Norms as per National Ambient Air Quality Standards.

NS=Not Specified, BQL=Below Quantification Limit,QL= Quantification Limit

  
Reviewed & Authorized by  
Gyanvati Shukla



  
Reviewed & Authorized by  
Manish Kumawat

End of Report ---

Page No : 1/1

**Terms & Conditions :**

This test report document no GGMPL/F7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

## CERTIFICATE OF ANALYSIS

Report Number : GGMLP/PN/3101E/292/02

Reporting Date: 27/01/2026

M/s Moil Limited

Chikla Manganese Mines L1=150.650 Ha Site PO. Sitasongli Tah-Tumsar  
District:- Bhandara (M.S) 441907



TC-7073

### SAMPLE DETAILS

Lab ID:	Lab/PN/3101E/292/02	Sampling Start Date:	17/01/2026
Sample Drawn By:	Shailesh Pandey	Sampling End Date:	18/01/2026
Sample Type:	Ambient Air	Sample Receipt Date:	20/01/2026
Sample Description:	Near Sita Sawangi Village	Analysis start- End Date:	20/01/2026-24/01/2026
Env. Cond.-Sampling:	Temp-21°C/ Humidity-63%	Total Sampling hours:	24
Env. Cond.-Sample Receipt:	Satisfactory	Env. Cond.-Testing:	25±5°C

Sr.No	Parameters	Results	Unit	Test Method	Norms
1	Particulate Matter (PM2.5)	39.16	µg/m3	GGMLP/SOP/AA/60	60
2	Sulphur Dioxide (SO2)	17.27	µg/m3	IS 5182-Part 2	80
3	Oxides of Nitrogen	25.64	µg/m3	IS 5182- Part 6	80
4	Ozone (O3)	15.37	µg/m3	IS 5182- Part 9	180
5	Ammonia (NH3)	18.05	µg/m3	GGMLP/SOP/AA/62	400
6	Benzene	BQL (QL=2.5)	µg/m3	IS 5182- Part 11	5
7	Benzo(a) pyrene	BQL (QL=0.5)	ng/m3	Is 5182- Part 12	1
8	Carbon Monoxide (CO)	1.20	mg/m3	IS 5182- Part 10	4
9	Nickel as Ni	BQL (QL=5)	ng/m3	Method IO 3.4	20
10	Arsenic as As	BQL (QL=1)	ng/m3	Method IO 3.4	6
11	Lead	BQL (QL=0.001)	µg/m3	Method IO 3.4	1
12	Particulate Matter (PM10)	71.12	µg/m3	IS 5182- Part 23	100

Norms as per National Ambient Air Quality Standards.

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit

Reviewed & Authorized by  
Gyanvati Shukla



--- End of Report ---

Reviewed & Authorized by  
Manish Kumawat

Page No : 1/1

**Terms & Conditions :**

This test report document no GGMLP/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

## CERTIFICATE OF ANALYSIS

Report Number : GGMPL/PN/3101E/292/03

Reporting Date: 27/01/2026

M/s Moil Limited

Chikla Manganese Mines L1=150.650 Ha Site PO. Sitasangi Tah-Tumsar  
District:- Bhandara (M.S) 441907



TC-7073

### SAMPLE DETAILS

Lab ID:	Lab/PN/3101E/292/03	Sampling Start Date:	17/01/2026
Sample Drawn By:	Shailesh Pandey	Sampling End Date:	18/01/2026
Sample Type:	Ambient Air	Sample Receipt Date:	20/01/2026
Sample Description:	Near Mine Vertical Shaft-2	Analysis start- End Date:	20/01/2026-24/01/2026
Env. Cond.-Sampling:	Temp-21°C/ Humidity-63%	Total Sampling hours:	24
Env. Cond.-Sample Receipt:	Satisfactory	Env. Cond.-Testing:	25±5°C

Sr.No	Parameters	Results	Unit	Test Method	Norms
1	Particulate Matter (PM2.5)	38.32	µg/m3	GGMPL/SOP/AA/60	60
2	Sulphur Dioxide (SO2)	16.31	µg/m3	IS 5182-Part 2	80
3	Oxides of Nitrogen	30.16	µg/m3	IS 5182- Part 6	80
4	Ozone (O3)	13.01	µg/m3	IS 5182- Part 9	180
5	Ammonia (NH3)	15.27717	µg/m3	GGMPL/SOP/AA/62	400
6	Benzene	BQL (QL=2.5)	µg/m3	IS 5182- Part 11	5
7	Benzo(a) pyrene	BQL (QL=0.5)	ng/m3	Is 5182- Part 12	1
8	Carbon Monoxide (CO)	1.04	mg/m3	IS 5182- Part 10	4
9	Nickel as Ni	BQL (QL=5)	ng/m3	Method IO 3.4	20
10	Arsenic as As	BQL (QL=1)	ng/m3	Method IO 3.4	6
11	Lead	BQL (QL=0.001)	µg/m3	Method IO 3.4	1
12	Particulate Matter (PM10)	77.81	µg/m3	IS 5182- Part 23	100

Norms as per National Ambient Air Quality Standards.

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit

Reviewed & Authorized by  
Gyanvati Shukla



Reviewed & Authorized by  
Manish Kumawat

End of Report

Page No : 1/1

**Terms & Conditions :**

This test report document no GGMPL/F17.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

## CERTIFICATE OF ANALYSIS

Report Number : GGMP/L/PN/3101E/292/04

Reporting Date: 27/01/2026

M/s Moil Limited

Chikla Manganese Mines L1=150.650 Ha Site PO. Sitasaongi Tah-Tumsar  
District:- Bhandara (M.S) 441907



TC-7073

### SAMPLE DETAILS

Lab ID:	Lab/PN/3101E/292/04	Sampling Start Date:	17/01/2026
Sample Drawn By:	Shailesh Pandey	Sampling End Date:	18/01/2026
Sample Type:	Ambient Air	Sample Receipt Date:	20/01/2026
Sample Description:	Near BDC	Analysis start- End Date:	20/01/2026-24/01/2026
Env. Cond.-Sampling:	Temp-21°C/ Humidity-63%	Total Sampling hours:	24
Env. Cond.-Sample Receipt:	Satisfactory	Env. Cond.-Testing:	25±5°C

Sr.No	Parameters	Results	Unit	Test Method	Norms
1	Particulate Matter (PM2.5)	33.33	µg/m3	GGMPL/SOP/AA/60	60
2	Sulphur Dioxide (SO2)	12.23	µg/m3	IS 5182-Part 2	80
3	Oxides of Nitrogen	24.08	µg/m3	IS 5182- Part 6	80
4	Ozone (O3)	12.41	µg/m3	IS 5182- Part 9	180
5	Ammonia (NH3)	13.89	µg/m3	GGMPL/SOP/AA/62	400
6	Benzene	BQL (QL=2.5)	µg/m3	IS 5182- Part 11	5
7	Benzo(a) pyrene	BQL (QL=0.5)	ng/m3	Is 5182- Part 12	1
8	Carbon Monoxide (CO)	1.04	mg/m3	IS 5182- Part 10	4
9	Nickel as Ni	BQL (QL=5)	ng/m3	Method IO 3.4	20
10	Arsenic as As	BQL (QL=1)	ng/m3	Method IO 3.4	6
11	Lead	BQL (QL=0.001)	µg/m3	Method IO 3.4	1
12	Particulate Matter (PM10)	73.43	µg/m3	IS 5182- Part 23	100

Norms as per National Ambient Air Quality Standards.

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit

  
Reviewed & Authorized by  
Gyanvati Shukla



--- End of Report ---

  
Reviewed & Authorized by  
Manish Kumawat

Page No : 1/1

**Terms & Conditions :**

This test report document no GGMP/L/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

## CERTIFICATE OF ANALYSIS

Report Number: GGMP/L/PN/3101E/292/05

Reporting Date: 27/01/2026

M/s Moil Limited

Chikla Manganese Mines L1=150.650 Ha Site PO. Sitsaongi Tah-Tumsar  
District:- Bhandara (M.S) 441907



### SAMPLE DETAILS

Sampling Instrument : Sound Level Meter  
Sample By : Shailesh Pandey

Sampling Date: 17/01/2026  
Sample Description: Source Noise

Sr.No	Lab Id	Location	Time	Unit	Test Method	Reading	Norms
1	Lab/PN/3101E/2 92/05A	Near Workshop	Day Time	dB(A)Leq	IS 4758	68	-
2	Lab/PN/3101E/2 92/05B	Near Vertical Fan	Day Time	dB(A)Leq	IS 4758	62	-
3	Lab/PN/3101E/2 92/05C	Near Crushing Plant	Day Time	dB(A)Leq	IS 4758	70	-
4	Lab/PN/3101E/2 92/05D	Near DG Set	Day Time	dB(A)Leq	IS 4758	59	-

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit

Reviewed & Authorized by  
Gyanvati Shukla



Reviewed & Authorized by  
Manish Kumawat

Page No : 1/1

**Terms & Conditions :**

This test report document no GGMP/L/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

## CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/3101E/292/06

Reporting Date : 27/01/2026

M/s Moil Limited

Chikla Manganese Mines L1=150.650 Ha Site PO. Sitsaongi Tah-Tumsar

District:- Bhandara (M.S) 441907



TC-7073

### SAMPLE DETAILS

Lab ID:	Lab/PN/3101E/292/06	Sampling Date:	18/01/2026
Sample Drawn By:	Shailesh Pandey	Sample Receipt Date:	20/01/2026
Sample Type:	Ground Water	Analysis Start Date:	20/01/2026
Sample Description:	Officer Colony Borewell Water	Analysis End Date:	24/01/2026
Sample Quantity:	6 L	Sampling Method:	GGMPL/WI/27A
Sample Condition:	Satisfactory	Packing:	Sealed

Sr.No	Parameters	Results	Unit	Test Method	AL	PL
1	Alkalinity as CaCO3	325.00	mg/L	APHA 24th Edn 2320 B	200	600
2	Calcium as Ca	119.84	mg/L	APHA 24th Edn 3500 Ca B	75	200
3	Chloride	196.94	mg/L	IS 3025- Part 32	250	1000
4	Colour	BQL (QL=2.5)	CU	IS 3025- Part 4	5	15
5	Fluoride	1.00	mg/L	APHA 24th Edn 4500 F D	1.0	1.5
6	Magnesium as Mg	57.59	mg/L	APHA 24th Edn 3500 Mg B	30	100
7	Odour	Agreeable	-	IS 3025- Part 5	Agreeable	Agreeable
8	pH at 25 °C	7.62	-	IS 3025- Part 11	6.5-8.5	No relaxation
9	Sulphate	135.34	mg/L	APHA 24th Edn 4500 SO4 E	200	400
10	Total Dissolved Solids (TDS)	852.00	mg/L	APHA 24th Edn 2540 C	500	2000
11	Total Suspended Solids (TSS)	BQL (QL=5)	mg/L	APHA 24th Edn 2540 D	NS	NS
12	Total Hardness as CaCO3	536.00	mg/L	APHA 24th Edn 2340 C	200	600

AL & PL as per IS 10500

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit



Reviewed & Authorized by  
Tantan kumar & Dr. Haragobinda Srichandan




Reviewed & Authorized by  
Payal Patel

Page No : 1/2

**Terms & Conditions :**

This test report document no GGMPL/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

## CERTIFICATE OF ANALYSIS

Report Number: GGMP/ PN/3101E/292/06

Reporting Date : 27/01/2026

M/s Moil Limited

Chikla Manganese Mines L1=150.650 Ha Site PO. Sitasongi Tah-Tumsar

District:- Bhandara (M.S) 441907



TC-7073

### SAMPLE DETAILS

Lab ID:	Lab/PN/3101E/292/06	Sampling Date:	18/01/2026
Sample Drawn By:	Shailesh Pandey	Sample Receipt Date:	20/01/2026
Sample Type:	Ground Water	Analysis Start Date:	20/01/2026
Sample Description:	Officer Colony Borewell Water	Analysis End Date:	24/01/2026
Sample Quantity:	6 L	Sampling Method:	GGMPL/WI/27A
Sample Condition:	Satisfactory	Packing:	Sealed

Sr.No	Parameters	Results	Unit	Test Method	AL	PL
13	Turbidity	BQL (QL=0.1)	NTU	APHA 24th Edn 2130 B	1	5
14	Iron	BQL (QL=0.05)	mg/L	GGMPL/SOP/W&WW/46	1	No relaxation
15	Manganese	BQL (QL=0.05)	mg/L	GGMPL/SOP/W & WW/46	0.1	0.3
16	Nitrate	5.21	mg/L	APHA 24th Edn 4500 NO3 B	45	No relaxation
17	Total coliform	Absent	Per 100ml	APHA 9221 B 24th Edition	Absent	Absent
18	E. coli	Absent	Per 100ml	APHA 9221 G 24th Edition	Absent	Absent

AL & PL as per IS 10500

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit



Reviewed & Authorized by  
Tantan kumar & Dr. Haragobinda Srichandan



--- End of Report ---



Reviewed & Authorized by  
Payal Patel

Page No : 2/2

**Terms & Conditions :**

This test report document no GGMP/UF/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

## CERTIFICATE OF ANALYSIS

Report Number: GGMP/L/PN/3101E/292/07

Reporting Date : 27/01/2026

M/s Moil Limited

Chikla Manganese Mines L1=150.650 Ha Site PO. Sitasangi Tah-Tumsar  
District:- Bhandara (M.S) 441907



TC-7073

### SAMPLE DETAILS

Lab ID:	Lab/PN/3101E/292/07	Sampling Date:	18/01/2026
Sample Drawn By:	Shailesh Pandey	Sample Receipt Date:	20/01/2026
Sample Type:	Ground Water	Analysis Start Date:	20/01/2026
Sample Description:	Vertical Shaft-1 Borewell Water	Analysis End Date:	24/01/2026
Sample Quantity:	6 L	Sampling Method:	GGMPL/WI/27A
Sample Condition:	Satisfactory	Packing:	Sealed


Sr.No	Parameters	Results	Unit	Test Method	AL	PL
1	Alkalinity as CaCO <sub>3</sub>	159.00	mg/L	APHA 24th Edn 2320 B	200	600
2	Calcium as Ca	63.73	mg/L	APHA 24th Edn 3500 Ca B	75	200
3	Chloride	133.96	mg/L	IS 3025- Part 32	250	1000
4	Colour	BQL (QL=2.5)	CU	IS 3025- Part 4	5	15
5	Fluoride	0.92	mg/L	APHA 24th Edn 4500 F D	1.0	1.5
6	Magnesium as Mg	39.12	mg/L	APHA 24th Edn 3500 Mg B	30	100
7	Odour	Agreeable	-	IS 3025- Part 5	Agreeable	Agreeable
8	pH at 25 °C	7.49	-	IS 3025- Part 11	6.5-8.5	No relaxation
9	Sulphate	92.11	mg/L	APHA 24th Edn 4500 SO <sub>4</sub> E	200	400
10	Total Dissolved Solids (TDS)	530.00	mg/L	APHA 24th Edn 2540 C	500	2000
11	Total Suspended Solids (TSS)	BQL (QL=5)	mg/L	APHA 24th Edn 2540 D	NS	NS
12	Total Hardness as CaCO <sub>3</sub>	320.00	mg/L	APHA 24th Edn 2340 C	200	600

AL & PL as per IS 10500

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit



Reviewed & Authorized by  
Tantan kumar & Dr. Haragobinda Srichandan

Reviewed & Authorized by  
Payal Patel

Page No : 1/2

**Terms & Conditions :**

This test report document no GGMP/L/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

## CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/3101E/292/07

Reporting Date : 27/01/2026

M/s Moil Limited

Chikla Manganese Mines L1=150.650 Ha Site PO. Sitasongi Tah-Tumsar  
District:- Bhandara (M.S) 441907



### SAMPLE DETAILS

Lab ID:	Lab/PN/3101E/292/07	Sampling Date:	18/01/2026
Sample Drawn By:	Shailesh Pandey	Sample Receipt Date:	20/01/2026
Sample Type:	Ground Water	Analysis Start Date:	20/01/2026
Sample Description:	Vertical Shaft-1 Borewell Water	Analysis End Date:	24/01/2026
Sample Quantity:	6 L	Sampling Method:	GGMPL/WI/27A
Sample Condition:	Satisfactory	Packing:	Sealed

Sr.No	Parameters	Results	Unit	Test Method	AL	PL
13	Turbidity	BQL (QL=0.1)	NTU	APHA 24th Edn 2130 B	1	5
14	Iron	BQL (QL=0.05)	mg/L	GGMPL/SOP/W&WW/46	1	No relaxation
15	Manganese	BQL (QL=0.05)	mg/L	GGMPL/SOP/W & WW/46	0.1	0.3
16	Nitrate	2.99	mg/L	APHA 24th Edn 4500 NO3 B	45	No relaxation
17	Total coliform	Absent	Per 100ml	APHA 9221 B 24th Edition	Absent	Absent
18	E. coli	Absent	Per 100ml	APHA 9221 G 24th Edition	Absent	Absent

AL & PL as per IS 10500

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit



Reviewed & Authorized by  
Tantan kumar & Dr. Haragobinda Srichandan




Reviewed & Authorized by  
Payal Patel

Page No : 2/2

**Terms & Conditions :**

This test report document no GGMPL/I/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

## CERTIFICATE OF ANALYSIS

Report Number: GGMP/L/PN/3101E/292/08

Reporting Date : 27/01/2026

M/s Moil Limited

Chikla Manganese Mines L1=150.650 Ha Site PO. Sitasangi Tah-Tumsar  
District:- Bhandara (M.S) 441907



### SAMPLE DETAILS

Lab ID:	Lab/PN/3101E/292/08	Sampling Date:	18/01/2026
Sample Drawn By:	Shailesh Pandey	Sample Receipt Date:	20/01/2026
Sample Type:	Drinking Water	Analysis Start Date:	20/01/2026
Sample Description:	Vertical Shaft-1 R.O Water	Analysis End Date:	24/01/2026
Sample Quantity:	6 L	Sampling Method:	GGMP/L/WI/27A
Sample Condition:	Satisfactory	Packing:	Sealed

Sr.No	Parameters	Results	Unit	Test Method	AL	PL
1	Alkalinity as CaCO3	23.00	mg/L	APHA 24th Edition (2320 B)	200	600
2	Calcium as Ca	11.62	mg/L	APHA 24th Edition (3500 Ca B)	75	200
3	Chloride	18.99	mg/L	IS 3025 -Part 32	250	1000
4	Colour	BQL (QL=2.5)	CU	IS 3025 Part-4	5	15
5	Magnesium as Mg	4.13	mg/L	APHA 24th Edition (3500 Mg B)	30	100
6	Odour	Agreeable	-	IS 3025 Part 5	Agreeable	Agreeable
7	pH at 25 °C	7.59	-	IS 3025-Part 11	6.5-8.5	No Relaxation
8	Sulphate	5.25	mg/L	APHA 24th Edition (4500 SO4 E)	200	400
9	Total Dissolved Solids (TDS)	69.00	mg/L	APHA 24th Edition (2540 C)	500	2000
10	Total Hardness as CaCO3	46.00	mg/L	APHA 24th Edition (2340 C)	200	600
11	Total Suspended Solids (TSS)	BQL (QL=5)	mg/L	APHA 24th Edition (2540 D)	NS	NS
12	Turbidity	BQL (QL=0.1)	NTU	APHA 24th Edition (2130 B)	1	5

AL & PL as per IS 10500

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit



Reviewed & Authorized by  
Tantan kumar & Dr. Haragobinda Srichandan




Reviewed & Authorized by  
Payal Patel

Page No : 1/2

**Terms & Conditions :**

This test report document no GGMP/L/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

## CERTIFICATE OF ANALYSIS

Report Number: GGMP/L/PN/3101E/292/08

Reporting Date : 27/01/2026

M/s Moil Limited

Chikla Manganese Mines L1=150.650 Ha Site PO. Sitasangi Tah-Tumsar

District:- Bhandara (M.S) 441907



TC-7073

### SAMPLE DETAILS

Lab ID:	Lab/PN/3101E/292/08	Sampling Date:	18/01/2026
Sample Drawn By:	Shailesh Pandey	Sample Receipt Date:	20/01/2026
Sample Type:	Drinking Water	Analysis Start Date:	20/01/2026
Sample Description:	Vertical Shaft-1 R.O Water	Analysis End Date:	24/01/2026
Sample Quantity:	6 L	Sampling Method:	GGMPL/WI/27A
Sample Condition:	Satisfactory	Packing:	Sealed

Sr.No	Parameters	Results	Unit	Test Method	AL	PL
13	Iron	BQL (QL=0.05)	mg/L	GGMPL/SOP/W&WW/46	1.0	No Relaxation
14	Manganese	BQL (QL=0.05)	mg/L	GGMPL/SOP/W&WW/46	0.1	0.3
15	Fluoride	BQL (QL=0.1)	mg/L	APHA 24th Edn 4500 F D	1	1.5
16	Nitrate	BQL (QL=0.5)	mg/L	APHA 24th Edn 4500 NO3 B	45	No Relaxation
17	Total coliform	Absent	per 100ml	APHA 9222 A&B 24th Edition	Absent	Absent
18	E.coli	Absent	per 100ml	APHA 9222H 24th Edition	Absent	Absent

AL & PL as per IS 10500

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit



Reviewed & Authorized by  
Tantan kumar & Dr. Haragobinda Srichandan



--- End of Report ---



Reviewed & Authorized by  
Payal Patel

Page No : 2/2

**Terms & Conditions :**

This test report document no GGMP/L/PN/3101E/292/08 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

## CERTIFICATE OF ANALYSIS

Report Number: GGMP/L/PN/3101E/292/09

Reporting Date : 27/01/2026

M/s Moil Limited

Chikla Manganese Mines L1=150.650 Ha Site PO. Sitasangi Tah-Tumsar  
District:- Bhandara (M.S) 441907



### SAMPLE DETAILS

Lab ID:	Lab/PN/3101E/292/09	Sampling Date:	18/01/2026
Sample Drawn By:	Shailesh Pandey	Sample Receipt Date:	20/01/2026
Sample Type:	Waste Water	Analysis Start Date:	20/01/2026
Sample Description:	STP Outlet	Analysis End Date:	24/01/2026
Sample Quantity:	4 L	Sampling Method:	GGMPL/WI/27A
Sample Condition:	Satisfactory	Packing:	Sealed

Sr.No	Parameters	Results	Unit	Test Method	Norm
1	pH at 25 °C	7.53	-	IS 3025- Part 11	-
2	Total Suspended Solids (TSS)	38.00	mg/L	APHA 24th Edn 2540 D	-
3	Oil and Grease	BQL (QL=2)	mg/L	IS 3025- Part 39	-
4	Chemical Oxygen Demand (COD)	40.00	mg/L	APHA 24th Edn 5220 B	-
5	Dissolved Oxygen	3.50	mg/L	IS 3025- Part 38	-
6	BOD at 27 °C for 3 days	9.6	mg/L	IS 3025- Part 44	-
7	Manganese	0.197	mg/L	GGMPL/SOP/W&WW/46	-

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit

  
Reviewed & Authorized by  
Gyanvati Shukla



  
Reviewed & Authorized by  
Payal Patel

**Terms & Conditions :**

This test report document no GGMP/L/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

## CERTIFICATE OF ANALYSIS

Report Number: GGMP/ PN/3101E/292/10

Reporting Date : 27/01/2026

M/s Moil Limited

Chikla Manganese Mines L1=150.650 Ha Site PO. Sitasangi Tah-Tumsar  
District:- Bhandara (M.S) 441907



TC-7073

### SAMPLE DETAILS

Lab ID:	Lab/PN/3101E/292/10	Sampling Date:	18/01/2026
Sample Drawn By:	Shailesh Pandey	Sample Receipt Date:	20/01/2026
Sample Type:	Waste Water	Analysis Start Date:	20/01/2026
Sample Description:	ETP Outlet	Analysis End Date:	24/01/2026
Sample Quantity:	4 L	Sampling Method:	GGMPL/WI/27A
Sample Condition:	Satisfactory	Packing:	Sealed

Sr.No	Parameters	Results	Unit	Test Method	Norm
1	pH at 25 °C	7.65	-	IS 3025- Part 11	-
2	Total Suspended Solids (TSS)	26.00	mg/L	APHA 24th Edn 2540 D	-
3	Oil and Grease	BQL (QL=2)	mg/L	IS 3025- Part 39	-
4	Chemical Oxygen Demand (COD)	24.00	mg/L	APHA 24th Edn 5220 B	-
5	Dissolved Oxygen	5.40	mg/L	IS 3025- Part 38	-
6	BOD at 27 o C for 3 days	7.03	mg/L	IS 3025- Part 44	-
7	Manganese	0.326	mg/L	GGMPL/SOP/W&WW/46	-


NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit



Reviewed & Authorized by  
Gyanvati Shukla



--- End of Report ---



Reviewed & Authorized by  
Payal Patel

Page No : 1/1

**Terms & Conditions :**

This test report document no GGMP/IF/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

## CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/3101E/292/11

Reporting Date : 27/01/2026

M/s Moil Limited

Chikla Manganese Mines L1=150.650 Ha Site PO. Sitasangi Tah-Tumsar

District:- Bhandara (M.S) 441907



TC-7073

### SAMPLE DETAILS

Lab ID:	Lab/PN/3101E/292/11	Sampling Date:	18/01/2026
Sample Drawn By:	Shailesh Pandey	Sample Receipt Date:	20/01/2026
Sample Type:	Waste Water	Analysis Start Date:	20/01/2026
Sample Description:	Mine Discharge Water	Analysis End Date:	24/01/2026
Sample Quantity:	4 L	Sampling Method:	GGMPL/WI/27A
Sample Condition:	Satisfactory	Packing:	Sealed

Sr.No	Parameters	Results	Unit	Test Method	Norm
1	pH at 25 °C	7.35	-	IS 3025- Part 11	-
2	Total Suspended Solids (TSS)	37.00	mg/L	APHA 24th Edn 2540 D	-
3	Oil and Grease	BQL (QL=2)	mg/L	IS 3025- Part 39	-
4	Chemical Oxygen Demand (COD)	28.00	mg/L	APHA 24th Edn 5220 B	-
5	Dissolved Oxygen	4.80	mg/L	IS 3025- Part 38	-
6	BOD at 27 o C for 3 days	8.7	mg/L	IS 3025- Part 44	-
7	Manganese	0.204	mg/L	GGMPL/SOP/W&WW/46	-

NS=Not Specified, BQL=Below Quantification Limit,QL= Quantification Limit



Reviewed & Authorized by  
Gyanvati Shukla



--- End of Report ---



Reviewed & Authorized by  
Payal Patel

Page No : 1/1

#### Terms & Conditions :

This test report document no GGMPL/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

## CERTIFICATE OF ANALYSIS

Report Number: GGMP/L/PN/3101E/292/12

Reporting Date: 27.01.2026

**M/s Moil Limited**

Chikla Manganese Mines L1=150.650 Ha Site PO. Sitasangi Tah-Tumsar  
District:- Bhandara (M.S) 441907



TC-7073


### SAMPLE DETAILS

Lab ID	: Lab/PN/3101E/292/12	Sampling Start Date	: 17.01.2026
Sampling Instrument	: Weather Monitoring Station	Sampling End Date	: 18.01.2026
Sample Type	: Meteorological Parameter	Sample Receipt Date	: 20.01.2026
Sample Location	: Near Mine Office		

Sr. No.	Parameters	Results	Unit	Test Method
1	Temperature	21.0	°C	GGMPL/SOP/MP/01
2	Relative Humidity	63.0	%	GGMPL/SOP/MP/01
3	Rainfall	BQL (QL=0.254)	mm	GGMPL/SOP/MP/01
4	Wind Speed	1.4	m/s	GGMPL/SOP/MP/01

  
Reviewed & Authorized by  
Gyanvati Shukla



  
Reviewed & Authorized by  
Manish Kumawat

---End of Report---

Page 1 of 1

**Terms & Conditions :**

This test report document no GGMP/L/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

## CERTIFICATE OF ANALYSIS

Report Number: GGMP/ PN/3101E/292/13

Reporting Date: 27.01.2026

**M/s Moil Limited**

Chikla Manganese Mines L1=150.650 Ha Site PO. Sitasangi Tah-Tumsar  
District:- Bhandara (M.S) 441907




TC-7073

### SAMPLE DETAILS

Lab ID	: Lab/PN/3101E/292/13	Sampling Start Date	: 17.01.2026
Sampling Instrument	: Weather Monitoring Station	Sampling End Date	: 18.01.2026
Sample Type	: Meteorological Parameter	Sample Receipt Date	: 20.01.2026
Sample Location	: Near Sita Sawangi Village		

Sr. No.	Parameters	Results	Unit	Test Method
1	Temperature	21.0	°C	GGMPL/SOP/MP/01
2	Relative Humidity	63.0	%	GGMPL/SOP/MP/01
3	Rainfall	BQL (QL=0.254)	mm	GGMPL/SOP/MP/01
4	Wind Speed	1.4	m/s	GGMPL/SOP/MP/01

  
Reviewed & Authorized by  
Gyanvati Shukla



  
Reviewed & Authorized by  
Manish Kumawat

----End of Report----

**Terms & Conditions :**

This test report document no GGMP/ F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

## CERTIFICATE OF ANALYSIS

Report Number: GGMP/L/PN/3101E/292/14

Reporting Date: 27.01.2026

**M/s Moil Limited**

Chikla Manganese Mines L1=150.650 Ha Site PO, Sitasangi Tah-Tumsar  
District:- Bhandara (M.S) 441907



TC-7073

### SAMPLE DETAILS

Lab ID	: Lab/PN/3101E/292/14	Sampling Start Date	: 17.01.2026
Sampling Instrument	: Weather Monitoring Station	Sampling End Date	: 18.01.2026
Sample Type	: Meteorological Parameter	Sample Receipt Date	: 20.01.2026
Sample Location	: Near Mine Vertical Shaft-2		

Sr. No.	Parameters	Results	Unit	Test Method
1	Temperature	21.0	°C	GGMPL/SOP/MP/01
2	Relative Humidity	63.0	%	GGMPL/SOP/MP/01
3	Rainfall	BQL (QL=0.254)	mm	GGMPL/SOP/MP/01
4	Wind Speed	1.4	m/s	GGMPL/SOP/MP/01

Reviewed & Authorized by

Gyanvati Shukla



Reviewed & Authorized by

Manish Kumawat

----End of Report----

Page 1 of 1

**Terms & Conditions :**

This test report document no GGMP/L/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

## CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/3101E/292/15

Reporting Date: 27.01.2026

**M/s Moil Limited**

Chikla Manganese Mines L1=150.650 Ha Site PO. Sitasangi Tah-Tumsar  
District:- Bhandara (M.S) 441907



### SAMPLE DETAILS

Lab ID	: Lab/PN/3101E/292/15	Sampling Start Date	: 17.01.2026
Sampling Instrument	: Weather Monitoring Station	Sampling End Date	: 18.01.2026
Sample Type	: Meteorological Parameter	Sample Receipt Date	: 20.01.2026
Sample Location	: Near BDC		

Sr. No.	Parameters	Results	Unit	Test Method
1	Temperature	21.0	°C	GGMPL/SOP/MP/01
2	Relative Humidity	63.0	%	GGMPL/SOP/MP/01
3	Rainfall	BQL (QL=0.254)	mm	GGMPL/SOP/MP/01
4	Wind Speed	1.4	m/s	GGMPL/SOP/MP/01

 Reviewed & Authorized by Gyanvati Shukla		 Reviewed & Authorized by Manish Kumawat
--	---	--

---End of Report---

**Terms & Conditions :**

This test report document no GGMPL/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

## CERTIFICATE OF ANALYSIS

Report Number : GGMPL/PN/3102E/293/01

Reporting Date: 24/01/2026

M/s Moil Limited

Chikla Railway Siding PO. Sitasaongi Tah-Tumsar District:- Bhandara (M.S)  
441907



TC-7073

### SAMPLE DETAILS

Lab ID:	Lab/PN/3102E/293/01	Sampling Start Date:	17/01/2026
Sample Drawn By:	Shailesh Pandey	Sampling End Date:	18/01/2026
Sample Type:	Ambient Air	Sample Receipt Date:	20/01/2026
Sample Description:	Near Railway Siding	Analysis start- End Date:	20/01/2026-24/01/2026
Env. Cond.-Sampling:	Temp-21°C/ Humidity-63%	Total Sampling hours:	24
Env. Cond.-Sample Receipt:	Satisfactory	Env. Cond.-Testing:	25±5°C

Sr.No	Parameters	Results	Unit	Test Method	Norms
1	Particulate Matter (PM2.5)	38.33	µg/m3	GGMPL/SOP/AA/60	60
2	Sulphur Dioxide (SO2)	16.31	µg/m3	IS 5182-Part 2	80
3	Oxides of Nitrogen	33.15	µg/m3	IS 5182- Part 6	80
4	Ozone (O3)	12.42	µg/m3	IS 5182- Part 9	180
5	Ammonia (NH3)	9.72	µg/m3	GGMPL/SOP/AA/62	400
6	Benzene	BQL (QL=2.5)	µg/m3	IS 5182- Part 11	5
7	Benzo(a) pyrene	BQL (QL=0.5)	ng/m3	Is 5182- Part 12	1
8	Carbon Monoxide (CO)	0.88	mg/m3	IS 5182- Part 10	4
9	Nickel as Ni	BQL (QL=5)	ng/m3	Method IO 3.4	20
10	Arsenic as As	BQL (QL=1)	ng/m3	Method IO 3.4	6
11	Lead	BQL (QL=0.001)	µg/m3	Method IO 3.4	1
12	Particulate Matter (PM10)	77.87	µg/m3	IS 5182- Part 23	

Norms As Per National Ambient Air Quality Standards

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit

Reviewed & Authorized by  
Gyanvati Shukla



Reviewed & Authorized by  
Manish Kumawat

Page No : 1/1

**Terms & Conditions :**

This test report document no GGMPL/F7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.



## CERTIFICATE OF ANALYSIS

Report Number: GGMP/L/PN/3102E/293/03

Reporting Date : 24/01/2026

M/s Moil Limited

Chikla Railway Siding PO. Sitasangi Tah-Tumsar District:- Bhandara (M.S)  
441907



TC-7073


### SAMPLE DETAILS

Lab ID:	Lab/PN/3102E/293/03	Sampling Date:	18/01/2026
Sample Drawn By:	Shailesh Pandey	Sample Receipt Date:	20/01/2026
Sample Type:	Ground Water	Analysis Start Date:	20/01/2026
Sample Description:	Railway Siding Water Supply Borewell Water	Analysis End Date:	24/01/2026
Sample Quantity:	6 L	Sampling Method:	GGMPL/WI/27A
Sample Condition:	Satisfactory	Packing:	Sealed


Sr.No	Parameters	Results	Unit	Test Method	AL	PL
1	Alkalinity as CaCO3	220.00	mg/L	APHA 24th Edn 2320 B	200	600
2	Calcium as Ca	52.91	mg/L	APHA 24th Edn 3500 Ca B	75	200
3	Chloride	52.98	mg/L	IS 3025- Part 32	250	1000
4	Colour	BQL (QL=2.5)	CU	IS 3025- Part 4	5	15
5	Fluoride	1.02	mg/L	APHA 24th Edn 4500 F D	1.0	1.5
6	Magnesium as Mg	36.69	mg/L	APHA 24th Edn 3500 Mg B	30	100
7	Odour	Agreeable	-	IS 3025- Part 5	Agreeable	Agreeable
8	pH at 25 °C	7.22	-	IS 3025- Part 11	6.5-8.5	No relaxation
9	Sulphate	72.11	mg/L	APHA 24th Edn 4500 SO4 E	200	400
10	Total Dissolved Solids (TDS)	460.00	mg/L	APHA 24th Edn 2540 C	500	2000
11	Total Suspended Solids (TSS)	BQL (QL=5)	mg/L	APHA 24th Edn 2540 D	NS	NS
12	Total Hardness as CaCO3	283.00	mg/L	APHA 24th Edn 2340 C	200	600

AL & PL As Per IS 10500.

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit



Reviewed & Authorized by  
Tantan kumar & Dr. Haragobinda Srichandan

Reviewed & Authorized by  
Payal Patel

Page No : 1/2

**Terms & Conditions :**

This test report document no GGMP/L/F7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

## CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/3102E/293/03

Reporting Date : 24/01/2026

M/s Moil Limited

Chikla Railway Siding PO. Sitasongi Tah-Tumsar District:- Bhandara (M.S)  
441907



TC-7073

### SAMPLE DETAILS

Lab ID:	Lab/PN/3102E/293/03	Sampling Date:	18/01/2026
Sample Drawn By:	Shailesh Pandey	Sample Receipt Date:	20/01/2026
Sample Type:	Ground Water	Analysis Start Date:	20/01/2026
Sample Description:	Railway Siding Water Supply Borewell Water	Analysis End Date:	24/01/2026
Sample Quantity:	6 L	Sampling Method:	GGMPL/WI/27A
Sample Condition:	Satisfactory	Packing:	Sealed

Sr.No	Parameters	Results	Unit	Test Method	AL	PL
13	Turbidity	BQL (QL=0.1)	NTU	APHA 24th Edn 2130 B	1	5
14	Iron	BQL (QL=0.05)	mg/L	GGMPL/SOP/W&WW/46	1	No relaxation
15	Manganese	BQL (QL=0.05)	mg/L	GGMPL/SOP/W & WW/46	0.1	0.3
16	Nitrate	5.38	mg/L	APHA 24th Edn 4500 NO3 B	45	No relaxation
17	Total coliform	Absent	Per 100ml	APHA 9221 B 24th Edition	Absent	Absent
18	E. coli	Absent	Per 100ml	APHA 9221 G 24th Edition	Absent	Absent

AL & PL As Per IS 10500.

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit

Reviewed & Authorized by  
Tantan kumar & Dr. Haragobinda Srichandan



--- End of Report ---



Reviewed & Authorized by  
Payal Patel

Page No : 2/2

**Terms & Conditions :**

This test report document no GGMPL/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad Jurisdiction.

## CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/3102E/293/04

Reporting Date: 24.01.2026

**M/s Moil Limited**

Chikla Railway Siding PO. Sitasaongi Tah-Tumsar District:- Bhandara (M.S)  
441907



TC-7073

### SAMPLE DETAILS

Lab ID	: Lab/PN/3102E/293/04	Sampling Start Date	: 17.01.2026
Sampling Instrument	: Weather Monitoring Station	Sampling End Date	: 18.01.2026
Sample Type	: Meteorological Parameter	Sample Receipt Date	: 20.01.2026
Sample Location	: Near Railway Siding		

Sr. No.	Parameters	Results	Unit	Test Method
1	Temperature	21.0	°C	GGMPL/SOP/MP/01
2	Relative Humidity	63.0	%	GGMPL/SOP/MP/01
3	Rainfall	BQL (QL=0.254)	mm	GGMPL/SOP/MP/01
4	Wind Speed	1.4	m/s	GGMPL/SOP/MP/01



Reviewed & Authorized by

Gyanvati Shukla




Reviewed & Authorized by

Manish Kumawat

----End of Report----

Page 1 of 1

**Terms & Conditions :**

This test report document no GGMPL/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

## CERTIFICATE OF ANALYSIS

Report Number : GGMPL/PN/3103E/279/01

Reporting Date: 26/01/2026

M/s Moil Limited

Pathari Sand Leases 40.41 PO. Sitasangji Tah-Tumsar District:- Bhandara  
(M.S) 441907



TC-7073

### SAMPLE DETAILS

Lab ID:	Lab/PN/3103E/279/01	Sampling Start Date:	17/01/2026
Sample Drawn By:	Shailesh Pandey	Sampling End Date:	18/01/2026
Sample Type:	Ambient Air	Sample Receipt Date:	20/01/2026
Sample Description:	Pathri sand lease from 500 m	Analysis start- End Date:	20/01/2026-24/01/2026
Env. Cond.-Sampling:	Temp -22°C/Humidity-62%	Total Sampling hours:	24
Env. Cond.-Sample Receipt:	Satisfactory	Env. Cond.-Testing:	25±5°C

Sr.No	Parameters	Results	Unit	Test Method	Norms
1	Particulate Matter (PM2.5)	38.32	µg/m3	GGMPL/SOP/AA/60	60
2	Sulphur Dioxide (SO2)	15.31	µg/m3	IS 5182-Part 2	80
3	Oxides of Nitrogen	29.71	µg/m3	IS 5182- Part 6	80
4	Ozone (O3)	13.30	µg/m3	IS 5182- Part 9	180
5	Ammonia (NH3)	15.27	µg/m3	GGMPL/SOP/AA/62	400
6	Benzene	BQL (QL=2.5)	µg/m3	IS 5182- Part 11	5
7	Benzo(a) pyrene	BQL (QL=0.5)	ng/m3	Is 5182- Part 12	1
8	Carbon Monoxide (CO)	0.77	mg/m3	IS 5182- Part 10	4
9	Nickel as Ni	BQL (QL=5)	ng/m3	Method IO 3.4	20
10	Arsenic as As	BQL (QL=1)	ng/m3	Method IO 3.4	6
11	Lead	BQL (QL=0.001)	µg/m3	Method IO 3.4	1
12	Particulate Matter (PM10)	74.07	µg/m3	IS 5182- Part 23	100

Norms As Per National Ambient Air Quality Standard.

NS=Not Specified, BQL=Below Quantification Limit,QL= Quantification Limit

Reviewed & Authorized by  
Tantan Kumar



Reviewed & Authorized by  
Manish Kumawat

Page No : 1/1

**Terms & Conditions :**

This test report document no GGMPL/F7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

## CERTIFICATE OF ANALYSIS

Report Number : GGMPL/PN/3103E/279/02

Reporting Date: 26/01/2026

M/s Moil Limited

Pathari Sand Leases 40.41 PO. Sitasangi Tah-Tumsar District:- Bhandara  
(M.S) 441907



TC-7073

### SAMPLE DETAILS

Lab ID:	Lab/PN/3103E/279/02	Sampling Start Date:	17/01/2026
Sample Drawn By:	Shailesh Pandey	Sampling End Date:	18/01/2026
Sample Type:	Ambient Air	Sample Receipt Date:	20/01/2026
Sample Description:	Haul Road Of Sand Lease 2km East	Analysis start- End Date:	20/01/2026-24/01/2026
Env. Cond.-Sampling:	Temp -22°C/Humidity-62%	Total Sampling hours:	24
Env. Cond.-Sample Receipt:	Satisfactory	Env. Cond.-Testing:	25±5°C

Sr.No	Parameters	Results	Unit	Test Method	Norms
1	Particulate Matter (PM2.5)	35.40	µg/m3	GGMPL/SOP/AA/60	60
2	Sulphur Dioxide (SO2)	14.77	µg/m3	IS 5182-Part 2	80
3	Oxides of Nitrogen	28.22	µg/m3	IS 5182- Part 6	80
4	Ozone (O3)	12.41	µg/m3	IS 5182- Part 9	180
5	Ammonia (NH3)	13.88	µg/m3	GGMPL/SOP/AA/62	400
6	Benzene	BQL (QL=2.5)	µg/m3	IS 5182- Part 11	5
7	Benzo(a) pyrene	BQL (QL=0.5)	ng/m3	Is 5182- Part 12	1
8	Carbon Monoxide (CO)	0.83	mg/m3	IS 5182- Part 10	4
9	Nickel as Ni	BQL (QL=5)	ng/m3	Method IO 3.4	20
10	Arsenic as As	BQL (QL=1)	ng/m3	Method IO 3.4	6
11	Lead	BQL (QL=0.001)	µg/m3	Method IO 3.4	1
12	Particulate Matter (PM10)	71.59	µg/m3	IS 5182- Part 23	100

Norms As Per National Ambient Air Quality Standard.

NS=Not Specified, BQL=Below Quantification Limit,QL= Quantification Limit

  
Reviewed & Authorized by  
Tantan Kumar



--- End of Report ---

  
Reviewed & Authorized by  
Manish Kumawat

Page No : 1/1

**Terms & Conditions :**

This test report document no GGMPL/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

## CERTIFICATE OF ANALYSIS

Report Number : GGMPL/PN/3103E/279/03

Reporting Date: 26/01/2026

M/s Moil Limited

Pathari Sand Leases 40.41 PO. Sitasongi Tah-Tumsar District:- Bhandara  
(M.S) 441907



TC-7073

### SAMPLE DETAILS

Lab ID:	Lab/PN/3103E/279/03	Sampling Start Date:	17/01/2026
Sample Drawn By:	Shailesh Pandey	Sampling End Date:	18/01/2026
Sample Type:	Ambient Air	Sample Receipt Date:	20/01/2026
Sample Description:	Point Of sand Lease	Analysis start- End Date:	20/01/2026-24/01/2026
Env. Cond.-Sampling:	Temp -22°C/Humidity-62%	Total Sampling hours:	24
Env. Cond.-Sample Receipt:	Satisfactory	Env. Cond.-Testing:	25±5°C

Sr.No	Parameters	Results	Unit	Test Method	Norms
1	Particulate Matter (PM2.5)	36.65	µg/m3	GGMPL/SOP/AA/60	60
2	Sulphur Dioxide (SO2)	16.04	µg/m3	IS 5182-Part 2	80
3	Oxides of Nitrogen	31.17	µg/m3	IS 5182- Part 6	80
4	Ozone (O3)	14.18	µg/m3	IS 5182- Part 9	180
5	Ammonia (NH3)	16.66	µg/m3	GGMPL/SOP/AA/62	400
6	Benzene	BQL (QL=2.5)	µg/m3	IS 5182- Part 11	5
7	Benzo(a) pyrene	BQL (QL=0.5)	ng/m3	Is 5182- Part 12	1
8	Carbon Monoxide (CO)	0.89	mg/m3	IS 5182- Part 10	4
9	Nickel as Ni	BQL (QL=5)	ng/m3	Method IO 3.4	20
10	Arsenic as As	BQL (QL=1)	ng/m3	Method IO 3.4	6
11	Lead	BQL (QL=0.001)	µg/m3	Method IO 3.4	1
12	Particulate Matter (PM10)	69.26	µg/m3	IS 5182- Part 23	100

Norms As Per National Ambient Air Quality Standard.

NS=Not Specified, BQL=Below Quantification Limit,QL= Quantification Limit

  
Reviewed & Authorized by  
Tantan Kumar



  
Reviewed & Authorized by  
Manish Kumawal

End of Report

Page No : 1/1

**Terms & Conditions :**

This test report document no GGMPL/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

## CERTIFICATE OF ANALYSIS

Report Number : GGMPL/PN/3103E/279/04

Reporting Date: 26/01/2026

M/s Moil Limited

 Pathari Sand Leases 40.41 PO. Sitasangi Tah-Tumsar District:- Bhandara  
 (M.S) 441907


TC-7073

### SAMPLE DETAILS

Lab ID:	Lab/PN/3103E/279/04	Sampling Start Date:	17/01/2026
Sample Drawn By:	Shailesh Pandey	Sampling End Date:	18/01/2026
Sample Type:	Ambient Air	Sample Receipt Date:	20/01/2026
Sample Description:	Pathari Village	Analysis start- End Date:	20/01/2026-24/01/2026
Env. Cond.-Sampling:	Temp -22°C/Humidity-62%	Total Sampling hours:	24
Env. Cond.-Sample Receipt:	Satisfactory	Env. Cond.-Testing:	25±5°C

Sr.No	Parameters	Results	Unit	Test Method	Norms
1	Particulate Matter (PM2.5)	37.07	µg/m3	GGMPL/SOP/AA/60	60
2	Sulphur Dioxide (SO2)	15.59	µg/m3	IS 5182-Part 2	80
3	Oxides of Nitrogen	30.04	µg/m3	IS 5182- Part 6	80
4	Ozone (O3)	15.37	µg/m3	IS 5182- Part 9	180
5	Ammonia (NH3)	18.05	µg/m3	GGMPL/SOP/AA/62	400
6	Benzene	BQL (QL=2.5)	µg/m3	IS 5182- Part 11	5
7	Benzo(a) pyrene	BQL (QL=0.5)	ng/m3	Is 5182- Part 12	1
8	Carbon Monoxide (CO)	0.91	mg/m3	IS 5182- Part 10	4
9	Nickel as Ni	BQL (QL=5)	ng/m3	Method IO 3.4	20
10	Arsenic as As	BQL (QL=1)	ng/m3	Method IO 3.4	6
11	Lead	BQL (QL=0.001)	µg/m3	Method IO 3.4	1
12	Particulate Matter (PM10)	72.65	µg/m3	IS 5182- Part 23	100

Norms As Per National Ambient Air Quality Standard.

NS=Not Specified, BQL=Below Quantification Limit,QL= Quantification Limit

  
 Reviewed & Authorized by  
 Tantan Kumar



  
 Reviewed & Authorized by  
 Manish Kumawat

Page No : 1/1

**Terms & Conditions :**

This test report document no GGMPL/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

## CERTIFICATE OF ANALYSIS

Report Number: GGMP/L/PN/3103E/279/05

Reporting Date: 26/01/2026

M/s Moil Limited

Pathari Sand Leases 40.41 PO. Sitasangji Tah-Tumsar District:- Bhandara  
(M.S) 441907



TC-7073

### SAMPLE DETAILS

Sampling Instrument : Sound Level Meter  
Sample By : Shailesh Pandey

Sampling Date: 17/01/2026  
Sample Description: Source Noise

Sr.No	Lab Id	Location	Time	Unit	Test Method	Reading	Norms
1	Lab/PN/3103E/2 79/05A	Pahari sand lease from 500 m	Day Time	dB(A)Leq	IS 4758	56	-
2	Lab/PN/3103E/2 79/05B	Haul Road Of Sand Lease 2km East	Day Time	dB(A)Leq	IS 4758	57	-
3	Lab/PN/3103E/2 79/05C	Point Of sand Lease	Day Time	dB(A)Leq	IS 4758	59	-
4	Lab/PN/3103E/2 79/05D	Pathari Village	Day Time	dB(A)Leq	IS 4758	54	-

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit

Reviewed & Authorized by  
Tantan Kumar



Reviewed & Authorized by  
Manish Kumawat

--- End of Report ---

Page No : 1/1

**Terms & Conditions :**

This test report document no GGMP/L/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

## CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/3103E/279/06

Reporting Date : 26/01/2026

M/s Moil Limited

Pathari Sand Leases 40.41 PO. Sitasoongi Tah-Tumsar District:- Bhandara  
(M.S) 441907



TC-7073

### SAMPLE DETAILS

Lab ID:	Lab/PN/3103E/279/06	Sampling Date:	18/01/2026
Sample Drawn By:	Shailesh Pandey	Sample Receipt Date:	20/01/2026
Sample Type:	Surface Water	Analysis Start Date:	20/01/2026
Sample Description:	S.W Pathri Sand Lease River	Analysis End Date:	24/01/2026
Sample Quantity:	6 L	Sampling Method:	GGMPL/WI/27A
Sample Condition:	Satisfactory	Packing:	Sealed

Sr.No	Parameters	Results	Unit	Test Method	Norm
1	Alkalinity as CaCO <sub>3</sub>	130.00	mg/L	APHA 24th Edn 2320 B	-
2	Calcium as Ca	44.08	mg/L	APHA 24th Edn 3500 Ca B	-
3	Chloride	32.98	mg/L	IS 3025- Part 32	-
4	Colour	BQL (QL=2.5)	CU	IS 3025- Part 4	-
5	Fluoride	0.35	mg/L	APHA 24th Edn 4500 F D	-
6	Magnesium as Mg	14.58	mg/L	APHA 24th Edn 3500 Mg B	-
7	Odour	Agreeable	-	IS 3025- Part 5	-
8	pH at 25 °C	7.56	-	IS 3025- Part 11	-
9	Sulphate	18.48	mg/L	APHA 24th Edn 4500 SO <sub>4</sub> E	-
10	Total Dissolved Solids (TDS)	220.00	mg/L	APHA 24th Edn 2540 C	-
11	Total Suspended Solids (TSS)	14.00	mg/L	APHA 24th Edn 2540 D	-
12	Total Hardness as CaCO <sub>3</sub>	170.00	mg/L	APHA 24th Edn 2340 C	-

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit



Reviewed & Authorized by  
Tantan kumar & Dr. Haragobinda Srichandan




Reviewed & Authorized by  
Payal Patel

Page No : 1/2

**Terms & Conditions :**

This test report document no GGMPL/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

## CERTIFICATE OF ANALYSIS

Report Number: GGMP/L/PN/3103E/279/06

Reporting Date : 26/01/2026

M/s Moil Limited

Pathari Sand Leases 40.41 PO. Sitasaongi Tah-Tumsar District:- Bhandara  
(M.S) 441907



TC-7073

### SAMPLE DETAILS

Lab ID:	Lab/PN/3103E/279/06	Sampling Date:	18/01/2026
Sample Drawn By:	Shailesh Pandey	Sample Receipt Date:	20/01/2026
Sample Type:	Surface Water	Analysis Start Date:	20/01/2026
Sample Description:	S.W Pathri Sand Lease River	Analysis End Date:	24/01/2026
Sample Quantity:	6 L	Sampling Method:	GGMPL/WI/27A
Sample Condition:	Satisfactory	Packing:	Sealed

Sr.No	Parameters	Results	Unit	Test Method	Norm
13	Turbidity	4.21	NTU	APHA 24th Edn 2130 B	-
14	Iron	BQL (QL=0.05)	mg/L	GGMPL/SOP/W & WW/46	-
15	Manganese	BQL (QL=0.05)	mg/L	GGMPL/SOP/W & WW/46	-
16	Total coliform	39	MPN/100ml	APHA 9221B 24th Edition 2021	-
17	E. coli	21	MPN/100ml	APHA 9221G 24th Edition	-
18	Nitrate	1.89	mg/L	APHA 24th Edn 4500 NO3 B	-

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit

*T. Kumar* *Dr. Haragobinda*

Reviewed & Authorized by  
Tantan kumar & Dr. Haragobinda Srichandan



--- End of Report ---

*P. Patel*

Reviewed & Authorized by  
Payal Patel

Page No : 2/2

#### Terms & Conditions :

This test report document no GGMP/L/F7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

## CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/3103E/279/07

Reporting Date : 26/01/2026

M/s Moil Limited

Pathari Sand Leases 40.41 PO. Sitasoongi Tah-Tumsar District:- Bhandara  
(M.S) 441907



### SAMPLE DETAILS

Lab ID:	Lab/PN/3103E/279/07	Sampling Date:	18/01/2026
Sample Drawn By:	Shailesh Pandey	Sample Receipt Date:	20/01/2026
Sample Type:	Surface Water	Analysis Start Date:	20/01/2026
Sample Description:	S.W Pathri Sand Lease 2km From Site	Analysis End Date:	24/01/2026
Sample Quantity:	6 L	Sampling Method:	GGMPL/WI/27A
Sample Condition:	Satisfactory	Packing:	Sealed

Sr.No	Parameters	Results	Unit	Test Method	Norm
1	Alkalinity as CaCO3	152.00	mg/L	APHA 24th Edn 2320 B	-
2	Calcium as Ca	35.27	mg/L	APHA 24th Edn 3500 Ca B	-
3	Chloride	20.99	mg/L	IS 3025- Part 32	-
4	Colour	BQL (QL=2.5)	CU	IS 3025- Part 4	-
5	Fluoride	0.26	mg/L	APHA 24th Edn 4500 F D	-
6	Magnesium as Mg	15.06	mg/L	APHA 24th Edn 3500 Mg B	-
7	Odour	Agreeable	-	IS 3025- Part 5	-
8	pH at 25 °C	7.31	-	IS 3025- Part 11	-
9	Sulphate	14.34	mg/L	APHA 24th Edn 4500 SO4 E	-
10	Total Dissolved Solids (TDS)	238.00	mg/L	APHA 24th Edn 2540 C	-
11	Total Suspended Solids (TSS)	6.00	mg/L	APHA 24th Edn 2540 D	-
12	Total Hardness as CaCO3	150.00	mg/L	APHA 24th Edn 2340 C	-

NS=Not Specified, BQL=Below Quantification Limit,QL= Quantification Limit



Reviewed & Authorized by  
Tantan kumar & Dr. Haragobinda Srichandan




Reviewed & Authorized by  
Payal Patel

Page No : 1/2

**Terms & Conditions :**

This test report document no GGMPL/F7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

## CERTIFICATE OF ANALYSIS

Report Number: GGMP/L/PN/3103E/279/07

Reporting Date : 26/01/2026

M/s Moil Limited

Pathari Sand Leases 40.41 PO. Sitasaongi Tah-Tumsar District:- Bhandara  
(M.S) 441907



### SAMPLE DETAILS

Lab ID:	Lab/PN/3103E/279/07	Sampling Date:	18/01/2026
Sample Drawn By:	Shailesh Pandey	Sample Receipt Date:	20/01/2026
Sample Type:	Surface Water	Analysis Start Date:	20/01/2026
Sample Description:	S.W Pathri Sand Lease 2km From Site	Analysis End Date:	24/01/2026
Sample Quantity:	6 L	Sampling Method:	GGMPL/WI/27A
Sample Condition:	Satisfactory	Packing:	Sealed

Sr.No	Parameters	Results	Unit	Test Method	Norm
13	Turbidity	1.66	NTU	APHA 24th Edn 2130 B	-
14	Iron	BQL (QL=0.05)	mg/L	GGMPL/SOP/W & WW/46	-
15	Manganese	BQL (QL=0.05)	mg/L	GGMPL/SOP/W & WW/46	-
16	Total coliform	26	MPN/100ml	APHA 9221B 24th Edition 2021	-
17	E. coli	11	MPN/100ml	APHA 9221G 24th Edition	-
18	Nitrate	1.39	mg/L	APHA 24th Edn 4500 NO3 B	-

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit

*Tantankumar*

Reviewed & Authorized by  
Tantan kumar & Dr. Haragobinda Srichandan



--- End of Report ---

*P. B. Nuppl*

Reviewed & Authorized by  
Payal Patel

Page No : 2/2

**Terms & Conditions :**

This test report document no GGMP/L/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

## CERTIFICATE OF ANALYSIS

Report Number: GGMLP/PN/3103E/279/08

Reporting Date : 26/01/2026

**M/s Moil Limited**

 Pathari Sand Leases 40.41 PO. Sitasaongi Tah-Tumsar District:- Bhandara  
 (M.S) 441907


TC-7073

### SAMPLE DETAILS

Lab ID:	Lab/PN/3103E/279/08	Sampling Date:	18/01/2026
Sample Drawn By:	Shailesh Pandey	Sample Receipt Date:	20/01/2026
Sample Type:	Ground Water	Analysis Start Date:	20/01/2026
Sample Description:	Pathri Village Borewell	Analysis End Date:	24/01/2026
Sample Quantity:	6 L	Sampling Method:	GGMLP/WI/27A
Sample Condition:	Satisfactory	Packing:	Sealed


Sr.No	Parameters	Results	Unit	Test Method	AL	PL
1	Alkalinity as CaCO3	160.00	mg/L	APHA 24th Edn 2320 B	200	600
2	Calcium as Ca	42.08	mg/L	APHA 24th Edn 3500 Ca B	75	200
3	Chloride	28.99	mg/L	IS 3025- Part 32	250	1000
4	Colour	BQL (QL=2.5)	CU	IS 3025- Part 4	5	15
5	Fluoride	0.31	mg/L	APHA 24th Edn 4500 F D	1.0	1.5
6	Magnesium as Mg	18.22	mg/L	APHA 24th Edn 3500 Mg B	30	100
7	Odour	Agreeable	-	IS 3025- Part 5	Agreeable	Agreeable
8	pH at 25 °C	7.48	-	IS 3025- Part 11	6.5-8.5	No relaxation
9	Sulphate	15.25	mg/L	APHA 24th Edn 4500 SO4 E	200	400
10	Total Dissolved Solids (TDS)	260.00	mg/L	APHA 24th Edn 2540 C	500	2000
11	Total Suspended Solids (TSS)	BQL (QL=5)	mg/L	APHA 24th Edn 2540 D	NS	NS
12	Total Hardness as CaCO3	180.00	mg/L	APHA 24th Edn 2340 C	200	600

AL &amp; PL as per IS 10500

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit



 Reviewed & Authorized by  
 Tantan kumar & Dr. Haragobinda Srichandan



 Reviewed & Authorized by  
 Payal Patel

Page No : 1/2

**Terms & Conditions :**

This test report document no GGMLP/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

## CERTIFICATE OF ANALYSIS

Report Number: GGMP/L/PN/3103E/279/08

Reporting Date : 26/01/2026

M/s Moil Limited

Pathari Sand Leases 40.41 PO. Sitasoongi Tah-Tumsar District:- Bhandara  
(M.S) 441907



### SAMPLE DETAILS

Lab ID:	Lab/PN/3103E/279/08	Sampling Date:	18/01/2026
Sample Drawn By:	Shailesh Pandey	Sample Receipt Date:	20/01/2026
Sample Type:	Ground Water	Analysis Start Date:	20/01/2026
Sample Description:	Pathri Village Borewell	Analysis End Date:	24/01/2026
Sample Quantity:	6 L	Sampling Method:	GGMPL/WI/27A
Sample Condition:	Satisfactory	Packing:	Sealed

Sr.No	Parameters	Results	Unit	Test Method	AL	PL
13	Turbidity	BQL (QL=0.1)	NTU	APHA 24th Edn 2130 B	1	5
14	Iron	BQL (QL=0.05)	mg/L	GGMPL/SOP/W&WW/46	1	No relaxation
15	Manganese	BQL (QL=0.05)	mg/L	GGMPL/SOP/W & WW/46	0.1	0.3
16	Nitrate	2.22	mg/L	APHA 24th Edn 4500 NO3 B	45	No relaxation
17	Total coliform	Absent	Per 100ml	APHA 9221 B 24th Edition	Absent	Absent
18	E. coli	Absent	Per 100ml	APHA 9221 G 24th Edition	Absent	Absent

AL & PL as per IS 10500

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit

*T. I. S.*

Reviewed & Authorized by  
Tantan kumar & Dr. Haragobinda Srichandan



--- End of Report ---

*P. B. Patel*

Reviewed & Authorized by  
Payal Patel

Page No : 2/2

**Terms & Conditions :**

This test report document no GGMP/L/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

## CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/3103E/279/09

Reporting Date : 26/01/2026

M/s Moil Limited

Pathari Sand Leases 40.41 PO. Sitasongji Tah-Tumsar District:- Bhandara  
(M.S) 441907



### SAMPLE DETAILS

Lab ID:	Lab/PN/3103E/279/09	Sampling Date:	18/01/2026
Sample Drawn By:	Shailesh Pandey	Sample Receipt Date:	20/01/2026
Sample Type:	Ground Water	Analysis Start Date:	20/01/2026
Sample Description:	Pathri Village (Tola) Borewell	Analysis End Date:	24/01/2026
Sample Quantity:	6 L	Sampling Method:	GGMPL/WI/27A
Sample Condition:	Satisfactory	Packing:	Sealed

Sr.No	Parameters	Results	Unit	Test Method	AL	PL
1	Alkalinity as CaCO <sub>3</sub>	300.00	mg/L	APHA 24th Edn 2320 B	200	600
2	Calcium as Ca	104.20	mg/L	APHA 24th Edn 3500 Ca B	75	200
3	Chloride	60.98	mg/L	IS 3025- Part 32	250	1000
4	Colour	BQL (QL=2.5)	CU	IS 3025- Part 4	5	15
5	Fluoride	0.61	mg/L	APHA 24th Edn 4500 F D	1.0	1.5
6	Magnesium as Mg	19.44	mg/L	APHA 24th Edn 3500 Mg B	30	100
7	Odour	Agreeable	-	IS 3025- Part 5	Agreeable	Agreeable
8	pH at 25 °C	7.41	-	IS 3025- Part 11	6.5-8.5	No relaxation
9	Sulphate	30.19	mg/L	APHA 24th Edn 4500 SO <sub>4</sub> E	200	400
10	Total Dissolved Solids (TDS)	490.00	mg/L	APHA 24th Edn 2540 C	500	2000
11	Total Suspended Solids (TSS)	BQL (QL=5)	mg/L	APHA 24th Edn 2540 D	NS	NS
12	Total Hardness as CaCO <sub>3</sub>	340.00	mg/L	APHA 24th Edn 2340 C	200	600

AL & PL as per IS 10500

NS=Not Specified, BQL=Below Quantification Limit,QL= Quantification Limit

*T. K. S.*

Reviewed & Authorized by  
Tanjan kumar & Dr. Haragobinda Srichandan



*P. B. Patel*

Reviewed & Authorized by  
Payal Patel

Page No : 1/2

**Terms & Conditions :**

This test report document no GGMPL/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are sold to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

## CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/3103E/279/09

Reporting Date : 26/01/2026

M/s Moil Limited

Pathari Sand Leases 40.41 PO. Sitasangli Tah-Tumsar District:- Bhandara  
(M.S) 441907



### SAMPLE DETAILS

Lab ID:	Lab/PN/3103E/279/09	Sampling Date:	18/01/2026
Sample Drawn By:	Shailesh Pandey	Sample Receipt Date:	20/01/2026
Sample Type:	Ground Water	Analysis Start Date:	20/01/2026
Sample Description:	Pathri Village (Tola) Borewell	Analysis End Date:	24/01/2026
Sample Quantity:	6 L	Sampling Method:	GGMPL/WI/27A
Sample Condition:	Satisfactory	Packing:	Sealed

Sr.No	Parameters	Results	Unit	Test Method	AL	PL
13	Turbidity	BQL (QL=0.1)	NTU	APHA 24th Edn 2130 B	1	5
14	Iron	BQL (QL=0.05)	mg/L	GGMPL/SOP/W&WW/46	1	No relaxation
15	Manganese	BQL (QL=0.05)	mg/L	GGMPL/SOP/W & WW/46	0.1	0.3
16	Nitrate	4.86	mg/L	APHA 24th Edn 4500 NO3 B	45	No relaxation
17	Total coliform	Absent	Per 100ml	APHA 9221 B 24th Edition	Absent	Absent
18	E. coli	Absent	Per 100ml	APHA 9221 G 24th Edition	Absent	Absent

AL & PL as per IS 10500

NS=Not Specified, BQL=Below Quantification Limit,QL= Quantification Limit



Reviewed & Authorized by  
Tantan kumar & Dr. Haragobinda Srichandan



--- End of Report ---



Reviewed & Authorized by  
Payal Patel

Page No : 2/2

**Terms & Conditions :**

This test report document no GGMPL/F7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

## CERTIFICATE OF ANALYSIS

Report Number: GGMP/ PN/3103E/279/10

Reporting Date: 26.01.2026

**M/s Moil Limited**

Pathari Sand Leases 40.41 PO. Sitasangi Tah-Tumsar District:-  
Bhandara (M.S) 441907



### SAMPLE DETAILS

Lab ID	: Lab/PN/3103E/279/10	Sampling Start Date	: 17.01.2026
Sampling Instrument	: Weather Monitoring Station	Sampling End Date	: 18.01.2026
Sample Type	: Meteorological Parameter	Sample Receipt Date	: 20.01.2026
Sample Location	: Pathri sand lease from 500 m		

Sr. No.	Parameters	Results	Unit	Test Method
1	Temperature	22.0	°C	GGMPL/SOP/MP/01
2	Relative Humidity	62.0	%	GGMPL/SOP/MP/01
3	Rainfall	BQL (QL=0.254)	mm	GGMPL/SOP/MP/01
4	Wind Speed	1.4	m/s	GGMPL/SOP/MP/01

  
Reviewed & Authorized by  
Tantan kumar



  
Reviewed & Authorized by  
Manish Kumawat

----End of Report----

**Terms & Conditions :**

This test report document no GGMP/ F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

## CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/3103E/279/11

Reporting Date: 27.01.2026

**M/s Moil Limited**

Pathari Sand Leases 40.41 PO. Sitasangi Tah-Tumsar District:-  
Bhandara (M.S) 441907



### SAMPLE DETAILS

Lab ID	: Lab/PN/3103E/279/11	Sampling Start Date	: 17.01.2026
Sampling Instrument	: Weather Monitoring Station	Sampling End Date	: 18.01.2026
Sample Type	: Meteorological Parameter	Sample Receipt Date	: 20.01.2026
Sample Location	: Haul Road Of Sand Lease 2km East		

Sr. No.	Parameters	Results	Unit	Test Method
1	Temperature	22.0	°C	GGMPL/SOP/MP/01
2	Relative Humidity	62.0	%	GGMPL/SOP/MP/01
3	Rainfall	BQL (QL=0.254)	mm	GGMPL/SOP/MP/01
4	Wind Speed	1.4	m/s	GGMPL/SOP/MP/01



Reviewed & Authorized by

Tantan Kumar




Reviewed & Authorized by

Manish Kumawat

---End of Report---

**Terms & Conditions :**

This test report document no GGMPL/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

## CERTIFICATE OF ANALYSIS

Report Number: GGMP/L/PN/3103E/279/12

Reporting Date: 27.01.2026

**M/s Moil Limited**

Pathari Sand Leases 40.41 PO, Sitasangi Tah-Tumsar District:-  
Bhandara (M.S) 441907



### SAMPLE DETAILS

Lab ID	: Lab/PN/3103E/279/12	Sampling Start Date	: 17.01.2026
Sampling Instrument	: Weather Monitoring Station	Sampling End Date	: 18.01.2026
Sample Type	: Meteorological Parameter	Sample Receipt Date	: 20.01.2026
Sample Location	: Point Of sand Lease		

Sr. No.	Parameters	Results	Unit	Test Method
1	Temperature	22.0	°C	GGMPL/SOP/MP/01
2	Relative Humidity	62.0	%	GGMPL/SOP/MP/01
3	Rainfall	BQL (QL=0.254)	mm	GGMPL/SOP/MP/01
4	Wind Speed	1.4	m/s	GGMPL/SOP/MP/01

  
Reviewed & Authorized by  
Tantan Kumar



  
Reviewed & Authorized by  
Manish Kumawat

----End of Report----

**Terms & Conditions :**

This test report document no GGMP/L/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

## CERTIFICATE OF ANALYSIS

Report Number: GGML/PN/3103E/279/13

Reporting Date: 26.01.2026

**M/s Moil Limited**

Pathari Sand Leases 40.41 PO, Sitasangi Tah-Tumsar District:-  
Bhandara (M.S) 441907



### SAMPLE DETAILS

Lab ID	: Lab/PN/3103E/279/13	Sampling Start Date	: 17.01.2026
Sampling Instrument	: Weather Monitoring Station	Sampling End Date	: 18.01.2026
Sample Type	: Meteorological Parameter	Sample Receipt Date	: 20.01.2026
Sample Location	: Pathri Village		

Sr. No.	Parameters	Results	Unit	Test Method
1	Temperature	22.0	°C	GGMPL/SOP/MP/01
2	Relative Humidity	62.0	%	GGMPL/SOP/MP/01
3	Rainfall	BQL (QL=0.254)	mm	GGMPL/SOP/MP/01
4	Wind Speed	1.4	m/s	GGMPL/SOP/MP/01


  
 Reviewed & Authorized by  
 Tantan Kumar




  
 Reviewed & Authorized by  
 Manish Kumawat

---End of Report---

**Terms & Conditions :**

This test report document no GGML/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.