

CERTIFICATE OF ANALYSIS

Report Number : GGMP/ PN/3195E/270/01

Reporting Date: 31/01/2026

M/s Moil Limited

Kandri Manganese Mines (M.S) L1=83.060 Ha PO. Kandri Tah-Ramtek Dist.
Nagpur (M.S) 441401



TC-7073

SAMPLE DETAILS


Lab ID:	Lab/PN/3195E/270/01	Sampling Start Date:	23/01/2026
Sample Drawn By:	Maulik Prajapati	Sampling End Date:	24/01/2026
Sample Type:	Ambient Air	Sample Receipt Date:	27/01/2026
Sample Description:	Near Mine Pit	Analysis start- End Date:	27/01/2026-31/01/2026
Env. Cond.-Sampling:	Temp-25°C / Humidity-54%	Total Sampling hours:	24
Env. Cond.-Sample Receipt:	Satisfactory	Env. Cond.-Testing:	25±5°C

Sr.No	Parameters	Results	Unit	Test Method	Norms
1	Particulate Matter (PM2.5)	35.41	µg/m3	GGMPL/SOP/AA/60	60
2	Sulphur Dioxide (SO2)	16.47	µg/m3	IS 5182-Part 2	80
3	Oxides of Nitrogen	29.13	µg/m3	IS 5182- Part 6	80
4	Ozone (O3)	13.30	µg/m3	IS 5182- Part 9	180
5	Ammonia (NH3)	16.66	µg/m3	GGMPL/SOP/AA/62	400
6	Benzene	BQL (QL=2.5)	µg/m3	IS 5182- Part 11	5
7	Benzo(a) pyrene	BQL (QL=0.5)	ng/m3	Is 5182- Part 12	1
8	Carbon Monoxide (CO)	1.02	mg/m3	IS 5182- Part 10	4
9	Nickel as Ni	BQL (QL=5)	ng/m3	Method IO 3.4	20
10	Arsenic as As	BQL (QL=1)	ng/m3	Method IO 3.4	6
11	Lead	BQL (QL=0.001)	µg/m3	Method IO 3.4	1
12	Particulate Matter (PM10)	76.16	µg/m3	IS 5182- Part 23	100

Norms as per National Ambient Air Quality Standards.

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit

Reviewed & Authorized by
Gyanvati Shukla



Reviewed & Authorized by
Manish Kumawat

Page No : 1/1

Terms & Conditions :

This test report document no GGMP/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number : GGMP/ PN/3195E/270/02

Reporting Date: 31/01/2026

M/s Moil Limited

Kandri Manganese Mines (M.S) L1=83.060 Ha PO. Kandri Tah-Ramtek Dist.
Nagpur (M.S) 441401



TC-7073

SAMPLE DETAILS

Lab ID:	Lab/PN/3195E/270/02	Sampling Start Date:	23/01/2026
Sample Drawn By:	Maulik Prajapati	Sampling End Date:	24/01/2026
Sample Type:	Ambient Air	Sample Receipt Date:	27/01/2026
Sample Description:	Near Hospital	Analysis start- End Date:	27/01/2026-31/01/2026
Env. Cond.-Sampling:	Temp-25°C / Humidity-54%	Total Sampling hours:	24
Env. Cond.-Sample Receipt:	Satisfactory	Env. Cond.-Testing:	25±5°C

Sr.No	Parameters	Results	Unit	Test Method	Norms
1	Particulate Matter (PM2.5)	33.32	µg/m ³	GGMP/SOP/AA/60	60
2	Sulphur Dioxide (SO ₂)	14.41	µg/m ³	IS 5182-Part 2	80
3	Oxides of Nitrogen	28.49	µg/m ³	IS 5182- Part 6	80
4	Ozone (O ₃)	15.67	µg/m ³	IS 5182- Part 9	180
5	Ammonia (NH ₃)	18.05	µg/m ³	GGMP/SOP/AA/62	400
6	Benzene	BQL (QL=2.5)	µg/m ³	IS 5182- Part 11	5
7	Benzo(a) pyrene	BQL (QL=0.5)	ng/m ³	IS 5182- Part 12	1
8	Carbon Monoxide (CO)	0.98	mg/m ³	IS 5182- Part 10	4
9	Nickel as Ni	BQL (QL=5)	ng/m ³	Method IO 3.4	20
10	Arsenic as As	BQL (QL=1)	ng/m ³	Method IO 3.4	6
11	Lead	BQL (QL=0.001)	µg/m ³	Method IO 3.4	1
12	Particulate Matter (PM10)	73.72	µg/m ³	IS 5182- Part 23	100

Norms as per National Ambient Air Quality Standards.

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit

Reviewed & Authorized by
Gyanvati Shukla



Reviewed & Authorized by
Manish Kumawat

Page No : 1/1

Terms & Conditions :

This test report document no GGMP/ F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number : GGMP/L/PN/3195E/270/03

Reporting Date: 31/01/2026

M/s Moil Limited

Kandri Manganese Mines (M.S) L1=83.060 Ha PO. Kandri Tah-Ramtek Dist.
Nagpur (M.S) 441401




SAMPLE DETAILS

Lab ID:	Lab/PN/3195E/270/03	Sampling Start Date:	23/01/2026
Sample Drawn By:	Maulik Prajapati	Sampling End Date:	24/01/2026
Sample Type:	Ambient Air	Sample Receipt Date:	27/01/2026
Sample Description:	Near Haul Road	Analysis start- End Date:	27/01/2026-31/01/2026
Env. Cond.-Sampling:	Temp-25°C / Humidity-54%	Total Sampling hours:	24
Env. Cond.-Sample Receipt:	Satisfactory	Env. Cond.-Testing:	25±5°C

Sr.No	Parameters	Results	Unit	Test Method	Norms
1	Particulate Matter (PM2.5)	38.32	µg/m3	GGMPL/SOP/AA/60	60
2	Sulphur Dioxide (SO2)	17.20	µg/m3	IS 5182-Part 2	80
3	Oxides of Nitrogen	26.22	µg/m3	IS 5182- Part 6	80
4	Ozone (O3)	12.41	µg/m3	IS 5182- Part 9	180
5	Ammonia (NH3)	15.27	µg/m3	GGMPL/SOP/AA/62	400
6	Benzene	BQL (QL=2.5)	µg/m3	IS 5182- Part 11	5
7	Benzo(a) pyrene	BQL (QL=0.5)	ng/m3	Is 5182- Part 12	1
8	Carbon Monoxide (CO)	1.03	mg/m3	IS 5182- Part 10	4
9	Nickel as Ni	BQL (QL=5)	ng/m3	Method IO 3.4	20
10	Arsenic as As	BQL (QL=1)	ng/m3	Method IO 3.4	6
11	Lead	BQL (QL=0.001)	µg/m3	Method IO 3.4	1
12	Particulate Matter (PM10)	75.06	µg/m3	IS 5182- Part 23	100

Norms as per National Ambient Air Quality Standards.

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit


Reviewed & Authorized by
Gyanvati Shukla




Reviewed & Authorized by
Manish Kumawat

--- End of Report ---

Page No : 1/1

Terms & Conditions :

This test report document no GGMP/L/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number : GGMP/ PN/3195E/270/04

Reporting Date: 31/01/2026

M/s Moil Limited

Kandri Manganese Mines (M.S) L1=83.060 Ha PO. Kandri Tah-Ramtek Dist.
Nagpur (M.S) 441401



TC-7073

SAMPLE DETAILS

Lab ID:	Lab/PN/3195E/270/04	Sampling Start Date:	23/01/2026
Sample Drawn By:	Maulik Prajapati	Sampling End Date:	24/01/2026
Sample Type:	Ambient Air	Sample Receipt Date:	27/01/2026
Sample Description:	Near Staff Colony	Analysis start- End Date:	27/01/2026-31/01/2026
Env. Cond.-Sampling:	Temp-25°C / Humidity-54%	Total Sampling hours:	24
Env. Cond.-Sample Receipt:	Satisfactory	Env. Cond.-Testing:	25±5°C

Sr.No	Parameters	Results	Unit	Test Method	Norms
1	Particulate Matter (PM2.5)	36.65	µg/m3	GGMP/SOP/AA/60	60
2	Sulphur Dioxide (SO2)	13.18	µg/m3	IS 5182-Part 2	80
3	Oxides of Nitrogen	24.60	µg/m3	IS 5182- Part 6	80
4	Ozone (O3)	14.78	µg/m3	IS 5182- Part 9	180
5	Ammonia (NH3)	20.83	µg/m3	GGMP/SOP/AA/62	400
6	Benzene	BQL (QL=2.5)	µg/m3	IS 5182- Part 11	5
7	Benzo(a) pyrene	BQL (QL=0.5)	ng/m3	Is 5182- Part 12	1
8	Carbon Monoxide (CO)	0.96	mg/m3	IS 5182- Part 10	4
9	Nickel as Ni	BQL (QL=5)	ng/m3	Method IO 3.4	20
10	Arsenic as As	BQL (QL=1)	ng/m3	Method IO 3.4	6
11	Lead	BQL (QL=0.001)	µg/m3	Method IO 3.4	1
12	Particulate Matter (PM10)	77.24	µg/m3	IS 5182- Part 23	100

Norms as per National Ambient Air Quality Standards.

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit

Reviewed & Authorized by
Gyanvati Shukla



Reviewed & Authorized by
Manish Kumawat

Page No : 1/1

Terms & Conditions :

This test report document no GGMP/ F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/ore said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number: GGMLP/PN/3195E/270/05

Reporting Date: 31/01/2026

M/s Moil Limited
Kandri Manganese Mines (M.S) L1=83.060 Ha PO. Kandri Tah-Ramtek Dist.
Nagpur (M.S) 441401



SAMPLE DETAILS

Sampling Instrument : Sound Level Meter
Sample By Maulik Prajapati

Sampling Date: 23/01/2026
Sample Description: Source Noise

Sr.No	Lab Id	Location	Time	Unit	Test Method	Reading	Norms
1	Lab/PN/3195E/2 70/05A	Nr Mine Pit	Day Time	dB(A)Leq	IS 4758	63	-
2	Lab/PN/3195E/2 70/05B	Nr Hospital	Day Time	dB(A)Leq	IS 4758	47	-
3	Lab/PN/3195E/2 70/05C	Nr Haul Road	Day Time	dB(A)Leq	IS 4758	57	-
4	Lab/PN/3195E/2 70/05D	Nr Staff Colony	Day Time	dB(A)Leq	IS 4758	47	-

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit


Reviewed & Authorized by
Gyanvati Shukla




Reviewed & Authorized by
Manish Kumawat

Page No : 1/1

Terms & Conditions :

This test report document no GGMLP/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number: GGMP/L/PN/3195E/270/06

Reporting Date : 31/01/2026

M/s Moil Limited

Kandri Manganese Mines (M.S) L1=83.060 Ha PO. Kandri Tah-Ramtek Dist.
Nagpur (M.S) 441401



TC-7073


SAMPLE DETAILS

Lab ID:	Lab/PN/3195E/270/06	Sampling Date:	24/01/2026
Sample Drawn By:	Maulik Prajapati	Sample Receipt Date:	27/01/2026
Sample Type:	Ground Water	Analysis Start Date:	27/01/2026
Sample Description:	GW Of Staff Colony Borewell Water	Analysis End Date:	31/01/2026
Sample Quantity:	6 L	Sampling Method:	GGMP/L/WI/27A
Sample Condition:	Satisfactory	Packing:	Sealed

Sr.No	Parameters	Results	Unit	Test Method	AL	PL
1	Alkalinity as CaCO ₃	173.00	mg/L	APHA 24th Edn 2320 B	200	600
2	Calcium as Ca	66.13	mg/L	APHA 24th Edn 3500 Ca B	75	200
3	Chloride	64.48	mg/L	IS 3025- Part 32	250	1000
4	Colour	BQL (QL=2.5)	CU	IS 3025- Part 4	5	15
5	Fluoride	0.80	mg/L	APHA 24th Edn 4500 F D	1.0	1.5
6	Magnesium as Mg	18.22	mg/L	APHA 24th Edn 3500 Mg B	30	100
7	Odour	Agreeable	-	IS 3025- Part 5	Agreeable	Agreeable
8	pH at 25 °C	7.35	-	IS 3025- Part 11	6.5-8.5	No relaxation
9	Sulphate	29.08	mg/L	APHA 24th Edn 4500 SO ₄ E	200	400
10	Total Dissolved Solids (TDS)	355.00	mg/L	APHA 24th Edn 2540 C	500	2000
11	Total Suspended Solids (TSS)	BQL (QL=5)	mg/L	APHA 24th Edn 2540 D	NS	NS
12	Total Hardness as CaCO ₃	240.00	mg/L	APHA 24th Edn 2340 C	200	600

AL & PL as per IS 10500

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit



Reviewed & Authorized by
Tantan kumar & Dr. Haragobinda Srichandan




Reviewed & Authorized by
Payal Patel

Page No : 1/2

Terms & Conditions :

This test report document no GGMP/L/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number: GGMP/L/PN/3195E/270/06

Reporting Date : 31/01/2026

M/s Moil Limited

Kandri Manganese Mines (M.S) L1=83.060 Ha PO. Kandri Tah-Ramtek Dist.
Nagpur (M.S) 441401



TC-7073

SAMPLE DETAILS

Lab ID:	Lab/PN/3195E/270/06	Sampling Date:	24/01/2026
Sample Drawn By:	Maulik Prajapati	Sample Receipt Date:	27/01/2026
Sample Type:	Ground Water	Analysis Start Date:	27/01/2026
Sample Description:	GW Of Staff Colony Borewell Water	Analysis End Date:	31/01/2026
Sample Quantity:	6 L	Sampling Method:	GGMP/L/WI/27A
Sample Condition:	Satisfactory	Packing:	Sealed


Sr.No	Parameters	Results	Unit	Test Method	AL	PL
13	Turbidity	BQL (QL=0.1)	NTU	APHA 24th Edn 2130 B	1	5
14	Iron	BQL (QL=0.05)	mg/L	GGMP/L/SOP/W&WW/46	1	No relaxation
15	Manganese	BQL (QL=0.05)	mg/L	GGMP/L/SOP/W & WW/46	0.1	0.3
16	Nitrate	3.80	mg/L	APHA 24th Edn 4500 NO3 B	45	No relaxation
17	Total coliform	Absent	Per 100ml	APHA 9221 B 24th Edition	Absent	Absent
18	E. coli	Absent	Per 100ml	APHA 9221 G 24th Edition	Absent	Absent

AL & PL as per IS 10500

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit




Reviewed & Authorized by
Tantan kumar & Dr. Haragobinda Srichandan

Reviewed & Authorized by
Payal Patel

Page No : 2/2

Terms & Conditions :

This test report document no GGMP/L/F7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number: GGMP/L/PN/3195E/270/07

Reporting Date : 31/01/2026

M/s Moil Limited

Kandri Manganese Mines (M.S) L1=83.060 Ha PO. Kandri Tah-Ramtek Dist.
Nagpur (M.S) 441401




TC-7073

SAMPLE DETAILS


Lab ID:	Lab/PN/3195E/270/07	Sampling Date:	24/01/2026
Sample Drawn By:	Maulik Prajapati	Sample Receipt Date:	27/01/2026
Sample Type:	Waste Water	Analysis Start Date:	27/01/2026
Sample Description:	WW of ETP Inlet	Analysis End Date:	31/01/2026
Sample Quantity:	4 L	Sampling Method:	GGMP/L/WI/27A
Sample Condition:	Satisfactory	Packing:	Sealed

Sr.No	Parameters	Results	Unit	Test Method	Norm
1	pH at 25 °C	7.40	-	IS 3025- Part 11	-
2	Total Suspended Solids (TSS)	60.00	mg/L	APHA 24th Edn 2540 D	-
3	Oil and Grease	2.20	mg/L	IS 3025- Part 39	-
4	Chemical Oxygen Demand (COD)	184.00	mg/L	APHA 24th Edn 5220 B	-
5	Dissolved Oxygen	1.60	mg/L	IS 3025- Part 38	-
6	BOD at 27 o C for 3 days	60	mg/L	IS 3025- Part 44	-
7	Manganese	1.28	mg/L	GGMP/L/SOP/W&WW/46	-

NS=Not Specified, BQL=Below Quantification Limit,QL= Quantification Limit


Reviewed & Authorized by
Gyanvati Shukla




Reviewed & Authorized by
Payal Patel

Page No : 1/1

Terms & Conditions :

This test report document no GGMP/L/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number: GGMP/ PN/3195E/270/08

Reporting Date : 31/01/2026

M/s Moil Limited

Kandri Manganese Mines (M.S) L1=83.060 Ha PO. Kandri Tah-Ramtek Dist.
Nagpur (M.S) 441401




SAMPLE DETAILS

Lab ID:	Lab/PN/3195E/270/08	Sampling Date:	24/01/2026
Sample Drawn By:	Maulik Prajapati	Sample Receipt Date:	27/01/2026
Sample Type:	Waste Water	Analysis Start Date:	27/01/2026
Sample Description:	WW of ETP Outlet	Analysis End Date:	31/01/2026
Sample Quantity:	4 L	Sampling Method:	GGMP/ WI/27A
Sample Condition:	Satisfactory	Packing:	Sealed

Sr.No	Parameters	Results	Unit	Test Method	Norm
1	pH at 25 °C	7.55	-	IS 3025- Part 11	-
2	Total Suspended Solids (TSS)	30.00	mg/L	APHA 24th Edn 2540 D	-
3	Oil and Grease	BQL (QL=2)	mg/L	IS 3025- Part 39	-
4	Chemical Oxygen Demand (COD)	44.00	mg/L	APHA 24th Edn 5220 B	-
5	Dissolved Oxygen	3.20	mg/L	IS 3025- Part 38	-
6	BOD at 27 o C for 3 days	14	mg/L	IS 3025- Part 44	-
7	Manganese	0.78	mg/L	GGMP/ SOP/W&WW/46	-

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit


Reviewed & Authorized by
Gyanvati Shukla



---End of Report---


Reviewed & Authorized by
Payal Patel

Terms & Conditions :

This test report document no GGMP/ F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number: GGMP/L/PN/3195E/270/09

Reporting Date : 31/01/2026

M/s Moil Limited

Kandri Manganese Mines (M.S) L1=83.060 Ha PO. Kandri Tah-Ramtek Dist.
Nagpur (M.S) 441401




TC-7073

SAMPLE DETAILS

Lab ID:	Lab/PN/3195E/270/09	Sampling Date:	24/01/2026
Sample Drawn By:	Maulik Prajapati	Sample Receipt Date:	27/01/2026
Sample Type:	Waste Water	Analysis Start Date:	27/01/2026
Sample Description:	WW of Mine Discharge Water	Analysis End Date:	31/01/2026
Sample Quantity:	4 L	Sampling Method:	GGMP/L/WI/27A
Sample Condition:	Satisfactory	Packing:	Sealed

Sr.No	Parameters	Results	Unit	Test Method	Norm
1	pH at 25 °C	7.65	-	IS 3025- Part 11	-
2	Total Suspended Solids (TSS)	40.00	mg/L	APHA 24th Edn 2540 D	-
3	Oil and Grease	BQL (QL=2)	mg/L	IS 3025- Part 39	-
4	Chemical Oxygen Demand (COD)	48.00	mg/L	APHA 24th Edn 5220 B	-
5	Dissolved Oxygen	4.50	mg/L	IS 3025- Part 38	-
6	BOD at 27 o C for 3 days	8.3	mg/L	IS 3025- Part 44	-
7	Manganese	0.46	mg/L	GGMP/L/SOP/W&WW/46	-

NS=Not Specified, BQL=Below Quantification Limit,QL= Quantification Limit


Reviewed & Authorized by
Gyanvati Shukla



--- End of Report ---


Reviewed & Authorized by
Payal Patel

Page No : 1/1

Terms & Conditions :

This test report document no GGMP/L/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number: GGMP/L/PN/3195E/270/10

M/s Moil Limited

Kandri Manganese Mines (M.S) L1=83.060 Ha PO. Kandri Tah-Ramtek Dist.
Nagpur (M.S) 441401

Reporting Date : 31/01/2026



TC-7073

SAMPLE DETAILS

Lab ID:	Lab/PN/3195E/270/10	Sampling Date:	24/01/2026
Sample Drawn By:	Maulik Prajapati	Sample Receipt Date:	27/01/2026
Sample Type:	Waste Water	Analysis Start Date:	27/01/2026
Sample Description:	WW of STP Inlet	Analysis End Date:	31/01/2026
Sample Quantity:	4 L	Sampling Method:	GGMP/L/WI/27A
Sample Condition:	Satisfactory	Packing:	Sealed

Sr.No	Parameters	Results	Unit	Test Method	Norm
1	pH at 25 °C	7.30	-	IS 3025- Part 11	-
2	Total Suspended Solids (TSS)	67.0	mg/L	APHA 24th Edn 2540 D	-
3	Oil and Grease	BQL (QL=2)	mg/L	IS 3025- Part 39	-
4	Chemical Oxygen Demand (COD)	236.00	mg/L	APHA 24th Edn 5220 B	-
5	Dissolved Oxygen	BQL (QL=0.5)	mg/L	IS 3025- Part 38	-
6	BOD at 27 °C for 3 days	75	mg/L	IS 3025- Part 44	-
7	Manganese	0.38	mg/L	GGMP/L/SOP/W&WW/46	-

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit



Reviewed & Authorized by
Gyanvati Shukla



--- End of Report ---



Reviewed & Authorized by
Payal Patel

Page No : 1/1

Terms & Conditions :

This test report document no GGMP/L/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/3195E/270/11

Reporting Date : 31/01/2026

M/s Moil Limited

Kandri Manganese Mines (M.S) L1=83.060 Ha PO. Kandri Tah-Ramtek Dist.

Nagpur (M.S) 441401



TC-7073

SAMPLE DETAILS

Lab ID:	Lab/PN/3195E/270/11	Sampling Date:	24/01/2026
Sample Drawn By:	Maulik Prajapati	Sample Receipt Date:	27/01/2026
Sample Type:	Waste Water	Analysis Start Date:	27/01/2026
Sample Description:	WW of STP Outlet	Analysis End Date:	31/01/2026
Sample Quantity:	4 L	Sampling Method:	GGMPL/WI/27A
Sample Condition:	Satisfactory	Packing:	Sealed

Sr.No	Parameters	Results	Unit	Test Method	Norm
1	pH at 25 °C	7.60	-	IS 3025- Part 11	NS
2	Total Suspended Solids (TSS)	30.00	mg/L	APHA 24th Edn 2540 D	50
3	Oil and Grease	BQL (QL=2)	mg/L	IS 3025- Part 39	NS
4	Chemical Oxygen Demand (COD)	44.00	mg/L	APHA 24th Edn 5220 B	100
5	Dissolved Oxygen	4.40	mg/L	IS 3025- Part 38	NS
6	BOD at 27 °C for 3 days	10.4	mg/L	IS 3025- Part 44	30
7	Manganese	0.22	mg/L	GGMPL/SOP/W&WW/46	2.0

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit


Reviewed & Authorized by
Gyanvati Shukla




Reviewed & Authorized by
Payal Patel

--- End of Report ---

Page No : 1/1

Terms & Conditions :

This test report document no GGMPL/F7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/3195E/270/12

Reporting Date: 31-01-2026

M/s Moil Limited

Kandri Manganese Mines (M.S) L1=83.060 Ha site Tah-Ramtek Dist. Nagpur (M.S) 441401



TC-7073

SAMPLE DETAILS

Lab ID	: Lab/PN/3195E/270/12	Sampling Start Date	: 23.01.2026
Sampling Instrument	: Weather Monitoring Station	Sampling End Date	: 24.01.2026
Sample Type	: Meteorological Parameter	Sample Receipt Date	: 27.01.2026
Sample Location	: Near Mine Pit		

Sr. No.	Parameters	Results	Unit	Test Method
1	Temperature	25.0	°C	GGMPL/SOP/MP/01
2	Relative Humidity	54.0	%	GGMPL/SOP/MP/01
3	Rainfall	BQL (QL=0.254)	mm	GGMPL/SOP/MP/01
4	Wind Speed	1.7	m/s	GGMPL/SOP/MP/01



Reviewed & Authorized by

Gyanvati Shukla



----End of Report----



Reviewed & Authorized by

Manish Kumawat

Terms & Conditions :

This test report document no GGMPL/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number: GGMP/ PN/3195E/270/13

Reporting Date: 31-01-2026

M/s Moil Limited

Kandri Manganese Mines (M.S) L1=83.060 Ha site Tah-Ramtek Dist. Nagpur (M.S) 441401



TC-5073

SAMPLE DETAILS

Lab ID	: Lab/PN/3195E/270/13	Sampling Start Date	: 23.01.2026
Sampling Instrument	: Weather Monitoring Station	Sampling End Date	: 24.01.2026
Sample Type	: Meteorological Parameter	Sample Receipt Date	: 27.01.2026
Sample Location	: Near Hospital		

Sr. No.	Parameters	Results	Unit	Test Method
1	Temperature	25.0	°C	GGMP/ SOP/MP/01
2	Relative Humidity	54.0	%	GGMP/ SOP/MP/01
3	Rainfall	BQL (QL=0.254)	mm	GGMP/ SOP/MP/01
4	Wind Speed	1.7	m/s	GGMP/ SOP/MP/01



Reviewed & Authorized by

Gyanvati Shukla




Reviewed & Authorized by

Manish Kumawat

---End of Report---

Page 1 of 1

Terms & Conditions :

This test report document no GGMP/ F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/3195E/270/14

Reporting Date: 31-01-2026

M/s Moil Limited

Kandri Manganese Mines (M.S) L1=83.060 Ha site Tah-Ramtek Dist. Nagpur (M.S) 441401



TC-7073

SAMPLE DETAILS

Lab ID	: Lab/PN/3195E/270/14	Sampling Start Date	: 23.01.2026
Sampling Instrument	: Weather Monitoring Station	Sampling End Date	: 24.01.2026
Sample Type	: Meteorological Parameter	Sample Receipt Date	: 27.01.2026
Sample Location	: Near Haul Road		

Sr. No.	Parameters	Results	Unit	Test Method
1	Temperature	25.0	°C	GGMPL/SOP/MP/01
2	Relative Humidity	54.0	%	GGMPL/SOP/MP/01
3	Rainfall	BQL (QL=0.254)	mm	GGMPL/SOP/MP/01
4	Wind Speed	1.7	m/s	GGMPL/SOP/MP/01



Reviewed & Authorized by

Gyanvati Shukla



---End of Report---



Reviewed & Authorized by

Manish Kumawat

Terms & Conditions :

This test report document no GGMPL/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received, Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number: GGMP/ PN/3195E/270/15

Reporting Date: 31-01-2026

M/s Moil Limited

Kandri Manganese Mines (M.S) L1=83.060 Ha site Tah-Ramtek Dist. Nagpur (M.S) 441401



TC-7073

SAMPLE DETAILS

Lab ID	: Lab/PN/3195E/270/15	Sampling Start Date	: 23.01.2026
Sampling Instrument	: Weather Monitoring Station	Sampling End Date	: 24.01.2026
Sample Type	: Meteorological Parameter	Sample Receipt Date	: 27.01.2026
Sample Location	: Near Staff Colony		

Sr. No.	Parameters	Results	Unit	Test Method
1	Temperature	25.0	°C	GGMP/ SOP/MP/01
2	Relative Humidity	54.0	%	GGMP/ SOP/MP/01
3	Rainfall	BQL (QL=0.254)	mm	GGMP/ SOP/MP/01
4	Wind Speed	1.7	m/s	GGMP/ SOP/MP/01


Reviewed & Authorized by
Gyanvati Shukla




Reviewed & Authorized by
Manish Kumawat

---End of Report---

Page 1 of 1

Terms & Conditions :

This test report document no GGMP/ F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number : GGMPL/PN/3196E/271/01

Reporting Date: 02/02/2026

M/s Moil Limited

Kandri Manganese Mines (M.S)Railway Siding PO. Kandri Tah-Ramtek Dist.
Nagpur (M.S) 441401



TC-7073

SAMPLE DETAILS

Lab ID:	Lab/PN/3196E/271/01	Sampling Start Date:	23/01/2026
Sample Drawn By:	Maulik Prajapati	Sampling End Date:	24/01/2026
Sample Type:	Ambient Air	Sample Receipt Date:	27/01/2026
Sample Description:	Infront of Weight Bridge	Analysis start- End Date:	27/01/2026-31/01/2026
Env. Cond.-Sampling:	Temp-25°C/ Humidity-39%	Total Sampling hours:	24
Env. Cond.-Sample Receipt:	Satisfactory	Env. Cond.-Testing:	25±5°C

Sr.No	Parameters	Results	Unit	Test Method	Norms
1	Particulate Matter (PM2.5)	39.57	µg/m ³	GGMPL/SOP/AA/60	60
2	Sulphur Dioxide (SO ₂)	18.66	µg/m ³	IS 5182-Part 2	80
3	Oxides of Nitrogen	28.55	µg/m ³	IS 5182- Part 6	80
4	Ozone (O ₃)	15.37	µg/m ³	IS 5182- Part 9	180
5	Ammonia (NH ₃)	16.66	µg/m ³	GGMPL/SOP/AA/62	400
6	Benzene	BQL (QL=2.5)	µg/m ³	IS 5182- Part 11	5
7	Benzo(a) pyrene	BQL (QL=0.5)	ng/m ³	Is 5182- Part 12	1
8	Carbon Monoxide (CO)	1.04	mg/m ³	IS 5182- Part 10	4
9	Nickel as Ni	BQL (QL=5)	ng/m ³	Method IO 3.4	20
10	Arsenic as As	BQL (QL=1)	ng/m ³	Method IO 3.4	6
11	Lead	BQL (QL=0.001)	µg/m ³	Method IO 3.4	1
12	Particulate Matter (PM10)	78.24	µg/m ³	IS 5182- Part 23	100

Norms as per National Ambient Air Quality Standards.

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit

Reviewed & Authorized by
Tantan Kumar



Reviewed & Authorized by
Manish Kumawat

---End of Report---

Page No : 1/1

Terms & Conditions :

This test report document no GGMPL/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/3196E/271/03

Reporting Date : 02/02/2026

M/s Moil Limited

Kandri Manganese Mines (M.S) Railway Siding PO. Kandri Tah-Ramtek Dist.
Nagpur (M.S) 441401



TC-7073


SAMPLE DETAILS

Lab ID:	Lab/PN/3196E/271/03	Sampling Date:	24/01/2026
Sample Drawn By:	Maulik Prajapati	Sample Receipt Date:	27/01/2026
Sample Type:	Ground Water	Analysis Start Date:	27/01/2026
Sample Description:	Railway Siding Borewell	Analysis End Date:	31/01/2026
Sample Quantity:	6 L	Sampling Method:	GGMPL/WI/27A
Sample Condition:	Satisfactory	Packing:	Sealed


Sr.No	Parameters	Results	Unit	Test Method	AL	PL
1	Alkalinity as CaCO3	198.00	mg/L	APHA 24th Edn 2320 B	200	600
2	Calcium as Ca	54.11	mg/L	APHA 24th Edn 3500 Ca B	75	200
3	Chloride	51.48	mg/L	IS 3025- Part 32	250	1000
4	Colour	BQL (QL=2.5)	CU	IS 3025- Part 4	5	15
5	Fluoride	0.95	mg/L	APHA 24th Edn 4500 F D	1.0	1.5
6	Magnesium as Mg	26.00	mg/L	APHA 24th Edn 3500 Mg B	30	100
7	Odour	Agreeable	-	IS 3025- Part 5	Agreeable	Agreeable
8	pH at 25 °C	7.35	-	IS 3025- Part 11	6.5-8.5	No relaxation
9	Sulphate	32.21	mg/L	APHA 24th Edn 4500 SO4 E	200	400
10	Total Dissolved Solids (TDS)	388.00	mg/L	APHA 24th Edn 2540 C	500	2000
11	Total Suspended Solids (TSS)	BQL (QL=5)	mg/L	APHA 24th Edn 2540 D	NS	NS
12	Total Hardness as CaCO3	242.00	mg/L	APHA 24th Edn 2340 C	200	600

AL & PL as per IS 10500

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit



Reviewed & Authorized by
Tantan kumar & Dr. Haragobinda Srichandan

Reviewed & Authorized by
Payal Patel

Page No : 1/2

Terms & Conditions :

This test report document no GGMPL/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number: GGMP/ PN/3196E/271/03

Reporting Date : 02/02/2026

M/s Moil Limited

Kandri Manganese Mines (M.S) Railway Siding PO. Kandri Tah-Ramtek Dist.
Nagpur (M.S) 441401



SAMPLE DETAILS

Lab ID:	Lab/PN/3196E/271/03	Sampling Date:	24/01/2026
Sample Drawn By:	Maulik Prajapati	Sample Receipt Date:	27/01/2026
Sample Type:	Ground Water	Analysis Start Date:	27/01/2026
Sample Description:	Railway Siding Borewell	Analysis End Date:	31/01/2026
Sample Quantity:	6 L	Sampling Method:	GGMP/ WI/27A
Sample Condition:	Satisfactory	Packing:	Sealed

Sr.No	Parameters	Results	Unit	Test Method	AL	PL
13	Turbidity	BQL (QL=0.1)	NTU	APHA 24th Edn 2130 B	1	5
14	Iron	BQL (QL=0.05)	mg/L	GGMP/SOP/W&WW/46	1	No relaxation
15	Manganese	BQL (QL=0.05)	mg/L	GGMP/SOP/W & WW/46	0.1	0.3
16	Nitrate	2.26	mg/L	APHA 24th Edn 4500 NO3 B	45	No relaxation
17	Total coliform	Absent	Per 100ml	APHA 9221 B 24th Edition	Absent	Absent
18	E. coli	Absent	Per 100ml	APHA 9221 G 24th Edition	Absent	Absent

AL & PL as per IS 10500


NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit



Reviewed & Authorized by
Tantan kumar & Dr. Haragobinda Srichandan



--- End of Report ---



Reviewed & Authorized by
Payal Patel

Page No : 2/2

Terms & Conditions :

This test report document no GGMP/ F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number: GGMP/L/PN/3196E/271/04

Reporting Date: 02.02.2026

M/s Moil Limited

Kandri Manganese Mines (M.S) Railway siding Tah-Ramtek Dist. Nagpur (M.S) 441401



SAMPLE DETAILS

Lab ID	: Lab/PN/3196E/271/04	Sampling Start Date	: 23.01.2026
Sampling Instrument	: Weather Monitoring Station	Sampling End Date	: 24.01.2026
Sample Type	: Meteorological Parameter	Sample Receipt Date	: 27.01.2026
Sample Location	: Infront of Weight Bridge		

Sr. No.	Parameters	Results	Unit	Test Method
1	Temperature	25.0	°C	GGMPL/SOP/MP/01
2	Relative Humidity	34.0	%	GGMPL/SOP/MP/01
3	Rainfall	BQL (QL=0.254)	mm	GGMPL/SOP/MP/01
4	Wind Speed	1.7	m/s	GGMPL/SOP/MP/01



Reviewed & Authorized by

Tantan Kumar




Reviewed & Authorized by

Manish Kumawat

----End of Report----

Page 1 of 1

Terms & Conditions :

This test report document no GGMP/L/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number : GGMPL/PN/3200E/272/01

Reporting Date: 02/02/2026

M/s Moil Limited

Kalaphata Sand Lease 8.00 Ha Tah-Ramtek Dist. Nagpur (M.S)



SAMPLE DETAILS

Lab ID:	Lab/PN/3200E/272/01	Sampling Start Date:	24/01/2026
Sample Drawn By:	Maulik Prajapati	Sampling End Date:	25/01/2026
Sample Type:	Ambient Air	Sample Receipt Date:	27/01/2026
Sample Description:	Pench River Bank	Analysis start- End Date:	27/01/2026-31/01/2026
Env. Cond.-Sampling:	Temp-26°C/ Humidity-40%	Total Sampling hours:	24
Env. Cond.-Sample Receipt:	Satisfactory	Env. Cond.-Testing:	25±5°C

Sr.No	Parameters	Results	Unit	Test Method	Norms
1	Particulate Matter (PM2.5)	35.82	µg/m ³	GGMPL/SOP/AA/60	60
2	Sulphur Dioxide (SO ₂)	15.46	µg/m ³	IS 5182-Part 2	80
3	Oxides of Nitrogen	26.80	µg/m ³	IS 5182- Part 6	80
4	Ozone (O ₃)	14.18	µg/m ³	IS 5182- Part 9	180
5	Ammonia (NH ₃)	13.88	µg/m ³	GGMPL/SOP/AA/62	400
6	Benzene	BQL (QL=2.5)	µg/m ³	IS 5182- Part 11	5
7	Benzo(a) pyrene	BQL (QL=0.5)	ng/m ³	Is 5182- Part 12	1
8	Carbon Monoxide (CO)	0.44	mg/m ³	IS 5182- Part 10	4
9	Nickel as Ni	BQL (QL=5)	ng/m ³	Method IO 3.4	20
10	Arsenic as As	BQL (QL=1)	ng/m ³	Method IO 3.4	6
11	Lead	BQL (QL=0.001)	µg/m ³	Method IO 3.4	1
12	Particulate Matter (PM10)	72.89	µg/m ³	IS 5182- Part 23	100

Norms as per National Ambient Air Quality Standards.

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit

Reviewed & Authorized by
Gyanvati Shukla



Reviewed & Authorized by
Manish Kumawat

Page No : 1/1

Terms & Conditions :

This test report document no GGMPL/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number : GGMPL/PN/3200E/272/02

Reporting Date: 02/02/2026

M/s Moil Limited

Kalaphata Sand Lease 8.00 Ha Tah-Ramtek Dist. Nagpur (M.S)



TC-7073

SAMPLE DETAILS

Lab ID:	Lab/PN/3200E/272/02	Sampling Start Date:	24/01/2026
Sample Drawn By:	Maulik Prajapati	Sampling End Date:	25/01/2026
Sample Type:	Ambient Air	Sample Receipt Date:	27/01/2026
Sample Description:	500m from River Bank	Analysis start- End Date:	27/01/2026-31/01/2026
Env. Cond.-Sampling:	Temp-26°C/ Humidity-40%	Total Sampling hours:	24
Env. Cond.-Sample Receipt:	Satisfactory	Env. Cond.-Testing:	25±5°C

Sr.No	Parameters	Results	Unit	Test Method	Norms
1	Particulate Matter (PM2.5)	37.90	µg/m3	GGMPL/SOP/AA/60	60
2	Sulphur Dioxide (SO2)	17.39	µg/m3	IS 5182-Part 2	80
3	Oxides of Nitrogen	29.26	µg/m3	IS 5182- Part 6	80
4	Ozone (O3)	12.41	µg/m3	IS 5182- Part 9	180
5	Ammonia (NH3)	11.11	µg/m3	GGMPL/SOP/AA/62	400
6	Benzene	BQL (QL=2.5)	µg/m3	IS 5182- Part 11	5
7	Benzo(a) pyrene	BQL (QL=0.5)	ng/m3	Is 5182- Part 12	1
8	Carbon Monoxide (CO)	0.48	mg/m3	IS 5182- Part 10	4
9	Nickel as Ni	BQL (QL=5)	ng/m3	Method IO 3.4	20
10	Arsenic as As	BQL (QL=1)	ng/m3	Method IO 3.4	6
11	Lead	BQL (QL=0.001)	µg/m3	Method IO 3.4	1
12	Particulate Matter (PM10)	76.15	µg/m3	IS 5182- Part 23	100

Norms as per National Ambient Air Quality Standards.

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit

Reviewed & Authorized by
Gyanvati Shukla

Reviewed & Authorized by
Manish Kumawat



Page No : 1/1

Terms & Conditions :

This test report document no GGMPL/F7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number : GGMPL/PN/3200E/272/03

Reporting Date: 02/02/2026

M/s Moil Limited

Kalaphata Sand Lease 8.00 Ha Tah-Ramtek Dist. Nagpur (M.S)



SAMPLE DETAILS

Lab ID:	Lab/PN/3200E/272/03	Sampling Start Date:	24/01/2026
Sample Drawn By:	Maulik Prajapati	Sampling End Date:	25/01/2026
Sample Type:	Ambient Air	Sample Receipt Date:	27/01/2026
Sample Description:	Mahuli Village	Analysis start- End Date:	27/01/2026-31/01/2026
Env. Cond.-Sampling:	Temp-26°C/ Humidity-40%	Total Sampling hours:	24
Env. Cond.-Sample Receipt:	Satisfactory	Env. Cond.-Testing:	25±5°C

Sr.No	Parameters	Results	Unit	Test Method	Norms
1	Particulate Matter (PM2.5)	39.57	µg/m ³	GGMPL/SOP/AA/60	60
2	Sulphur Dioxide (SO ₂)	15.46	µg/m ³	IS 5182-Part 2	80
3	Oxides of Nitrogen	27.19	µg/m ³	IS 5182- Part 6	80
4	Ozone (O ₃)	16.25	µg/m ³	IS 5182- Part 9	180
5	Ammonia (NH ₃)	15.27	µg/m ³	GGMPL/SOP/AA/62	400
6	Benzene	BQL (QL=2.5)	µg/m ³	IS 5182- Part 11	5
7	Benzo(a) pyrene	BQL (QL=0.5)	ng/m ³	Is 5182- Part 12	1
8	Carbon Monoxide (CO)	0.51	mg/m ³	IS 5182- Part 10	4
9	Nickel as Ni	BQL (QL=5)	ng/m ³	Method IO 3.4	20
10	Arsenic as As	BQL (QL=1)	ng/m ³	Method IO 3.4	6
11	Lead	BQL (QL=0.001)	µg/m ³	Method IO 3.4	1
12	Particulate Matter (PM10)	80.04	µg/m ³	IS 5182- Part 23	100

Norms as per National Ambient Air Quality Standards.

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit

Reviewed & Authorized by
Gyanvati Shukla

Reviewed & Authorized by
Manish Kumawat



Page No : 1/1

Terms & Conditions :

This test report document no GGMPL/F7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number : GGMP/L/PN/3200E/272/04

Reporting Date: 02/02/2026

M/s Moil Limited

Kalaphata Sand Lease 8.00 Ha Tah-Ramtek Dist. Nagpur (M.S)



SAMPLE DETAILS

Lab ID:	Lab/PN/3200E/272/04	Sampling Start Date:	24/01/2026
Sample Drawn By:	Maulik Prajapati	Sampling End Date:	25/01/2026
Sample Type:	Ambient Air	Sample Receipt Date:	27/01/2026
Sample Description:	Kalaphata Village	Analysis start- End Date:	27/01/2026-31/01/2026
Env. Cond.-Sampling:	Temp-26°C/ Humidity-40%	Total Sampling hours:	24
Env. Cond.-Sample Receipt:	Satisfactory	Env. Cond.-Testing:	25±5°C

Sr.No	Parameters	Results	Unit	Test Method	Norms
1	Particulate Matter (PM2.5)	38.74	µg/m3	GGMPL/SOP/AA/60	60
2	Sulphur Dioxide (SO2)	17.39	µg/m3	IS 5182-Part 2	80
3	Oxides of Nitrogen	30.81	µg/m3	IS 5182- Part 6	80
4	Ozone (O3)	15.07	µg/m3	IS 5182- Part 9	180
5	Ammonia (NH3)	13.88	µg/m3	GGMPL/SOP/AA/62	400
6	Benzene	BQL (QL=2.5)	µg/m3	IS 5182- Part 11	5
7	Benzo(a) pyrene	BQL (QL=0.5)	ng/m3	Is 5182- Part 12	1
8	Carbon Monoxide (CO)	0.40	mg/m3	IS 5182- Part 10	4
9	Nickel as Ni	BQL (QL=5)	ng/m3	Method IO 3.4	20
10	Arsenic as As	BQL (QL=1)	ng/m3	Method IO 3.4	6
11	Lead	BQL (QL=0.001)	µg/m3	Method IO 3.4	1
12	Particulate Matter (PM10)	78.05	µg/m3	IS 5182- Part 23	100

Norms as per National Ambient Air Quality Standards.

NS=Not Specified, BQL=Below Quantification Limit,QL= Quantification Limit

Reviewed & Authorized by
Gyanvati Shukla

Reviewed & Authorized by
Manish Kumawat



Page No : 1/1

Terms & Conditions :

This test report document no GGMP/L/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number: GGMP/L/PN/3200E/272/05

Reporting Date: 02/02/2026

M/s Moil Limited

Kalaphata Sand Lease 8.00 Ha Tah-Ramtek Dist. Nagpur (M.S)



TC-7073

SAMPLE DETAILS

Sampling Instrument : Sound Level Meter
Sample By : Shailesh Pandey

Sampling Date: 24/01/2026
Sample Description: Source Noise

Sr.No	Lab Id	Location	Time	Unit	Test Method	Reading	Norms
1	Lab/PN/3200E/2 72/05A	Pench River Bank	Day Time	dB(A)Leq	IS 4758	53	-
2	Lab/PN/3200E/2 72/05B	500 m From River Bank	Day Time	dB(A)Leq	IS 4758	56	-
3	Lab/PN/3200E/2 72/05C	Mahuli Village	Day Time	dB(A)Leq	IS 4758	52	-
4	Lab/PN/3200E/2 72/05D	Kalaphata Village	Day Time	dB(A)Leq	IS 4758	54	-

NS=Not Specified, BQL=Below Quantification Limit,QL= Quantification Limit

Reviewed & Authorized by
Gyanvati Shukla

Reviewed & Authorized by
Manish Kumawat



--- End of Report ---

Page No : 1/1

Terms & Conditions :

This test report document no GGMP/L/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/3200E/272/06

Reporting Date : 02/02/2026

M/s Moil Limited

Kalaphata Sand Lease 8.00 Ha Tah-Ramtek Dist. Nagpur (M.S)



SAMPLE DETAILS

Lab ID:	Lab/PN/3200E/272/06	Sampling Date:	25/01/2026
Sample Drawn By:	Maulik Prajapati	Sample Receipt Date:	27/01/2026
Sample Type:	Surface Water	Analysis Start Date:	27/01/2026
Sample Description:	Pench River Bank	Analysis End Date:	31/01/2026
Sample Quantity:	6 L	Sampling Method:	GGMPL/WI/27A
Sample Condition:	Satisfactory	Packing:	Sealed

Sr.No	Parameters	Results	Unit	Test Method	Norm
1	Alkalinity as CaCO ₃	142.00	mg/L	APHA 24th Edn 2320 B	-
2	Calcium as Ca	54.50	mg/L	APHA 24th Edn 3500 Ca B	-
3	Chloride	49.98	mg/L	IS 3025- Part 32	-
4	Colour	BQL (QL=2.5)	CU	IS 3025- Part 4	-
5	Fluoride	0.72	mg/L	APHA 24th Edn 4500 F D	-
6	Magnesium as Mg	16.03	mg/L	APHA 24th Edn 3500 Mg B	-
7	Odour	Agreeable	-	IS 3025- Part 5	-
8	pH at 25 °C	7.15	-	IS 3025- Part 11	-
9	Sulphate	27.27	mg/L	APHA 24th Edn 4500 SO ₄ E	-
10	Total Dissolved Solids (TDS)	340.00	mg/L	APHA 24th Edn 2540 C	-
11	Total Suspended Solids (TSS)	11.00	mg/L	APHA 24th Edn 2540 D	-
12	Total Hardness as CaCO ₃	202.00	mg/L	APHA 24th Edn 2340 C	-

NS=Not Specified, BQL=Below Quantification Limit,QL= Quantification Limit



Reviewed & Authorized by
Tantan kumar & Dr. Haragobinda Srichandan




Reviewed & Authorized by
Payal Patel

Page No : 1/2

Terms & Conditions :

This test report document no GGMPL/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/3200E/272/06

Reporting Date : 02/02/2026

M/s Moil Limited

Kalaphata Sand Lease 8.00 Ha Tah-Ramtek Dist. Nagpur (M.S)



TC-7073

SAMPLE DETAILS

Lab ID:	Lab/PN/3200E/272/06	Sampling Date:	25/01/2026
Sample Drawn By:	Maulik Prajapati	Sample Receipt Date:	27/01/2026
Sample Type:	Surface Water	Analysis Start Date:	27/01/2026
Sample Description:	Pench River Bank	Analysis End Date:	31/01/2026
Sample Quantity:	6 L	Sampling Method:	GGMPL/WI/27A
Sample Condition:	Satisfactory	Packing:	Sealed

Sr.No	Parameters	Results	Unit	Test Method	Norm
13	Turbidity	BQL (QL=0.1)	NTU	APHA 24th Edn 2130 B	-
14	Iron	BQL (QL=0.05)	mg/L	GGMPL/SOP/W & WW/46	-
15	Manganese	BQL (QL=0.05)	mg/L	GGMPL/SOP/W & WW/46	-
16	Total coliform	46	MPN/100ml	APHA 9221B 24th Edition 2021	-
17	E. coli	13	MPN/100ml	APHA 9221G 24th Edition	-
18	Nitrate	1.52	mg/L	APHA 24th Edn 4500 NO3 B	-

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit



Reviewed & Authorized by
Tantan kumar & Dr. Haragobinda Srichandan



End of Report



Reviewed & Authorized by
Payal Patel

Page No : 2/2

Terms & Conditions :

This test report document no GGMPL/F7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/3200E/272/07

Reporting Date : 02/02/2026

M/s Moil Limited

Kalaphata Sand Lease 8.00 Ha Tah-Ramtek Dist. Nagpur (M.S)



SAMPLE DETAILS

Lab ID:	Lab/PN/3200E/272/07	Sampling Date:	25/01/2026
Sample Drawn By:	Maulik Prajapati	Sample Receipt Date:	27/01/2026
Sample Type:	Surface Water	Analysis Start Date:	27/01/2026
Sample Description:	Up Stream Pench River	Analysis End Date:	31/01/2026
Sample Quantity:	6 L	Sampling Method:	GGMPL/WI/27A
Sample Condition:	Satisfactory	Packing:	Sealed

Sr.No	Parameters	Results	Unit	Test Method	Norm
1	Alkalinity as CaCO ₃	172.00	mg/L	APHA 24th Edn 2320 B	-
2	Calcium as Ca	48.89	mg/L	APHA 24th Edn 3500 Ca B	-
3	Chloride	54.48	mg/L	IS 3025- Part 32	-
4	Colour	BQL (QL=2.5)	CU	IS 3025- Part 4	-
5	Fluoride	0.79	mg/L	APHA 24th Edn 4500 F D	-
6	Magnesium as Mg	27.21	mg/L	APHA 24th Edn 3500 Mg B	-
7	Odour	Agreeable	-	IS 3025- Part 5	-
8	pH at 25 °C	7.38	-	IS 3025- Part 11	-
9	Sulphate	29.59	mg/L	APHA 24th Edn 4500 SO ₄ E	-
10	Total Dissolved Solids (TDS)	365.00	mg/L	APHA 24th Edn 2540 C	-
11	Total Suspended Solids (TSS)	BQL (QL=5)	mg/L	APHA 24th Edn 2540 D	-
12	Total Hardness as CaCO ₃	234.00	mg/L	APHA 24th Edn 2340 C	-

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit



Reviewed & Authorized by
Tantan kumar & Dr. Haragobinda Srichandan




Reviewed & Authorized by
Payal Patel

Page No : 1/2

Terms & Conditions :

This test report document no GGMPL/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/3200E/272/07

M/s Moil Limited

Kalaphata Sand Lease 8.00 Ha Tah-Ramtek Dist. Nagpur (M.S)

Reporting Date : 02/02/2026



TC-7073

SAMPLE DETAILS

Lab ID:	Lab/PN/3200E/272/07	Sampling Date:	25/01/2026
Sample Drawn By:	Maulik Prajapati	Sample Receipt Date:	27/01/2026
Sample Type:	Surface Water	Analysis Start Date:	27/01/2026
Sample Description:	Up Stream Pench River	Analysis End Date:	31/01/2026
Sample Quantity:	6 L	Sampling Method:	GGMPL/WI/27A
Sample Condition:	Satisfactory	Packing:	Sealed

Sr.No	Parameters	Results	Unit	Test Method	Norm
13	Turbidity	BQL (QL=0.1)	NTU	APHA 24th Edn 2130 B	-
14	Iron	BQL (QL=0.05)	mg/L	GGMPL/SOP/W & WW/46	-
15	Manganese	BQL (QL=0.05)	mg/L	GGMPL/SOP/W & WW/46	-
16	Total coliform	33	MPN/100ml	APHA 9221B 24th Edition 2021	-
17	E. coli	13	MPN/100ml	APHA 9221G 24th Edition	-
18	Nitrate	1.70	mg/L	APHA 24th Edn 4500 NO3 B	-

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit

T. Kumar

Reviewed & Authorized by
Tantan kumar & Dr. Haragobinda Srichandan



P. Patel

Reviewed & Authorized by
Payal Patel

Page No : 2/2

Terms & Conditions :

This test report document no GGMPL/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/3200E/272/08

Reporting Date : 02/02/2026

M/s Moil Limited

Kalaphata Sand Lease 8.00 Ha Tah-Ramtek Dist. Nagpur (M.S)



SAMPLE DETAILS

Lab ID:	Lab/PN/3200E/272/08	Sampling Date:	25/01/2026
Sample Drawn By:	Maulik Prajapati	Sample Receipt Date:	27/01/2026
Sample Type:	Surface Water	Analysis Start Date:	27/01/2026
Sample Description:	Down Stream Pench River	Analysis End Date:	31/01/2026
Sample Quantity:	6 L	Sampling Method:	GGMPL/WI/27A
Sample Condition:	Satisfactory	Packing:	Sealed

Sr.No	Parameters	Results	Unit	Test Method	Norm
1	Alkalinity as CaCO ₃	186.00	mg/L	APHA 24th Edn 2320 B	-
2	Calcium as Ca	64.92	mg/L	APHA 24th Edn 3500 Ca B	-
3	Chloride	76.47	mg/L	IS 3025- Part 32	-
4	Colour	BQL (QL=2.5)	CU	IS 3025- Part 4	-
5	Fluoride	0.81	mg/L	APHA 24th Edn 4500 F D	-
6	Magnesium as Mg	33.04	mg/L	APHA 24th Edn 3500 Mg B	-
7	Odour	Agreeable	-	IS 3025- Part 5	-
8	pH at 25 °C	7.31	-	IS 3025- Part 11	-
9	Sulphate	40.29	mg/L	APHA 24th Edn 4500 SO ₄ E	-
10	Total Dissolved Solids (TDS)	420.00	mg/L	APHA 24th Edn 2540 C	-
11	Total Suspended Solids (TSS)	12.00	mg/L	APHA 24th Edn 2540 D	-
12	Total Hardness as CaCO ₃	298.00	mg/L	APHA 24th Edn 2340 C	-

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit



Reviewed & Authorized by
Tantani kumar & Dr. Haragubinda Sriichandan




Reviewed & Authorized by
Payal Patel

Page No : 1/2

Terms & Conditions :

This test report document no GGMPL/F7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/3200E/272/08

M/s Moil Limited

Kalaphata Sand Lease 8.00 Ha Tah-Ramtek Dist. Nagpur (M.S)

Reporting Date : 02/02/2026



SAMPLE DETAILS

Lab ID:	Lab/PN/3200E/272/08	Sampling Date:	25/01/2026
Sample Drawn By:	Maulik Prajapati	Sample Receipt Date:	27/01/2026
Sample Type:	Surface Water	Analysis Start Date:	27/01/2026
Sample Description:	Down Stream Pench River	Analysis End Date:	31/01/2026
Sample Quantity:	6 L	Sampling Method:	GGMPL/WI/27A
Sample Condition:	Satisfactory	Packing:	Sealed

Sr.No	Parameters	Results	Unit	Test Method	Norm
13	Turbidity	BQL (QL=0.1)	NTU	APHA 24th Edn 2130 B	-
14	Iron	BQL (QL=0.05)	mg/L	GGMPL/SOP/W & WW/46	-
15	Manganese	BQL (QL=0.05)	mg/L	GGMPL/SOP/W & WW/46	-
16	Total coliform	70	MPN/100ml	APHA 9221B 24th Edition 2021	-
17	E. coli	23	MPN/100ml	APHA 9221G 24th Edition	-
18	Nitrate	2.51	mg/L	APHA 24th Edn 4500 NO3 B	-

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit



Reviewed & Authorized by
Tantan kumar & Dr. Haragobinda Srichandan




Reviewed & Authorized by
Payal Patel

Page No : 2/2

Terms & Conditions :

This test report document no GGMPL/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number: GGMP/L/PN/3200E/272/09

Reporting Date : 02/02/2026

M/s Moil Limited

Kalaphata Sand Lease 8.00 Ha Tah-Ramtek Dist. Nagpur (M.S)



SAMPLE DETAILS

Lab ID:	Lab/PN/3200E/272/09	Sampling Date:	25/01/2026
Sample Drawn By:	Maulik Prajapati	Sample Receipt Date:	27/01/2026
Sample Type:	Ground Water	Analysis Start Date:	27/01/2026
Sample Description:	GW of Kalaphata Village Handpump	Analysis End Date:	31/01/2026
Sample Quantity:	6 L	Sampling Method:	GGMP/L/WI/27A
Sample Condition:	Satisfactory	Packing:	Sealed

Sr.No	Parameters	Results	Unit	Test Method	AL	PL
1	Alkalinity as CaCO ₃	172.00	mg/L	APHA 24th Edn 2320 B	200	600
2	Calcium as Ca	64.12	mg/L	APHA 24th Edn 3500 Ca B	75	200
3	Chloride	55.48	mg/L	IS 3025- Part 32	250	1000
4	Colour	BQL (QL=2.5)	CU	IS 3025- Part 4	5	15
5	Fluoride	0.75	mg/L	APHA 24th Edn 4500 F D	1.0	1.5
6	Magnesium as Mg	18.22	mg/L	APHA 24th Edn 3500 Mg B	30	100
7	Odour	Agreeable	-	IS 3025- Part 5	Agreeable	Agreeable
8	pH at 25 °C	7.48	-	IS 3025- Part 11	6.5-8.5	No relaxation
9	Sulphate	30.19	mg/L	APHA 24th Edn 4500 SO ₄ E	200	400
10	Total Dissolved Solids (TDS)	370.00	mg/L	APHA 24th Edn 2540 C	500	2000
11	Total Suspended Solids (TSS)	BQL (QL=5)	mg/L	APHA 24th Edn 2540 D	NS	NS
12	Total Hardness as CaCO ₃	235.00	mg/L	APHA 24th Edn 2340 C	200	600

AL & PL As Per IS 10500.

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit



Reviewed & Authorized by
Tantan kumar & Dr. Haragobinda Srichandan




Reviewed & Authorized by
Payal Patel

Page No : 1/2

Terms & Conditions :

This test report document no GGMP/L/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/3200E/272/09

Reporting Date : 02/02/2026

M/s Moil Limited

Kalaphata Sand Lease 8.00 Ha Tah-Ramtek Dist. Nagpur (M.S)



SAMPLE DETAILS

Lab ID:	Lab/PN/3200E/272/09	Sampling Date:	25/01/2026
Sample Drawn By:	Maulik Prajapati	Sample Receipt Date:	27/01/2026
Sample Type:	Ground Water	Analysis Start Date:	27/01/2026
Sample Description:	GW of Kalaphata Village Handpump	Analysis End Date:	31/01/2026
Sample Quantity:	6 L	Sampling Method:	GGMPL/WI/27A
Sample Condition:	Satisfactory	Packing:	Sealed

Sr.No	Parameters	Results	Unit	Test Method	AL	PL
13	Turbidity	BQL (QL=0.1)	NTU	APHA 24th Edn 2130 B	1	5
14	Iron	BQL (QL=0.05)	mg/L	GGMPL/SOP/W&WW/46	1	No relaxation
15	Manganese	BQL (QL=0.05)	mg/L	GGMPL/SOP/W & WW/46	0.1	0.3
16	Nitrate	2.95	mg/L	APHA 24th Edn 4500 NO3 B	45	No relaxation
17	Total coliform	Absent	Per 100ml	APHA 9221 B 24th Edition	Absent	Absent
18	E. coli	Absent	Per 100ml	APHA 9221 G 24th Edition	Absent	Absent

AL & PL As Per IS 10500.

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit

T. 18

Reviewed & Authorized by
Tantan kumar & Dr. Haragobinda Srichandan

P. B. Patel

Reviewed & Authorized by
Payal Patel



Page No : 2/2

Terms & Conditions :

This test report document no GGMPL/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number: GGMP/ PN/3200E/272/10

Reporting Date: 02-02-2026

M/s Moil Limited

Kalaphata Sand Lease 8.00 Ha Tah-Ramtek Dist. Nagpur (M.S)



SAMPLE DETAILS

Lab ID	: Lab/PN/3200E/272/10	Sampling Start Date	: 24-01-2026
Sampling Instrument	: Weather Monitoring Station	Sampling End Date	: 25-01-2026
Sample Type	: Meteorological Parameter	Sample Receipt Date	: 27-01-2026
Sample Location	: Pench River Bank		

Sr. No.	Parameters	Results	Unit	Test Method
1	Temperature	26.0	°C	GGMPL/SOP/MP/01
2	Relative Humidity	40.0	%	GGMPL/SOP/MP/01
3	Rainfall	BQL (QL=0.254)	mm	GGMPL/SOP/MP/01
4	Wind Speed	1.4	m/s	GGMPL/SOP/MP/01

Reviewed & Authorized by

Gyanvati Shukla



Reviewed & Authorized by

Manish Kumawat

----End of Report----

Page 1 of 1

Terms & Conditions :

This test report document no GGMP/IF/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number: GGMP/ PN/3200E/272/11

Reporting Date: 02-02-2026

M/s Moil Limited

Kalaphata Sand Lease 8.00 Ha Tah-Ramtek Dist. Nagpur (M.S)



TC-7073

SAMPLE DETAILS

Lab ID	: Lab/PN/3200E/272/11	Sampling Start Date	: 24-01-2026
Sampling Instrument	: Weather Monitoring Station	Sampling End Date	: 25-01-2026
Sample Type	: Meteorological Parameter	Sample Receipt Date	: 27-01-2026
Sample Location	: 500m from River Bank		

Sr. No.	Parameters	Results	Unit	Test Method
1	Temperature	26.0	°C	GGMPL/SOP/MP/01
2	Relative Humidity	40.0	%	GGMPL/SOP/MP/01
3	Rainfall	BQL (QL=0.254)	mm	GGMPL/SOP/MP/01
4	Wind Speed	1.4	m/s	GGMPL/SOP/MP/01



Reviewed & Authorized by

Gyanvati Shukla




Reviewed & Authorized by

Manish Kumawat

---End of Report---

Terms & Conditions :

This test report document no GGMP/ F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number: GGMP/L/PN/3200E/272/12

Reporting Date: 02-02-2026

M/s Moil Limited

Kalaphata Sand Lease 8.00 Ha Tah-Ramtek Dist. Nagpur (M.S)



TC-7073

SAMPLE DETAILS

Lab ID	: Lab/PN/3200E/272/12	Sampling Start Date	: 24-01-2026
Sampling Instrument	: Weather Monitoring Station	Sampling End Date	: 25-01-2026
Sample Type	: Meteorological Parameter	Sample Receipt Date	: 27-01-2026
Sample Location	: Mahuli Village		

Sr. No.	Parameters	Results	Unit	Test Method
1	Temperature	26.0	°C	GGMPL/SOP/MP/01
2	Relative Humidity	40.0	%	GGMPL/SOP/MP/01
3	Rainfall	BQL (QL=0.254)	mm	GGMPL/SOP/MP/01
4	Wind Speed	1.4	m/s	GGMPL/SOP/MP/01

Reviewed & Authorized by

Gyanvati Shukla



Reviewed & Authorized by

Manish Kumawat

---End of Report---

Page 1 of 1

Terms & Conditions :

This test report document no GGMP/L/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number: GGMP/ PN/3200E/272/13

Reporting Date: 02-02-2026

M/s Moil Limited

Kalaphata Sand Lease 8.00 Ha Tah-Ramtek Dist. Nagpur (M.S)



TC-7073

SAMPLE DETAILS

Lab ID	: Lab/PN/3200E/272/13	Sampling Start Date	: 24-01-2026
Sampling Instrument	: Weather Monitoring Station	Sampling End Date	: 25-01-2026
Sample Type	: Meteorological Parameter	Sample Receipt Date	: 27-01-2026
Sample Location	: Kalaphata Village		

Sr. No.	Parameters	Results	Unit	Test Method
1	Temperature	26.0	°C	GGMP/ SOP/MP/01
2	Relative Humidity	40.0	%	GGMP/ SOP/MP/01
3	Rainfall	BQL (QL=0.254)	mm	GGMP/ SOP/MP/01
4	Wind Speed	1.4	m/s	GGMP/ SOP/MP/01



Reviewed & Authorized by

Gyanvati Shukla



----End of Report----



Reviewed & Authorized by

Manish Kumawat

Terms & Conditions :

This test report document no GGMP/ F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.