

## CERTIFICATE OF ANALYSIS

Report Number : GGMP/ PN/3113E/304/01

Reporting Date: 28/01/2026

M/s Moil Limited

Ukwa Manganese Mines L1=199.067 Ha Site PO. Ukwa,Tah.Paraswada, Dist.  
Balaghat (M.P) 481105



TC-7073

### SAMPLE DETAILS

Lab ID:	Lab/PN/3113E/304/01	Sampling Start Date:	18/01/2026
Sample Drawn By:	Shailesh Pandey	Sampling End Date:	19/01/2026
Sample Type:	Ambient Air	Sample Receipt Date:	21/01/2026
Sample Description:	Near Nagra Plant	Analysis start- End Date:	21/01/2026-27/01/2026
Env. Cond.-Sampling:	Temp-26°C / Humidity-64%	Total Sampling hours:	24
Env. Cond.-Sample Receipt:	Satisfactory	Env. Cond.-Testing:	25±5°C

Sr.No	Parameters	Results	Unit	Test Method	Norms
1	Particulate Matter (PM2.5)	36.66	µg/m3	GGMP/SOP/AA/60	60
2	Sulphur Dioxide (SO2)	13.36	µg/m3	IS 5182-Part 2	80
3	Oxides of Nitrogen	26.80	µg/m3	IS 5182- Part 6	80
4	Ozone (O3)	12.42	µg/m3	IS 5182- Part 9	180
5	Ammonia (NH3)	13.89	µg/m3	GGMP/SOP/AA/62	400
6	Benzene	BQL (QL=2.5)	µg/m3	IS 5182- Part 11	5
7	Benzo(a) pyrene	BQL (QL=0.5)	ng/m3	Is 5182- Part 12	1
8	Carbon Monoxide (CO)	0.84	mg/m3	IS 5182- Part 10	4
9	Nickel as Ni	BQL (QL=5)	ng/m3	Method IO 3.4	20
10	Arsenic as As	BQL (QL=1)	ng/m3	Method IO 3.4	6
11	Lead	BQL (QL=0.001)	µg/m3	Method IO 3.4	1
12	Particulate Matter (PM10)	72.01	µg/m3	IS 5182- Part 23	10

Norms As Per National Ambient Air Quality Standard.

NS=Not Specified, BQL=Below Quantification Limit,QL= Quantification Limit

  
Reviewed & Authorized by  
Tantan Kumar



  
Reviewed & Authorized by  
Manish Kumawat

--- End of Report ---

Page No : 1/1

**Terms & Conditions :**

This test report document no GGMP/IF/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

## CERTIFICATE OF ANALYSIS

Report Number : GGMPL/PN/3113E/304/02

Reporting Date: 28/01/2026

M/s Moil Limited

Ukwa Manganese Mines L1=199.067 Ha Site PO. Ukwa,Tah.Paraswada, Dist.  
Balaghat (M.P) 481105



### SAMPLE DETAILS

Lab ID:	Lab/PN/3113E/304/02	Sampling Start Date:	18/01/2026
Sample Drawn By:	Shailesh Pandey	Sampling End Date:	19/01/2026
Sample Type:	Ambient Air	Sample Receipt Date:	21/01/2026
Sample Description:	Near Vertical Shaft-1	Analysis start- End Date:	21/01/2026-27/01/2026
Env. Cond.-Sampling:	Temp-26°C / Humidity-64%	Total Sampling hours:	24
Env. Cond.-Sample Receipt:	Satisfactory	Env. Cond.-Testing:	25±5°C

Sr.No	Parameters	Results	Unit	Test Method	Norms
1	Particulate Matter (PM2.5)	38.33	µg/m3	GGMPL/SOP/AA/60	60
2	Sulphur Dioxide (SO2)	14.61	µg/m3	IS 5182-Part 2	80
3	Oxides of Nitrogen	28.23	µg/m3	IS 5182- Part 6	80
4	Ozone (O3)	14.19	µg/m3	IS 5182- Part 9	180
5	Ammonia (NH3)	16.67	µg/m3	GGMPL/SOP/AA/62	400
6	Benzene	BQL (QL=2.5)	µg/m3	IS 5182- Part 11	5
7	Benzo(a) pyrene	BQL (QL=0.5)	ng/m3	Is 5182- Part 12	1
8	Carbon Monoxide (CO)	0.87	mg/m3	IS 5182- Part 10	4
9	Nickel as Ni	BQL (QL=5)	ng/m3	Method IO 3.4	20
10	Arsenic as As	BQL (QL=1)	ng/m3	Method IO 3.4	6
11	Lead	BQL (QL=0.001)	µg/m3	Method IO 3.4	1
12	Particulate Matter (PM10)	75.43	µg/m3	IS 5182- Part 23	100

Norms As Per National Ambient Air Quality Standard.

NS=Not Specified, BQL=Below Quantification Limit,QL= Quantification Limit

  
Reviewed & Authorized by  
Tantan Kumar



  
Reviewed & Authorized by  
Manish Kumawat

Page No : 1/1

**Terms & Conditions :**

This test report document no GGMPL/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples (in case of soil samples). The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

## CERTIFICATE OF ANALYSIS

Report Number : GGMPL/PN/3113E/304/03

Reporting Date: 28/01/2026

M/s Moil Limited

Ukwa Manganese Mines L1=199.067 Ha Site PO. Ukwa,Tah.Paraswada, Dist.  
Balaghat (M.P) 481105



### SAMPLE DETAILS

Lab ID:	Lab/PN/3113E/304/03	Sampling Start Date:	18/01/2026
Sample Drawn By:	Shailesh Pandey	Sampling End Date:	19/01/2026
Sample Type:	Ambient Air	Sample Receipt Date:	21/01/2026
Sample Description:	Near Workshop	Analysis start- End Date:	21/01/2026-27/01/2026
Env. Cond.-Sampling:	Temp-26°C / Humidity-64%	Total Sampling hours:	24
Env. Cond.-Sample Receipt:	Satisfactory	Env. Cond.-Testing:	25±5°C

Sr.No	Parameters	Results	Unit	Test Method	Norms
1	Particulate Matter (PM2.5)	35.41	µg/m3	GGMPL/SOP/AA/60	60
2	Sulphur Dioxide (SO2)	15.22	µg/m3	IS 5182-Part 2	80
3	Oxides of Nitrogen	30.01	µg/m3	IS 5182- Part 6	80
4	Ozone (O3)	16.26	µg/m3	IS 5182- Part 9	180
5	Ammonia (NH3)	18.05	µg/m3	GGMPL/SOP/AA/62	400
6	Benzene	BQL (QL=2.5)	µg/m3	IS 5182- Part 11	5
7	Benzo(a) pyrene	BQL (QL=0.5)	ng/m3	Is 5182- Part 12	1
8	Carbon Monoxide (CO)	0.94	mg/m3	IS 5182- Part 10	4
9	Nickel as Ni	BQL (QL=5)	ng/m3	Method IO 3.4	20
10	Arsenic as As	BQL (QL=1)	ng/m3	Method IO 3.4	6
11	Lead	BQL (QL=0.001)	µg/m3	Method IO 3.4	1
12	Particulate Matter (PM10)	68.09	µg/m3	IS 5182- Part 23	100

Norms As Per National Ambient Air Quality Standard.

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit

Reviewed & Authorized by  
Tantan Kumar



Reviewed & Authorized by  
Manish Kumawat

Page No : 1/1

**Terms & Conditions :**

This test report document no GGMPL/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

## CERTIFICATE OF ANALYSIS

Report Number : GGMP/ PN/3113E/304/04

Reporting Date: 28/01/2026

M/s Moil Limited

Ukwa Manganese Mines L1=199.067 Ha Site PO. Ukwa,Tah.Paraswada, Dist.  
Balaghat (M.P) 481105



TC-7073

### SAMPLE DETAILS

Lab ID:	Lab/PN/3113E/304/04	Sampling Start Date:	18/01/2026
Sample Drawn By:	Shailesh Pandey	Sampling End Date:	19/01/2026
Sample Type:	Ambient Air	Sample Receipt Date:	21/01/2026
Sample Description:	Near Ukwa Village	Analysis start- End Date:	21/01/2026-27/01/2026
Env. Cond.-Sampling:	Temp-26°C / Humidity-64%	Total Sampling hours:	24
Env. Cond.-Sample Receipt:	Satisfactory	Env. Cond.-Testing:	25±5°C

Sr.No	Parameters	Results	Unit	Test Method	Norms
1	Particulate Matter (PM2.5)	36.66	µg/m3	GGMPL/SOP/AA/60	60
2	Sulphur Dioxide (SO2)	13.36	µg/m3	IS 5182-Part 2	80
3	Oxides of Nitrogen	24.60	µg/m3	IS 5182- Part 6	80
4	Ozone (O3)	13.30	µg/m3	IS 5182- Part 9	180
5	Ammonia (NH3)	15.28	µg/m3	GGMPL/SOP/AA/62	400
6	Benzene	BQL (QL=2.5)	µg/m3	IS 5182- Part 11	5
7	Benzo(a) pyrene	BQL (QL=0.5)	ng/m3	Is 5182- Part 12	1
8	Carbon Monoxide (CO)	0.83	mg/m3	IS 5182- Part 10	4
9	Nickel as Ni	BQL (QL=5)	ng/m3	Method IO 3.4	20
10	Arsenic as As	BQL (QL=1)	ng/m3	Method IO 3.4	6
11	Lead	BQL (QL=0.001)	µg/m3	Method IO 3.4	1
12	Particulate Matter (PM10)	70.07	µg/m3	IS 5182- Part 23	100

Norms As Per National Ambient Air Quality Standard.

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit

Reviewed & Authorized by  
Tantan Kumar



Reviewed & Authorized by  
Manish Kumawat

Page No : 1/1

**Terms & Conditions :**

This test report document no GGMP/ F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

## CERTIFICATE OF ANALYSIS

Report Number: GGMP/ PN/3113E/304/05

Reporting Date: 28/01/2026

M/s Moil Limited

Ukwa Manganese Mines L1=199.067 Ha Site PO. Ukwa,Tah.Paraswada, Dist. Balaghat (M.P) 481105



### SAMPLE DETAILS


Sampling Instrument : Sound Level Meter  
Sample By Shailesh Pandey

Sampling Date: 18/01/2026  
Sample Description: Source Noise

Sr.No	Lab Id	Location	Time	Unit	Test Method	Reading	Norms
1	Lab/PN/3113E/3 04/05A	Near Nagra Plant	Day Time	dB(A)Leq	IS 4758	64	-
2	Lab/PN/3113E/3 04/05B	Near Vertical Shaft-1	Day Time	dB(A)Leq	IS 4758	64	-
3	Lab/PN/3113E/3 04/05C	Near Workshop	Day Time	dB(A)Leq	IS 4758	66	-
4	Lab/PN/3113E/3 04/05D	Near Ukwa Village	Day Time	dB(A)Leq	IS 4758	55	-

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit

Reviewed & Authorized by  
Tantan Kumar



Reviewed & Authorized by  
Manish Kumawat

--- End of Report ---

Page No : 1/1

**Terms & Conditions :**

This test report document no GGMP/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

## CERTIFICATE OF ANALYSIS

Report Number: GGMP/L/PN/3113E/304/06

Reporting Date : 28/01/2026

M/s Moil Limited

Ukwa Manganese Mines L1=199.067 Ha Site PO. Ukwa,Tah.Paraswada, Dist.  
Balaghat (M.P) 481105



TC-7073


### SAMPLE DETAILS

Lab ID:	Lab/PN/3113E/304/06	Sampling Date:	19/01/2026
Sample Drawn By:	Shailesh Pandey	Sample Receipt Date:	21/01/2026
Sample Type:	Ground Water	Analysis Start Date:	21/01/2026
Sample Description:	New Mine Colony Pump House	Analysis End Date:	27/01/2026
Sample Quantity:	6 L	Sampling Method:	GGMPL/WI/27A
Sample Condition:	Satisfactory	Packing:	Sealed

Sr.No	Parameters	Results	Unit	Test Method	AL	PL
1	Alkalinity as CaCO <sub>3</sub>	155.00	mg/L	APHA 24th Edn 2320 B	200	600
2	Calcium as Ca	50.10	mg/L	APHA 24th Edn 3500 Ca B	75	200
3	Chloride	71.98	mg/L	IS 3025- Part 32	250	1000
4	Colour	BQL (QL=2.5)	CU	IS 3025- Part 4	5	15
5	Fluoride	0.86	mg/L	APHA 24th Edn 4500 F D	1.0	1.5
6	Magnesium as Mg	23.81	mg/L	APHA 24th Edn 3500 Mg B	30	100
7	Odour	Agreeable	-	IS 3025- Part 5	Agreeable	Agreeable
8	pH at 25 °C	7.20	-	IS 3025- Part 11	6.5-8.5	No relaxation
9	Sulphate	33.03	mg/L	APHA 24th Edn 4500 SO <sub>4</sub> E	200	400
10	Total Dissolved Solids (TDS)	362.00	mg/L	APHA 24th Edn 2540 C	500	2000
11	Total Suspended Solids (TSS)	BQL (QL=5)	mg/L	APHA 24th Edn 2540 D	NS	NS
12	Total Hardness as CaCO <sub>3</sub>	223.00	mg/L	APHA 24th Edn 2340 C	200	600

AL & PL as per IS 10500

NS=Not Specified, BQL=Below Quantification Limit,QL= Quantification Limit



Reviewed & Authorized by  
Tantan kumar & Dr. Haragobinda Srichandan




Reviewed & Authorized by  
Payal Patel

Page No : 1/2

**Terms & Conditions :**

This test report document no GGMP/L/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

## CERTIFICATE OF ANALYSIS

Report Number: GGMP/L/PN/3113E/304/06

Reporting Date : 28/01/2026

M/s Moil Limited

Ukwa Manganese Mines L1=199.067 Ha Site PO. Ukwa,Tah.Paraswada, Dist. Balaghat (M.P) 481105



TC-7073

### SAMPLE DETAILS

Lab ID:	Lab/PN/3113E/304/06	Sampling Date:	19/01/2026
Sample Drawn By:	Shailesh Pandey	Sample Receipt Date:	21/01/2026
Sample Type:	Ground Water	Analysis Start Date:	21/01/2026
Sample Description:	New Mine Colony Pump House	Analysis End Date:	27/01/2026
Sample Quantity:	6 L	Sampling Method:	GGMPL/WI/27A
Sample Condition:	Satisfactory	Packing:	Sealed



Sr.No	Parameters	Results	Unit	Test Method	AL	PL
13	Turbidity	BQL (QL=0.1)	NTU	APHA 24th Edn 2130 B	1	5
14	Iron	BQL (QL=0.05)	mg/L	GGMPL/SOP/W&WW/46	1	No relaxation
15	Manganese	BQL (QL=0.05)	mg/L	GGMPL/SOP/W & WW/46	0.1	0.3
16	Nitrate	3.61	mg/L	APHA 24th Edn 4500 NO3 B	45	No relaxation
17	Total coliform	Absent	Per 100ml	APHA 9221 B 24th Edition	Absent	Absent
18	E. coli	Absent	Per 100ml	APHA 9221 G 24th Edition	Absent	Absent

AL & PL as per IS 10500

NS=Not Specified, BQL=Below Quantification Limit,QL= Quantification Limit



Reviewed & Authorized by  
Tantan kumar & Dr. Haragobinda Srichandan

Reviewed & Authorized by  
Payal Patel

Page No : 2/2

**Terms & Conditions :**

This test report document no GGMP/L/F7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

## CERTIFICATE OF ANALYSIS

Report Number: GGMP/L/PN/3113E/304/07

Reporting Date : 28/01/2026

M/s Moil Limited

Ukwa Manganese Mines L1=199.067 Ha Site PO. Ukwa,Tah.Paraswada, Dist.  
Balaghat (M.P) 481105



### SAMPLE DETAILS

Lab ID:	Lab/PN/3113E/304/07	Sampling Date:	19/01/2026
Sample Drawn By:	Shailesh Pandey	Sample Receipt Date:	21/01/2026
Sample Type:	Drinking Water	Analysis Start Date:	21/01/2026
Sample Description:	Mine Office Water Cooler	Analysis End Date:	27/01/2026
Sample Quantity:	6 L	Sampling Method:	GGMP/L/WI/27A
Sample Condition:	Satisfactory	Packing:	Sealed


Sr.No	Parameters	Results	Unit	Test Method	AL	PL
1	Alkalinity as CaCO <sub>3</sub>	150.00	mg/L	APHA 24th Edition (2320 B)	200	600
2	Calcium as Ca	50.90	mg/L	APHA 24th Edition (3500 Ca B)	75	200
3	Chloride	68.98	mg/L	IS 3025 -Part 32	250	1000
4	Colour	BQL (QL=2.5)	CU	IS 3025 Part-4	5	15
5	Magnesium as Mg	21.38	mg/L	APHA 24th Edition (3500 Mg B)	30	100
6	Odour	Agreeable	-	IS 3025 Part 5	Agreeable	Agreeable
7	pH at 25 °C	7.13	-	IS 3025-Part 11	6.5-8.5	No Relaxation
8	Sulphate	29.39	mg/L	APHA 24th Edition (4500 SO <sub>4</sub> E)	200	400
9	Total Dissolved Solids (TDS)	355.00	mg/L	APHA 24th Edition (2540 C)	500	2000
10	Total Hardness as CaCO <sub>3</sub>	215.00	mg/L	APHA 24th Edition (2340 C)	200	600
11	Total Suspended Solids (TSS)	BQL (QL=5)	mg/L	APHA 24th Edition (2540 D)	NS	NS
12	Turbidity	BQL (QL=0.1)	NTU	APHA 24th Edition (2130 B)	1	5

AL & PL as per IS 10500

NS=Not Specified, BQL=Below Quantification Limit,QL= Quantification Limit



Reviewed & Authorized by  
Tantan kumar & Dr. Haragobinda Srichandan

Reviewed & Authorized by  
Payal Patel

Page No : 1/2

**Terms & Conditions :**

This test report document no GGMP/L/F7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

## CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/3113E/304/07

Reporting Date : 28/01/2026

M/s Moil Limited

Ukwa Manganese Mines L1=199.067 Ha Site PO. Ukwa,Tah.Paraswada, Dist.  
Balaghat (M.P) 481105



### SAMPLE DETAILS

Lab ID:	Lab/PN/3113E/304/07	Sampling Date:	19/01/2026
Sample Drawn By:	Shailesh Pandey	Sample Receipt Date:	21/01/2026
Sample Type:	Drinking Water	Analysis Start Date:	21/01/2026
Sample Description:	Mine Office Water Cooler	Analysis End Date:	27/01/2026
Sample Quantity:	6 L	Sampling Method:	GGMPL/WI/27A
Sample Condition:	Satisfactory	Packing:	Sealed

Sr.No	Parameters	Results	Unit	Test Method	AL	PL
13	Iron	BQL (QL=0.05)	mg/L	GGMPL/SOP/W&WW/46	1.0	No Relaxation
14	Manganese	BQL (QL=0.05)	mg/L	GGMPL/SOP/W&WW/46	0.1	0.3
15	Fluoride	0.77	mg/L	APHA 24th Edn 4500 F D	1	1.5
16	Nitrate	3.48	mg/L	APHA 24th Edn 4500 NO3 B	45	No Relaxation
17	Total coliform	Absent	per 100ml	APHA 9222 A&B 24th Edition	Absent	Absent
18	E.coli	Absent	per 100ml	APHA 9222H 24th Edition	Absent	Absent

AL & PL as per IS 10500


NS=Not Specified, BQL=Below Quantification Limit,QL= Quantification Limit



Reviewed & Authorized by  
Tantan kumar & Dr. Haragobinda Srichandan



--- End of Report ---



Reviewed & Authorized by  
Payal Patel

Page No : 2/2

**Terms & Conditions :**

This test report document no GGMPL/F7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

## CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/3113E/304/08

Reporting Date : 28/01/2026

M/s Moil Limited

Ukwa Manganese Mines L1=199.067 Ha Site PO. Ukwa, Tah.Paraswada, Dist.  
Balaghat (M.P) 481105



TC-7073

### SAMPLE DETAILS

Lab ID:	Lab/PN/3113E/304/08	Sampling Date:	19/01/2026
Sample Drawn By:	Shailesh Pandey	Sample Receipt Date:	21/01/2026
Sample Type:	Drinking Water	Analysis Start Date:	21/01/2026
Sample Description:	Officer Colony No. 4 Water Cooler	Analysis End Date:	27/01/2026
Sample Quantity:	6 L	Sampling Method:	GGMPL/WI/27A
Sample Condition:	Satisfactory	Packing:	Sealed


Sr.No	Parameters	Results	Unit	Test Method	AL	PL
1	Alkalinity as CaCO <sub>3</sub>	147.00	mg/L	APHA 24th Edition (2320 B)	200	600
2	Calcium as Ca	45.69	mg/L	APHA 24th Edition (3500 Ca B)	75	200
3	Chloride	65.48	mg/L	IS 3025 -Part 32	250	1000
4	Colour	BQL (QL=2.5)	CU	IS 3025 Part-4	5	15
5	Magnesium as Mg	23.09	mg/L	APHA 24th Edition (3500 Mg B)	30	100
6	Odour	Agreeable	-	IS 3025 Part 5	Agreeable	Agreeable
7	pH at 25 °C	7.26	-	IS 3025-Part 11	6.5-8.5	No Relaxation
8	Sulphate	27.07	mg/L	APHA 24th Edition (4500 SO <sub>4</sub> E)	200	400
9	Total Dissolved Solids (TDS)	340.00	mg/L	APHA 24th Edition (2540 C)	500	2000
10	Total Hardness as CaCO <sub>3</sub>	209.00	mg/L	APHA 24th Edition (2340 C)	200	600
11	Total Suspended Solids (TSS)	BQL (QL=5)	mg/L	APHA 24th Edition (2540 D)	NS	NS
12	Turbidity	BQL (QL=0.1)	NTU	APHA 24th Edition (2130 B)	1	5

AL & PL as per IS 10500

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit



Reviewed & Authorized by  
Tantan kumar & Dr. Haragobinda Srichandan

Reviewed & Authorized by  
Payal Patel

Page No : 1/2

**Terms & Conditions :**

This test report document no GGMPL/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

## CERTIFICATE OF ANALYSIS

Report Number: GGMP/ PN/3113E/304/08

Reporting Date : 28/01/2026

M/s Moil Limited

Ukwa Manganese Mines L1=199.067 Ha Site PO. Ukwa,Tah.Paraswada, Dist.  
Balaghat (M.P) 481105



### SAMPLE DETAILS

Lab ID:	Lab/PN/3113E/304/08	Sampling Date:	19/01/2026
Sample Drawn By:	Shailesh Pandey	Sample Receipt Date:	21/01/2026
Sample Type:	Drinking Water	Analysis Start Date:	21/01/2026
Sample Description:	Officer Colony No. 4 Water Cooler	Analysis End Date:	27/01/2026
Sample Quantity:	6 L	Sampling Method:	GGMPL/WI/27A
Sample Condition:	Satisfactory	Packing:	Sealed

Sr.No	Parameters	Results	Unit	Test Method	AL	PL
13	Iron	BQL (QL=0.05)	mg/L	GGMPL/SOP/W&WW/46	1.0	No Relaxation
14	Manganese	BQL (QL=0.05)	mg/L	GGMPL/SOP/W&WW/46	0.1	0.3
15	Fluoride	0.70	mg/L	APHA 24th Edn 4500 F D	1	1.5
16	Nitrate	3.15	mg/L	APHA 24th Edn 4500 NO3 B	45	No Relaxation
17	Total coliform	Absent	per 100ml	APHA 9222 A&B 24th Edition	Absent	Absent
18	E.coli	Absent	per 100ml	APHA 9222H 24th Edition	Absent	Absent

AL & PL as per IS 10500

NS=Not Specified, BQL=Below Quantification Limit,QL= Quantification Limit



Reviewed & Authorized by  
Tantan kumar & Dr. Haragobinda Srichandan




Reviewed & Authorized by  
Payal Patel

Page No : 2/2

**Terms & Conditions :**

This test report document no GGMP/IF/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

## CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/3113E/304/09

Reporting Date : 28/01/2026

M/s Moil Limited

Ukwa Manganese Mines L1=199.067 Ha Site PO. Ukwa,Tah.Paraswada, Dist.  
Balaghat (M.P) 481105



TC-7073

### SAMPLE DETAILS

Lab ID:	Lab/PN/3113E/304/09	Sampling Date:	19/01/2026
Sample Drawn By:	Shailesh Pandey	Sample Receipt Date:	21/01/2026
Sample Type:	Drinking Water	Analysis Start Date:	21/01/2026
Sample Description:	Rest House Water Purifier	Analysis End Date:	27/01/2026
Sample Quantity:	6 L	Sampling Method:	GGMPL/WI/27A
Sample Condition:	Satisfactory	Packing:	Sealed

Sr.No	Parameters	Results	Unit	Test Method	AL	PL
1	Alkalinity as CaCO <sub>3</sub>	144.00	mg/L	APHA 24th Edition (2320 B)	200	600
2	Calcium as Ca	42.48	mg/L	APHA 24th Edition (3500 Ca B)	75	200
3	Chloride	63.98	mg/L	IS 3025 -Part 32	250	1000
4	Colour	BQL (QL=2.5)	CU	IS 3025 Part-4	5	15
5	Magnesium as Mg	23.81	mg/L	APHA 24th Edition (3500 Mg B)	30	100
6	Odour	Agreeable	-	IS 3025 Part 5	Agreeable	Agreeable
7	pH at 25 °C	7.16	-	IS 3025-Part 11	6.5-8.5	No Relaxation
8	Sulphate	25.45	mg/L	APHA 24th Edition (4500 SO <sub>4</sub> E)	200	400
9	Total Dissolved Solids (TDS)	330.00	mg/L	APHA 24th Edition (2540 C)	500	2000
10	Total Hardness as CaCO <sub>3</sub>	204.00	mg/L	APHA 24th Edition (2340 C)	200	600
11	Total Suspended Solids (TSS)	BQL (QL=5)	mg/L	APHA 24th Edition (2540 D)	NS	NS
12	Turbidity	BQL (QL=0.1)	NTU	APHA 24th Edition (2130 B)	1	5

AL & PL as per IS 10500

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit



Reviewed & Authorized by  
Tantan kumar & Dr. Haragobinda Srichandan




Reviewed & Authorized by  
Payal Patel

Page No : 1/2

**Terms & Conditions :**

This test report document no GGMPL/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

## CERTIFICATE OF ANALYSIS

Report Number: GGMP/ PN/3113E/304/09

Reporting Date : 28/01/2026

M/s Moil Limited

Ukwa Manganese Mines L1=199.067 Ha Site PO. Ukwa,Tah.Paraswada, Dist.  
Balaghat (M.P) 481105



TC-7073

### SAMPLE DETAILS

Lab ID:	Lab/PN/3113E/304/09	Sampling Date:	19/01/2026
Sample Drawn By:	Shailesh Pandey	Sample Receipt Date:	21/01/2026
Sample Type:	Drinking Water	Analysis Start Date:	21/01/2026
Sample Description:	Rest House Water Purifier	Analysis End Date:	27/01/2026
Sample Quantity:	6 L	Sampling Method:	GGMPL/WI/27A
Sample Condition:	Satisfactory	Packing:	Sealed

Sr.No	Parameters	Results	Unit	Test Method	AL	PL
13	Iron	BQL (QL=0.05)	mg/L	GGMPL/SOP/W&WW/46	1.0	No Relaxation
14	Manganese	BQL (QL=0.05)	mg/L	GGMPL/SOP/W&WW/46	0.1	0.3
15	Fluoride	0.62	mg/L	APHA 24th Edn 4500 F D	1	1.5
16	Nitrate	3.01	mg/L	APHA 24th Edn 4500 NO3 B	45	No Relaxation
17	Total coliform	Absent	per 100ml	APHA 9222 A&B 24th Edition	Absent	Absent
18	E.coli	Absent	per 100ml	APHA 9222H 24th Edition	Absent	Absent

AL & PL as per IS 10500

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit



Reviewed & Authorized by  
Tantan kumar & Dr. Haragobinda Srichandan



--- End of Report ---



Reviewed & Authorized by  
Payal Patel

Page No : 2/2

**Terms & Conditions :**

This test report document no GGMP/ F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

## CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/3113E/304/10

Reporting Date : 28/01/2026

M/s Moil Limited

Ukwa Manganese Mines L1=199.067 Ha Site PO. Ukwa,Tah.Paraswada, Dist.  
Balaghat (M.P) 481105



### SAMPLE DETAILS

Lab ID:	Lab/PN/3113E/304/10	Sampling Date:	19/01/2026
Sample Drawn By:	Shailesh Pandey	Sample Receipt Date:	21/01/2026
Sample Type:	Drinking Water	Analysis Start Date:	21/01/2026
Sample Description:	Mine Hospital RO Water	Analysis End Date:	27/01/2026
Sample Quantity:	6 L	Sampling Method:	GGMPL/WI/27A
Sample Condition:	Satisfactory	Packing:	Sealed


Sr.No	Parameters	Results	Unit	Test Method	AL	PL
1	Alkalinity as CaCO3	152.00	mg/L	APHA 24th Edition (2320 B)	200	600
2	Calcium as Ca	42.48	mg/L	APHA 24th Edition (3500 Ca B)	75	200
3	Chloride	66.50	mg/L	IS 3025 -Part 32	250	1000
4	Colour	BQL (QL=2.5)	CU	IS 3025 Part-4	5	15
5	Magnesium as Mg	27.22	mg/L	APHA 24th Edition (3500 Mg B)	30	100
6	Odour	Agreeable	-	IS 3025 Part 5	Agreeable	Agreeable
7	pH at 25 °C	7.18	-	IS 3025-Part 11	6.5-8.5	No Relaxation
8	Sulphate	29.09	mg/L	APHA 24th Edition (4500 SO4 E)	200	400
9	Total Dissolved Solids (TDS)	340.00	mg/L	APHA 24th Edition (2540 C)	500	2000
10	Total Hardness as CaCO3	218.00	mg/L	APHA 24th Edition (2340 C)	200	600
11	Total Suspended Solids (TSS)	BQL (QL=5)	mg/L	APHA 24th Edition (2540 D)	NS	NS
12	Turbidity	BQL (QL=0.1)	NTU	APHA 24th Edition (2130 B)	1	5

AL & PL as per IS 10500

NS=Not Specified, BQL=Below Quantification Limit,QL= Quantification Limit



Reviewed & Authorized by  
Tantan kumar & Dr. Haragobinda Srichandan

Reviewed & Authorized by  
Payal Patel

Page No : 1/2

**Terms & Conditions :**

This test report document no GGMPL/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

## CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/3113E/304/10

Reporting Date : 28/01/2026

M/s Moil Limited

Ukwa Manganese Mines L1=199.067 Ha Site PO. Ukwa,Tah.Paraswada, Dist.  
Balaghat (M.P) 481105



### SAMPLE DETAILS

Lab ID:	Lab/PN/3113E/304/10	Sampling Date:	19/01/2026
Sample Drawn By:	Shailesh Pandey	Sample Receipt Date:	21/01/2026
Sample Type:	Drinking Water	Analysis Start Date:	21/01/2026
Sample Description:	Mine Hospital RO Water	Analysis End Date:	27/01/2026
Sample Quantity:	6 L	Sampling Method:	GGMPL/WI/27A
Sample Condition:	Satisfactory	Packing:	Sealed


Sr.No	Parameters	Results	Unit	Test Method	AL	PL
13	Iron	BQL (QL=0.05)	mg/L	GGMPL/SOP/W&WW/46	1.0	No Relaxation
14	Manganese	BQL (QL=0.05)	mg/L	GGMPL/SOP/W&WW/46	0.1	0.3
15	Fluoride	0.75	mg/L	APHA 24th Edn 4500 F D	1	1.5
16	Nitrate	3.42	mg/L	APHA 24th Edn 4500 NO3 B	45	No Relaxation
17	Total coliform	Absent	per 100ml	APHA 9222 A&B 24th Edition	Absent	Absent
18	E.coli	Absent	per 100ml	APHA 9222H 24th Edition	Absent	Absent

AL & PL as per IS 10500

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit



Reviewed & Authorized by  
Tantan kumar & Dr. Haragobinda Srichandan

Reviewed & Authorized by  
Payal Patel

Page No : 2/2

**Terms & Conditions :**

This test report document no GGMPL/F7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

## CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/3113E/304/11

Reporting Date : 28/01/2026

M/s Moil Limited

Ukwa Manganese Mines L1=199.067 Ha Site PO. Ukwa,Tah.Paraswada, Dist.  
Balaghat (M.P) 481105



TC-7073

### SAMPLE DETAILS

Lab ID:	Lab/PN/3113E/304/11	Sampling Date:	19/01/2026
Sample Drawn By:	Shailesh Pandey	Sample Receipt Date:	21/01/2026
Sample Type:	Drinking Water	Analysis Start Date:	21/01/2026
Sample Description:	Nagra Plant RO Water	Analysis End Date:	27/01/2026
Sample Quantity:	6 L	Sampling Method:	GGMPL/WI/27A
Sample Condition:	Satisfactory	Packing:	Sealed

Sr.No	Parameters	Results	Unit	Test Method	AL	PL
1	Alkalinity as CaCO3	161.00	mg/L	APHA 24th Edition (2320 B)	200	600
2	Calcium as Ca	51.70	mg/L	APHA 24th Edition (3500 Ca B)	75	200
3	Chloride	74.98	mg/L	IS 3025 -Part 32	250	1000
4	Colour	BQL (QL=2.5)	CU	IS 3025 Part-4	5	15
5	Magnesium as Mg	24.79	mg/L	APHA 24th Edition (3500 Mg B)	30	100
6	Odour	Agreeable	-	IS 3025 Part 5	Agreeable	Agreeable
7	pH at 25 °C	7.29	-	IS 3025-Part 11	6.5-8.5	No Relaxation
8	Sulphate	35.05	mg/L	APHA 24th Edition (4500 SO4 E)	200	400
9	Total Dissolved Solids (TDS)	360.00	mg/L	APHA 24th Edition (2540 C)	500	2000
10	Total Hardness as CaCO3	231.00	mg/L	APHA 24th Edition (2340 C)	200	600
11	Total Suspended Solids (TSS)	BQL (QL=5)	mg/L	APHA 24th Edition (2540 D)	NS	NS
12	Turbidity	BQL (QL=0.1)	NTU	APHA 24th Edition (2130 B)	1	5

AL & PL as per IS 10500

NS=Not Specified, BQL=Below Quantification Limit,QL= Quantification Limit



Reviewed & Authorized by  
Tantan kumar & Dr. Haragobinda Srichandan




Reviewed & Authorized by  
Payal Patel

Page No : 1/2

**Terms & Conditions :**

This test report document no GGMPL/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

## CERTIFICATE OF ANALYSIS

Report Number: GGMP/ PN/3113E/304/11

Reporting Date : 28/01/2026

M/s Moil Limited

Ukwa Manganese Mines L1=199.067 Ha Site PO. Ukwa,Tah.Paraswada, Dist.  
Balaghat (M.P) 481105



TC-7073

### SAMPLE DETAILS

Lab ID:	Lab/PN/3113E/304/11	Sampling Date:	19/01/2026
Sample Drawn By:	Shailesh Pandey	Sample Receipt Date:	21/01/2026
Sample Type:	Drinking Water	Analysis Start Date:	21/01/2026
Sample Description:	Nagra Plant RO Water	Analysis End Date:	27/01/2026
Sample Quantity:	6 L	Sampling Method:	GGMPL/WI/27A
Sample Condition:	Satisfactory	Packing:	Sealed

Sr.No	Parameters	Results	Unit	Test Method	AL	PL
13	Iron	BQL (QL=0.05)	mg/L	GGMPL/SOP/W&WW/46	1.0	No Relaxation
14	Manganese	BQL (QL=0.05)	mg/L	GGMPL/SOP/W&WW/46	0.1	0.3
15	Fluoride	0.88	mg/L	APHA 24th Edn 4500 F D	1	1.5
16	Nitrate	3.67	mg/L	APHA 24th Edn 4500 NO3 B	45	No Relaxation
17	Total coliform	Absent	per 100ml	APHA 9222 A&B 24th Edition	Absent	Absent
18	E.coli	Absent	per 100ml	APHA 9222H 24th Edition	Absent	Absent

AL & PL as per IS 10500

NS=Not Specified, BQL=Below Quantification Limit,QL= Quantification Limit



Reviewed & Authorized by  
Tantan kumar & Dr. Haragobinda Srichandan



--- End of Report ---



Reviewed & Authorized by  
Payal Patel

Page No : 2/2

**Terms & Conditions :**

This test report document no GGMP/ F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

## CERTIFICATE OF ANALYSIS

Report Number: GGMP/ PN/3113E/304/12

Reporting Date: 28.01.2026

**M/s Moil Limited**

Ukwa Manganese Mines L1=199.067 Ha Site PO. Ukwa, Tah.Paraswada, Dist. Balaghat (M.P) 481105



### SAMPLE DETAILS

Lab ID	: Lab/PN/3113E/304/12	Sampling Start Date	: 18.01.2026
Sampling Instrument	: Weather Monitoring Station	Sampling End Date	: 19.01.2026
Sample Type	: Meteorological Parameter	Sample Receipt Date	: 21.01.2026
Sample Location	: Near Nagra Plant		

Sr. No.	Parameters	Results	Unit	Test Method
1	Temperature	26.0	°C	GGMP/ SOP/MP/01
2	Relative Humidity	64.0	%	GGMP/ SOP/MP/01
3	Rainfall	BQL (QL=0.254)	mm	GGMP/ SOP/MP/01
4	Wind Speed	1.2	m/s	GGMP/ SOP/MP/01

 Reviewed & Authorized by Tantan kumar		 Reviewed & Authorized by Manish Kumawat
---	---	--

---End of Report---

**Terms & Conditions :**

This test report document no GGMP/IF/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

## CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/3113E/304/13

Reporting Date: 28.01.2026

**M/s Moil Limited**

Ukwa Manganese Mines L1=199.067 Ha Site PO. Ukwa,Tah.Paraswada, Dist. Balaghat (M.P) 481105



### SAMPLE DETAILS

Lab ID	: Lab/PN/3113E/304/13	Sampling Start Date	: 18.01.2026
Sampling Instrument	: Weather Monitoring Station	Sampling End Date	: 19.01.2026
Sample Type	: Meteorological Parameter	Sample Receipt Date	: 21.01.2026
Sample Location	: Near Vertical Shaft-1		

Sr. No.	Parameters	Results	Unit	Test Method
1	Temperature	26.0	°C	GGMPL/SOP/MP/01
2	Relative Humidity	64.0	%	GGMPL/SOP/MP/01
3	Rainfall	BQL (QL=0.254)	mm	GGMPL/SOP/MP/01
4	Wind Speed	1.2	m/s	GGMPL/SOP/MP/01

Reviewed & Authorized by

Tantan Kumar



Reviewed & Authorized by

Manish Kumawat

---End of Report---

Page 1 of 1

**Terms & Conditions :**

This test report document no GGMPL/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

## CERTIFICATE OF ANALYSIS

Report Number: GGMP/L/PN/3113E/304/14

Reporting Date: 28.01.2026

**M/s Moil Limited**

Ukwa Manganese Mines L1=199.067 Ha Site PO. Ukwa,Tah.Paraswada, Dist. Balaghat (M.P) 481105



### SAMPLE DETAILS

Lab ID	: Lab/PN/3113E/304/14	Sampling Start Date	: 18.01.2026
Sampling Instrument	: Weather Monitoring Station	Sampling End Date	: 19.01.2026
Sample Type	: Meteorological Parameter	Sample Receipt Date	: 21.01.2026
Sample Location	: Near Workshop		

Sr. No.	Parameters	Results	Unit	Test Method
1	Temperature	26.0	°C	GGMPL/SOP/MP/01
2	Relative Humidity	64.0	%	GGMPL/SOP/MP/01
3	Rainfall	BQL (QL=0.254)	mm	GGMPL/SOP/MP/01
4	Wind Speed	1.2	m/s	GGMPL/SOP/MP/01



Reviewed & Authorized by

Tantan Kumar




Reviewed & Authorized by

Manish Kumawat

---End of Report---

**Terms & Conditions :**

This test report document no GGMP/L/PN/3113E/304/14 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

## CERTIFICATE OF ANALYSIS

Report Number: GGMP/ PN/3113E/304/15

Reporting Date: 28.01.2026

**M/s Moil Limited**

Ukwa Manganese Mines L1=199.067 Ha Site PO. Ukwa,Tah.Paraswada, Dist. Balaghat (M.P) 481105



### SAMPLE DETAILS

Lab ID	: Lab/PN/3113E/304/15	Sampling Start Date	: 18.01.2026
Sampling Instrument	: Weather Monitoring Station	Sampling End Date	: 19.01.2026
Sample Type	: Meteorological Parameter	Sample Receipt Date	: 21.01.2026
Sample Location	: Near Ukwa Village		

Sr. No.	Parameters	Results	Unit	Test Method
1	Temperature	26.0	°C	GGMP/ SOP/MP/01
2	Relative Humidity	64.0	%	GGMP/ SOP/MP/01
3	Rainfall	BQL (QL=0.254)	mm	GGMP/ SOP/MP/01
4	Wind Speed	1.2	m/s	GGMP/ SOP/MP/01

  
Reviewed & Authorized by  
Tantan Kumar



  
Reviewed & Authorized by  
Manish Kumawat

----End of Report----

**Terms & Conditions :**

This test report document no GGMP/ F7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

## CERTIFICATE OF ANALYSIS

Report Number : GGMP/ PN/3114E/305/01

Reporting Date: 28/01/2026

M/s Moil Limited

Ukwa Manganese Mines L2=69.581 Ha Site PO. Ukwa,Tah.Paraswada, Dist. Balaghat (M.P) 481105



TC-7073

### SAMPLE DETAILS

Lab ID:	Lab/PN/3114E/305/01	Sampling Start Date:	18/01/2026
Sample Drawn By:	Shailesh Pandey	Sampling End Date:	19/01/2026
Sample Type:	Ambient Air	Sample Receipt Date:	21/01/2026
Sample Description:	Near Vertical Shaft-2	Analysis start- End Date:	21/01/2026-27/01/2026
Env. Cond.-Sampling:	Temp-25°C / Humidity-64%	Total Sampling hours:	24
Env. Cond.-Sample Receipt:	Satisfactory	Env. Cond.-Testing:	25±5°C

Sr.No	Parameters	Results	Unit	Test Method	Norms
1	Particulate Matter (PM2.5)	35.40	µg/m3	GGMP/SOP/AA/60	60
2	Sulphur Dioxide (SO2)	16.64	µg/m3	IS 5182-Part 2	80
3	Oxides of Nitrogen	30.59	µg/m3	IS 5182- Part 6	80
4	Ozone (O3)	13.30	µg/m3	IS 5182- Part 9	180
5	Ammonia (NH3)	16.66	µg/m3	GGMP/SOP/AA/62	400
6	Benzene	BQL (QL=2.5)	µg/m3	IS 5182- Part 11	5
7	Benzo(a) pyrene	BQL (QL=0.5)	ng/m3	Is 5182- Part 12	1
8	Carbon Monoxide (CO)	0.94	mg/m3	IS 5182- Part 10	4
9	Nickel as Ni	BQL (QL=5)	ng/m3	Method IO 3.4	20
10	Arsenic as As	BQL (QL=1)	ng/m3	Method IO 3.4	6
11	Lead	BQL (QL=0.001)	µg/m3	Method IO 3.4	1
12	Particulate Matter (PM10)	73.55	µg/m3	IS 5182- Part 23	100

Norms As Per National Ambient Air Quality Standard.

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit

Reviewed & Authorized by  
Tantan Kumar



Reviewed & Authorized by  
Manish Kumawat

Page No : 1/1

**Terms & Conditions :**

This test report document no GGMP/ F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

## CERTIFICATE OF ANALYSIS

Report Number : GGMP/ PN/3114E/305/02

Reporting Date: 28/01/2026

M/s Moil Limited

Ukwa Manganese Mines L2=69.581 Ha Site PO. Ukwa,Tah.Paraswada, Dist.  
Balaghat (M.P) 481105



### SAMPLE DETAILS

Lab ID:	Lab/PN/3114E/305/02	Sampling Start Date:	18/01/2026
Sample Drawn By:	Shailesh Pandey	Sampling End Date:	19/01/2026
Sample Type:	Ambient Air	Sample Receipt Date:	21/01/2026
Sample Description:	Near Substation	Analysis start- End Date:	21/01/2026-27/01/2026
Env. Cond.-Sampling:	Temp-25°C / Humidity-64%	Total Sampling hours:	24
Env. Cond.-Sample Receipt:	Satisfactory	Env. Cond.-Testing:	25±5°C

Sr.No	Parameters	Results	Unit	Test Method	Norms
1	Particulate Matter (PM2.5)	33.74	µg/m3	GGMP/SOP/AA/60	60
2	Sulphur Dioxide (SO2)	14.79	µg/m3	IS 5182-Part 2	80
3	Oxides of Nitrogen	27.67	µg/m3	IS 5182- Part 6	80
4	Ozone (O3)	14.18	µg/m3	IS 5182- Part 9	180
5	Ammonia (NH3)	18.05	µg/m3	GGMP/SOP/AA/62	400
6	Benzene	BQL (QL=2.5)	µg/m3	IS 5182- Part 11	5
7	Benzo(a) pyrene	BQL (QL=0.5)	ng/m3	Is 5182- Part 12	1
8	Carbon Monoxide (CO)	0.91	mg/m3	IS 5182- Part 10	4
9	Nickel as Ni	BQL (QL=5)	ng/m3	Method IO 3.4	20
10	Arsenic as As	BQL (QL=1)	ng/m3	Method IO 3.4	6
11	Lead	BQL (QL=0.001)	µg/m3	Method IO 3.4	1
12	Particulate Matter (PM10)	71.70	µg/m3	IS 5182- Part 23	100

Norms As Per National Ambient Air Quality Standard.

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit

Reviewed & Authorized by  
Tantan Kumar



Reviewed & Authorized by  
Manish Kumawat

Page No : 1/1

**Terms & Conditions :**

This test report document no GGMP/ F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

## CERTIFICATE OF ANALYSIS

Report Number : GGMPL/PN/3114E/305/03

Reporting Date: 28/01/2026

M/s Moil Limited

Ukwa Manganese Mines L2=69.581 Ha Site PO. Ukwa,Tah.Paraswada, Dist.  
Balaghat (M.P) 481105



### SAMPLE DETAILS


Lab ID:	Lab/PN/3114E/305/03	Sampling Start Date:	18/01/2026
Sample Drawn By:	Shailesh Pandey	Sampling End Date:	19/01/2026
Sample Type:	Ambient Air	Sample Receipt Date:	21/01/2026
Sample Description:	Near Admin Building	Analysis start- End Date:	21/01/2026-27/01/2026
Env. Cond.-Sampling:	Temp-25°C / Humidity-64%	Total Sampling hours:	24
Env. Cond.-Sample Receipt:	Satisfactory	Env. Cond.-Testing:	25±5°C

Sr.No	Parameters	Results	Unit	Test Method	Norms
1	Particulate Matter (PM2.5)	37.49	µg/m3	GGMPL/SOP/AA/60	60
2	Sulphur Dioxide (SO2)	15.81	µg/m3	IS 5182-Part 2	80
3	Oxides of Nitrogen	30.55	µg/m3	IS 5182- Part 6	80
4	Ozone (O3)	12.71	µg/m3	IS 5182- Part 9	180
5	Ammonia (NH3)	15.27	µg/m3	GGMPL/SOP/AA/62	400
6	Benzene	BQL (QL=2.5)	µg/m3	IS 5182- Part 11	5
7	Benzo(a) pyrene	BQL (QL=0.5)	ng/m3	Is 5182- Part 12	1
8	Carbon Monoxide (CO)	0.90	mg/m3	IS 5182- Part 10	4
9	Nickel as Ni	BQL (QL=5)	ng/m3	Method IO 3.4	20
10	Arsenic as As	BQL (QL=1)	ng/m3	Method IO 3.4	6
11	Lead	BQL (QL=0.001)	µg/m3	Method IO 3.4	1
12	Particulate Matter (PM10)	72.24	µg/m3	IS 5182- Part 23	100

Norms As Per National Ambient Air Quality Standard.

NS=Not Specified, BQL=Below Quantification Limit,QL= Quantification Limit

  
Reviewed & Authorized by  
Tantan Kumar



  
Reviewed & Authorized by  
Manish Kumawat

Page No : 1/1

**Terms & Conditions :**

This test report document no GGMPL/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

## CERTIFICATE OF ANALYSIS

Report Number : GGMPL/PN/3114E/305/04

Reporting Date: 28/01/2026

M/s Moil Limited

Ukwa Manganese Mines L2=69.581 Ha Site PO. Ukwa,Tah.Paraswada, Dist.  
Balaghat (M.P) 481105



TC-7073

### SAMPLE DETAILS

Lab ID:	Lab/PN/3114E/305/04	Sampling Start Date:	18/01/2026
Sample Drawn By:	Shailesh Pandey	Sampling End Date:	19/01/2026
Sample Type:	Ambient Air	Sample Receipt Date:	21/01/2026
Sample Description:	Near Weigh Bridge	Analysis start- End Date:	21/01/2026-27/01/2026
Env. Cond.-Sampling:	Temp-25°C / Humidity-64%	Total Sampling hours:	24
Env. Cond.-Sample Receipt:	Satisfactory	Env. Cond.-Testing:	25±5°C

Sr.No	Parameters	Results	Unit	Test Method	Norms
1	Particulate Matter (PM2.5)	38.74	µg/m3	GGMPL/SOP/AA/60	60
2	Sulphur Dioxide (SO2)	17.38	µg/m3	IS 5182-Part 2	80
3	Oxides of Nitrogen	27.19	µg/m3	IS 5182- Part 6	80
4	Ozone (O3)	14.78	µg/m3	IS 5182- Part 9	180
5	Ammonia (NH3)	16.66	µg/m3	GGMPL/SOP/AA/62	400
6	Benzene	BQL (QL=2.5)	µg/m3	IS 5182- Part 11	5
7	Benzo(a) pyrene	BQL (QL=0.5)	ng/m3	Is 5182- Part 12	1
8	Carbon Monoxide (CO)	0.88	mg/m3	IS 5182- Part 10	4
9	Nickel as Ni	BQL (QL=5)	ng/m3	Method IO 3.4	20
10	Arsenic as As	BQL (QL=1)	ng/m3	Method IO 3.4	6
11	Lead	BQL (QL=0.001)	µg/m3	Method IO 3.4	1
12	Particulate Matter (PM10)	74.19	µg/m3	IS 5182- Part 23	100

Norms As Per National Ambient Air Quality Standard.

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit

Reviewed & Authorized by  
Tantan Kumar



Reviewed & Authorized by  
Manish Kumawat

Page No : 1/1

**Terms & Conditions :**

This test report document no GGMPL/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

## CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/3114E/305/05

Reporting Date: 28/01/2026

M/s Moil Limited

Ukwa Manganese Mines L2=69.581 Ha Site PO. Ukwa,Tah.Paraswada, Dist.  
Balaghat (M.P) 481105



### SAMPLE DETAILS

Sampling Instrument : Sound Level Meter  
Sample By Shailesh pandey

Sampling Date: 18/01/2026  
Sample Description: Source Noise

Sr.No	Lab Id	Location	Time	Unit	Test Method	Reading	Norms
1	Lab/PN/3114E/3 05/05A	Near Vertical Shaft-2	Day Time	dB(A)Leq	IS 4758	66	-
2	Lab/PN/3114E/3 05/05B	Compressor House-2	Day Time	dB(A)Leq	IS 4758	67	-
3	Lab/PN/3114E/3 05/05C	Near Jack Hammer Drill (1650Level)	Day Time	dB(A)Leq	IS 4758	68	-
4	Lab/PN/3114E/3 05/05D	Dumper Loaded at Workshop	Day Time	dB(A)Leq	IS 4758	64	-

NS=Not Specified, BQL=Below Quantification Limit,QL= Quantification Limit

Reviewed & Authorized by  
Tantan Kumar



Reviewed & Authorized by  
Manish Kumawat

Page No : 1/1

**Terms & Conditions :**

This test report document no GGMPL/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

## CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/3114E/305/06

Reporting Date : 28/01/2026

M/s Moil Limited

Ukwa Manganese Mines L2=69.581 Ha Site PO. Ukwa,Tah.Paraswada, Dist.  
Balaghat (M.P) 481105



TC-7073


### SAMPLE DETAILS

Lab ID:	Lab/PN/3114E/305/06	Sampling Date:	19/01/2026
Sample Drawn By:	Shailesh Pandey	Sample Receipt Date:	21/01/2026
Sample Type:	Ground Water	Analysis Start Date:	21/01/2026
Sample Description:	Vertical SHaft -2 Open Dugwell	Analysis End Date:	27/01/2026
Sample Quantity:	6 L	Sampling Method:	GGMPL/WI/27A
Sample Condition:	Satisfactory	Packing:	Sealed


Sr.No	Parameters	Results	Unit	Test Method	AL	PL
1	Alkalinity as CaCO3	320.00	mg/L	APHA 24th Edn 2320 B	200	600
2	Calcium as Ca	96.19	mg/L	APHA 24th Edn 3500 Ca B	75	200
3	Chloride	115.46	mg/L	IS 3025- Part 32	250	1000
4	Colour	BQL (QL=2.5)	CU	IS 3025- Part 4	5	15
5	Fluoride	0.89	mg/L	APHA 24th Edn 4500 F D	1.0	1.5
6	Magnesium as Mg	48.60	mg/L	APHA 24th Edn 3500 Mg B	30	100
7	Odour	Agreeable	-	IS 3025- Part 5	Agreeable	Agreeable
8	pH at 25 °C	7.20	-	IS 3025- Part 11	6.5-8.5	No relaxation
9	Sulphate	52.11	mg/L	APHA 24th Edn 4500 SO4 E	200	400
10	Total Dissolved Solids (TDS)	660.00	mg/L	APHA 24th Edn 2540 C	500	2000
11	Total Suspended Solids (TSS)	15.00	mg/L	APHA 24th Edn 2540 D	NS	NS
12	Total Hardness as CaCO3	440.00	mg/L	APHA 24th Edn 2340 C	200	600

AL & PL as per IS 10500.

NS=Not Specified, BQL=Below Quantification Limit,QL= Quantification Limit



Reviewed & Authorized by  
Tantan kumar & Dr. Haragobinda Srichandan

Reviewed & Authorized by  
Payal Patel

Page No : 1/2

**Terms & Conditions :**

This test report document no GGMPL/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

## CERTIFICATE OF ANALYSIS

Report Number: GGMP/ PN/3114E/305/06

Reporting Date : 28/01/2026

M/s Moil Limited

Ukwa Manganese Mines L2=69.581 Ha Site PO. Ukwa,Tah.Paraswada, Dist. Balaghat (M.P) 481105




### SAMPLE DETAILS

Lab ID:	Lab/PN/3114E/305/06	Sampling Date:	19/01/2026
Sample Drawn By:	Shailesh Pandey	Sample Receipt Date:	21/01/2026
Sample Type:	Ground Water	Analysis Start Date:	21/01/2026
Sample Description:	Vertical Shaft -2 Open Dugwell	Analysis End Date:	27/01/2026
Sample Quantity:	6 L	Sampling Method:	GGMPL/WI/27A
Sample Condition:	Satisfactory	Packing:	Sealed

Sr.No	Parameters	Results	Unit	Test Method	AL	PL
13	Turbidity	1.10	NTU	APHA 24th Edn 2130 B	1	5
14	Iron	BQL (QL=0.05)	mg/L	GGMPL/SOP/W&WW/46	1	No relaxation
15	Manganese	BQL (QL=0.05)	mg/L	GGMPL/SOP/W & WW/46	0.1	0.3
16	Nitrate	4.82	mg/L	APHA 24th Edn 4500 NO3 B	45	No relaxation
17	Total coliform	Absent	Per 100ml	APHA 9221 B 24th Edition	Absent	Absent
18	E. coli	Absent	Per 100ml	APHA 9221 G 24th Edition	Absent	Absent

AL & PL as per IS 10500.

NS=Not Specified, BQL=Below Quantification Limit,QL= Quantification Limit



Reviewed & Authorized by  
Tantan kumar & Dr. Haragobinda Srichandan



--- End of Report ---



Reviewed & Authorized by  
Payal Patel

Page No : 2/2

**Terms & Conditions :**

This test report document no GGMP/ F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

## CERTIFICATE OF ANALYSIS

Report Number: GGMP/ PN/3114E/305/07

Reporting Date : 28/01/2026

M/s Moil Limited

Ukwa Manganese Mines L2=69.581 Ha Site PO. Ukwa,Tah.Paraswada, Dist.  
Balaghat (M.P) 481105




TC-7073

### SAMPLE DETAILS

Lab ID:	Lab/PN/3114E/305/07	Sampling Date:	19/01/2026
Sample Drawn By:	Shailesh Pandey	Sample Receipt Date:	21/01/2026
Sample Type:	Waste Water	Analysis Start Date:	21/01/2026
Sample Description:	Mine Seepage Water	Analysis End Date:	27/01/2026
Sample Quantity:	4 L	Sampling Method:	GGMPL/WI/27A
Sample Condition:	Satisfactory	Packing:	Sealed

Sr.No	Parameters	Results	Unit	Test Method	Norm
1	pH at 25 °C	7.30	-	IS 3025- Part 11	-
2	Total Suspended Solids (TSS)	25.00	mg/L	APHA 24th Edn 2540 D	-
3	Oil and Grease	BQL (QL=2)	mg/L	IS 3025- Part 39	-
4	Chemical Oxygen Demand (COD)	28.00	mg/L	APHA 24th Edn 5220 B	-
5	Dissolved Oxygen	5.30	mg/L	IS 3025- Part 38	-
6	BOD at 27 o C for 3 days	7.50	mg/L	IS 3025- Part 44	-
7	Manganese	0.42	mg/L	GGMPL/SOP/W&WW/46	-

NS=Not Specified, BQL=Below Quantification Limit,QL= Quantification Limit



Reviewed & Authorized by  
Tantan Kumar



--- End of Report ---



Reviewed & Authorized by  
Manish Kumawat

Page No : 1/1

**Terms & Conditions :**

This test report document no GGMP/ F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

## CERTIFICATE OF ANALYSIS

Report Number: GGMP/L/PN/3114E/305/08

Reporting Date : 28/01/2026

M/s Moil Limited

Ukwa Manganese Mines L2=69.581 Ha Site PO. Ukwa,Tah.Paraswada, Dist.  
Balaghat (M.P) 481105



TC-7073

### SAMPLE DETAILS

Lab ID:	Lab/PN/3114E/305/08	Sampling Date:	19/01/2026
Sample Drawn By:	Shailesh Pandey	Sample Receipt Date:	21/01/2026
Sample Type:	Waste Water	Analysis Start Date:	21/01/2026
Sample Description:	STP Outlet	Analysis End Date:	27/01/2026
Sample Quantity:	4 L	Sampling Method:	GGMPL/WI/27A
Sample Condition:	Satisfactory	Packing:	Sealed

Sr.No	Parameters	Results	Unit	Test Method	Norm
1	pH at 25 °C	7.50	-	IS 3025- Part 11	-
2	Total Suspended Solids (TSS)	15.00	mg/L	APHA 24th Edn 2540 D	-
3	Oil and Grease	BQL (QL=2)	mg/L	IS 3025- Part 39	-
4	Chemical Oxygen Demand (COD)	32.00	mg/L	APHA 24th Edn 5220 B	-
5	Dissolved Oxygen	5.50	mg/L	IS 3025- Part 38	-
6	BOD at 27 °C for 3 days	8.57	mg/L	IS 3025- Part 44	-
7	Manganese	2.78	mg/L	GGMPL/SOP/W&WW/46	-

NS=Not Specified, BQL=Below Quantification Limit,QL= Quantification Limit

Reviewed & Authorized by  
Tantan Kumar

  
 End of Report

Reviewed & Authorized by  
Manish Kumawat

Page No : 1/1

**Terms & Conditions :**

This test report document no GGMP/L/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

## CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/3114E/305/09

Reporting Date : 28/01/2026

M/s Moil Limited

Ukwa Manganese Mines L2=69.581 Ha Site PO. Ukwa,Tah.Paraswada, Dist.  
Balaghat (M.P) 481105




### SAMPLE DETAILS

Lab ID:	Lab/PN/3114E/305/09	Sampling Date:	19/01/2026
Sample Drawn By:	Shailesh Pandey	Sample Receipt Date:	21/01/2026
Sample Type:	Waste Water	Analysis Start Date:	21/01/2026
Sample Description:	ETP Outlet	Analysis End Date:	27/01/2026
Sample Quantity:	4 L	Sampling Method:	GGMPL/WI/27A
Sample Condition:	Satisfactory	Packing:	Sealed

Sr.No	Parameters	Results	Unit	Test Method	Norm
1	pH at 25 °C	7.55	-	IS 3025- Part 11	-
2	Total Suspended Solids (TSS)	21.00	mg/L	APHA 24th Edn 2540 D	-
3	Oil and Grease	BQL (QL=2)	mg/L	IS 3025- Part 39	-
4	Chemical Oxygen Demand (COD)	40.00	mg/L	APHA 24th Edn 5220 B	-
5	Dissolved Oxygen	5.70	mg/L	IS 3025- Part 38	-
6	BOD at 27 o C for 3 days	10.6	mg/L	IS 3025- Part 44	-
7	Manganese	1.17	mg/L	GGMPL/SOP/W&WW/46	-

NS=Not Specified, BQL=Below Quantification Limit,QL= Quantification Limit

  
Reviewed & Authorized by  
Tantan Kumar



--- End of Report ---

  
Reviewed & Authorized by  
Manish Kumawat

Page No : 1/1

**Terms & Conditions :**

This test report document no GGMPL/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

## CERTIFICATE OF ANALYSIS

Report Number: GGMP/ PN/3114E/305/10

Reporting Date: 28.01.2026

**M/s Moil Limited**

Ukwa Manganese Mines L2=69.581 Ha Site PO. Ukwa,Tah.Paraswada, Dist. Balaghat (M.P)481105



TC-7073

### SAMPLE DETAILS

Lab ID : Lab/PN/3114E/305/10  
 Sampling Instrument : Weather Monitoring Station  
 Sample Type : Meteorological Parameter  
 Sample Location : Near Vertical Shaft-2

Sampling Start Date : 18.01.2026  
 Sampling End Date : 19.01.2026  
 Sample Receipt Date : 21.01.2026

Sr. No.	Parameters	Results	Unit	Test Method
1	Temperature	26.0	°C	GGMPL/SOP/MP/01
2	Relative Humidity	64.0	%	GGMPL/SOP/MP/01
3	Rainfall	BQL (QL=0.254)	mm	GGMPL/SOP/MP/01
4	Wind Speed	1.2	m/s	GGMPL/SOP/MP/01

Reviewed & Authorized by

Tantan Kumar



Reviewed & Authorized by

Manish Kumawat

----End of Report----

Page 1 of 1

**Terms & Conditions :**

This test report document no GGMP/FF/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

## CERTIFICATE OF ANALYSIS

Report Number: GGMP/ PN/3114E/305/11

Reporting Date: 28.01.2026

**M/s Moil Limited**

Ukwa Manganese Mines L2=69.581 Ha Site PO. Ukwa, Tah. Paraswada, Dist. Balaghat (M.P)481105



### SAMPLE DETAILS

Lab ID	: Lab/PN/3114E/305/11	Sampling Start Date	: 18.01.2026
Sampling Instrument	: Weather Monitoring Station	Sampling End Date	: 19.01.2026
Sample Type	: Meteorological Parameter	Sample Receipt Date	: 21.01.2026
Sample Location	: Near Substation		

Sr. No.	Parameters	Results	Unit	Test Method
1	Temperature	26.0	°C	GGMPL/SOP/MP/01
2	Relative Humidity	64.0	%	GGMPL/SOP/MP/01
3	Rainfall	BQL (QL=0.254)	mm	GGMPL/SOP/MP/01
4	Wind Speed	1.2	m/s	GGMPL/SOP/MP/01

  
Reviewed & Authorized by  
Tantan Kumar



  
Reviewed & Authorized by  
Manish Kumawat

---End of Report---

**Terms & Conditions :**

This test report document no GGMP/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

## CERTIFICATE OF ANALYSIS

Report Number: GGMP/ PN/3114E/305/12

Reporting Date: 28.01.2026

**M/s Moil Limited**

Ukwa Manganese Mines L2=69.581 Ha Site PO. Ukwa,Tah.Paraswada, Dist. Balaghat (M.P)481105



TC-7073

### SAMPLE DETAILS

Lab ID	: Lab/PN/3114E/305/12	Sampling Start Date	: 18.01.2026
Sampling Instrument	: Weather Monitoring Station	Sampling End Date	: 19.01.2026
Sample Type	: Meteorological Parameter	Sample Receipt Date	: 21.01.2026
Sample Location	: Near Admin Building		

Sr. No.	Parameters	Results	Unit	Test Method
1	Temperature	26.0	°C	GGMP/ SOP/MP/01
2	Relative Humidity	64.0	%	GGMP/ SOP/MP/01
3	Rainfall	BQL (QL=0.254)	mm	GGMP/ SOP/MP/01
4	Wind Speed	1.2	m/s	GGMP/ SOP/MP/01



Reviewed & Authorized by

Tantan Kumar



---End of Report---



Reviewed & Authorized by

Manish Kumawat

**Terms & Conditions :**

This test report document no GGMP/ F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/ore said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

## CERTIFICATE OF ANALYSIS

Report Number: GGMP/ PN/3114E/305/13

Reporting Date: 28.01.2026

**M/s Moil Limited**

Ukwa Manganese Mines L2=69.581 Ha Site PO. Ukwa,Tah.Paraswada, Dist. Balaghat (M.P)481105



TC-7073

### SAMPLE DETAILS


Lab ID	: Lab/PN/3114E/305/13	Sampling Start Date	: 18.01.2026
Sampling Instrument	: Weather Monitoring Station	Sampling End Date	: 19.01.2026
Sample Type	: Meteorological Parameter	Sample Receipt Date	: 21.01.2026
Sample Location	: Near Weigh Bridge		

Sr. No.	Parameters	Results	Unit	Test Method
1	Temperature	26.0	°C	GGMPL/SOP/MP/01
2	Relative Humidity	64.0	%	GGMPL/SOP/MP/01
3	Rainfall	BQL (QL=0.254)	mm	GGMPL/SOP/MP/01
4	Wind Speed	1.2	m/s	GGMPL/SOP/MP/01

  
Reviewed & Authorized by  
Tantan Kumar



----End of Report----

  
Reviewed & Authorized by  
Manish Kumawat

**Terms & Conditions :**

This test report document no GGMP/ F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

## CERTIFICATE OF ANALYSIS

Report Number : GGMPL/PN/3115E/306/01

Reporting Date: 28/01/2026

M/s Moil Limited

Ukwa Manganese Mines L3=48.974 Ha Site PO. Ukwa,Tah.Paraswada, Dist.  
Balaghat (M.P) 481105



TC-7073

### SAMPLE DETAILS

Lab ID:	Lab/PN/3115E/306/01	Sampling Start Date:	18/01/2026
Sample Drawn By:	Shailesh Pandey	Sampling End Date:	19/01/2026
Sample Type:	Ambient Air	Sample Receipt Date:	21/01/2026
Sample Description:	Near Chindi Tola Village	Analysis start- End Date:	21/01/2026-27/01/2026
Env. Cond.-Sampling:	Temp-26°C / Humidity-64%	Total Sampling hours:	24
Env. Cond.-Sample Receipt:	Satisfactory	Env. Cond.-Testing:	25±5°C

Sr.No	Parameters	Results	Unit	Test Method	Norms
1	Particulate Matter (PM2.5)	34.57	µg/m3	GGMPL/SOP/AA/60	60
2	Sulphur Dioxide (SO2)	14.61	µg/m3	IS 5182-Part 2	80
3	Oxides of Nitrogen	26.41	µg/m3	IS 5182- Part 6	80
4	Ozone (O3)	13.30	µg/m3	IS 5182- Part 9	180
5	Ammonia (NH3)	16.66	µg/m3	GGMPL/SOP/AA/62	400
6	Benzene	BQL (QL=2.5)	µg/m3	IS 5182- Part 11	5
7	Benzo(a) pyrene	BQL (QL=0.5)	ng/m3	Is 5182- Part 12	1
8	Carbon Monoxide (CO)	0.83	mg/m3	IS 5182- Part 10	4
9	Nickel as Ni	BQL (QL=5)	ng/m3	Method IO 3.4	20
10	Arsenic as As	BQL (QL=1)	ng/m3	Method IO 3.4	6
11	Lead	BQL (QL=0.001)	µg/m3	Method IO 3.4	1
12	Particulate Matter (PM10)	66.35	µg/m3	IS 5182- Part 23	100

Norms as per National Ambient Air Quality Standards.

NS=Not Specified, BQL=Below Quantification Limit,QL= Quantification Limit

  
Reviewed & Authorized by  
Tantan Kumar

  
Reviewed & Authorized by  
Manish Kumawat



Page No : 1/1

**Terms & Conditions :**

This test report document no GGMPL/F7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

## CERTIFICATE OF ANALYSIS

Report Number : GGMPL/PN/3115E/306/02

Reporting Date: 28/01/2026

M/s Moil Limited

Ukwa Manganese Mines L3=48.974 Ha Site PO. Ukwa,Tah.Paraswada, Dist. Balaghat (M.P) 481105



### SAMPLE DETAILS

Lab ID:	Lab/PN/3115E/306/02	Sampling Start Date:	18/01/2026
Sample Drawn By:	Shailesh Pandey	Sampling End Date:	19/01/2026
Sample Type:	Ambient Air	Sample Receipt Date:	21/01/2026
Sample Description:	Near Haul Road	Analysis start- End Date:	21/01/2026-27/01/2026
Env. Cond.-Sampling:	Temp-26°C / Humidity-64%	Total Sampling hours:	24
Env. Cond.-Sample Receipt:	Satisfactory	Env. Cond.-Testing:	25±5°C

Sr.No	Parameters	Results	Unit	Test Method	Norms
1	Particulate Matter (PM2.5)	36.24	µg/m3	GGMPL/SOP/AA/60	60
2	Sulphur Dioxide (SO2)	16.70	µg/m3	IS 5182-Part 2	80
3	Oxides of Nitrogen	28.84	µg/m3	IS 5182- Part 6	80
4	Ozone (O3)	14.78	µg/m3	IS 5182- Part 9	180
5	Ammonia (NH3)	18.05	µg/m3	GGMPL/SOP/AA/62	400
6	Benzene	BQL (QL=2.5)	µg/m3	IS 5182- Part 11	5
7	Benzo(a) pyrene	BQL (QL=0.5)	ng/m3	Is 5182- Part 12	1
8	Carbon Monoxide (CO)	0.95	mg/m3	IS 5182- Part 10	4
9	Nickel as Ni	BQL (QL=5)	ng/m3	Method IO 3.4	20
10	Arsenic as As	BQL (QL=1)	ng/m3	Method IO 3.4	6
11	Lead	BQL (QL=0.001)	µg/m3	Method IO 3.4	1
12	Particulate Matter (PM10)	63.27	µg/m3	IS 5182- Part 23	100

Norms as per National Ambient Air Quality Standards.

NS=Not Specified, BQL=Below Quantification Limit,QL= Quantification Limit

  
Reviewed & Authorized by  
Tantan Kumar



  
Reviewed & Authorized by  
Manish Kumawat

Page No : 1/1

**Terms & Conditions :**

This test report document no GGMPL/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

## CERTIFICATE OF ANALYSIS

Report Number : GGMPL/PN/3115E/306/03

Reporting Date: 28/01/2026

M/s Moil Limited

Ukwa Manganese Mines L3=48.974 Ha Site PO. Ukwa,Tah.Paraswada, Dist.  
Balaghat (M.P) 481105



TC-7073

### SAMPLE DETAILS

Lab ID:	Lab/PN/3115E/306/03	Sampling Start Date:	18/01/2026
Sample Drawn By:	Shailesh Pandey	Sampling End Date:	19/01/2026
Sample Type:	Ambient Air	Sample Receipt Date:	21/01/2026
Sample Description:	Near Explosive Magazine	Analysis start- End Date:	21/01/2026-27/01/2026
Env. Cond.-Sampling:	Temp-26°C / Humidity-64%	Total Sampling hours:	24
Env. Cond.-Sample Receipt:	Satisfactory	Env. Cond.-Testing:	25±5°C

Sr.No	Parameters	Results	Unit	Test Method	Norms
1	Particulate Matter (PM2.5)	33.74	µg/m3	GGMPL/SOP/AA/60	60
2	Sulphur Dioxide (SO2)	15.86	µg/m3	IS 5182-Part 2	80
3	Oxides of Nitrogen	26.67	µg/m3	IS 5182- Part 6	80
4	Ozone (O3)	12.41	µg/m3	IS 5182- Part 9	180
5	Ammonia (NH3)	16.66	µg/m3	GGMPL/SOP/AA/62	400
6	Benzene	BQL (QL=2.5)	µg/m3	IS 5182- Part 11	5
7	Benzo(a) pyrene	BQL (QL=0.5)	ng/m3	Is 5182- Part 12	1
8	Carbon Monoxide (CO)	0.86	mg/m3	IS 5182- Part 10	4
9	Nickel as Ni	BQL (QL=5)	ng/m3	Method IO 3.4	20
10	Arsenic as As	BQL (QL=1)	ng/m3	Method IO 3.4	6
11	Lead	BQL (QL=0.001)	µg/m3	Method IO 3.4	1
12	Particulate Matter (PM10)	70.06	µg/m3	IS 5182- Part 23	100

Norms as per National Ambient Air Quality Standards.

NS=Not Specified, BQL=Below Quantification Limit,QL= Quantification Limit

  
Reviewed & Authorized by  
Tarun Kumar

  
Reviewed & Authorized by  
Manish Kumawat



Page No : 1/1

**Terms & Conditions :**

This test report document no GGMPL/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

## CERTIFICATE OF ANALYSIS

Report Number : GGMPL/PN/3115E/306/04

Reporting Date: 28/01/2026

M/s Moil Limited

Ukwa Manganese Mines L3=48.974 Ha Site PO. Ukwa,Tah.Paraswada, Dist.  
Balaghat (M.P) 481105



TC-7073

### SAMPLE DETAILS

Lab ID:	Lab/PN/3115E/306/04	Sampling Start Date:	18/01/2026
Sample Drawn By:	Shailesh Pandey	Sampling End Date:	19/01/2026
Sample Type:	Ambient Air	Sample Receipt Date:	21/01/2026
Sample Description:	Near New Mine Colony	Analysis start- End Date:	21/01/2026-27/01/2026
Env. Cond.-Sampling:	Temp-26°C / Humidity-64%	Total Sampling hours:	24
Env. Cond.-Sample Receipt:	Satisfactory	Env. Cond.-Testing:	25±5°C

Sr.No	Parameters	Results	Unit	Test Method	Norms
1	Particulate Matter (PM2.5)	36.65	µg/m3	GGMPL/SOP/AA/60	60
2	Sulphur Dioxide (SO2)	17.44	µg/m3	IS 5182-Part 2	80
3	Oxides of Nitrogen	28.55	µg/m3	IS 5182- Part 6	80
4	Ozone (O3)	11.82	µg/m3	IS 5182- Part 9	180
5	Ammonia (NH3)	13.88	µg/m3	GGMPL/SOP/AA/62	400
6	Benzene	BQL (QL=2.5)	µg/m3	IS 5182- Part 11	5
7	Benzo(a) pyrene	BQL (QL=0.5)	ng/m3	IS 5182- Part 12	1
8	Carbon Monoxide (CO)	0.90	mg/m3	IS 5182- Part 10	4
9	Nickel as Ni	BQL (QL=5)	ng/m3	Method IO 3.4	20
10	Arsenic as As	BQL (QL=1)	ng/m3	Method IO 3.4	6
11	Lead	BQL (QL=0.001)	µg/m3	Method IO 3.4	1
12	Particulate Matter (PM10)	65.27	µg/m3	IS 5182- Part 23	100

Norms as per National Ambient Air Quality Standards.

NS=Not Specified, BQL=Below Quantification Limit,QL= Quantification Limit

Reviewed & Authorized by  
Tantan Kumar



Reviewed & Authorized by  
Manish Kumawat

Page No : 1/1

**Terms & Conditions :**

This test report document no GGMPL/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

## CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/3115E/306/05

Reporting Date: 28/01/2026

M/s Moil Limited

Ukwa Manganese Mines L3=48.974 Ha Site PO. Ukwa,Tah.Paraswada, Dist.  
Balaghat (M.P) 481105



### SAMPLE DETAILS

Sampling Instrument : Sound Level Meter  
Sample By : Shailesh pandey

Sampling Date: 18/01/2026  
Sample Description: Source Noise

Sr.No	Lab Id	Location	Time	Unit	Test Method	Reading	Norms
1	Lab/PN/3115E/3 06/05A	Near Chindi Tola Village	Day Time	dB(A)Leq	IS 4758	54	-
2	Lab/PN/3115E/3 06/05B	Near Pit Office-2 Vertical Shaft	Day Time	dB(A)Leq	IS 4758	63	-
3	Lab/PN/3115E/3 06/05C	Near Vertical Fan	Day Time	dB(A)Leq	IS 4758	62	-
4	Lab/PN/3115E/3 06/05D	Haul Road	Day Time	dB(A)Leq	IS 4758	57	-

NS=Not Specified, BQL=Below Quantification Limit,QL= Quantification Limit

Reviewed & Authorized by  
Tantan Kumar



--- End of Report ---

Reviewed & Authorized by  
Manish Kumawat

Page No : 1/1

**Terms & Conditions :**

This test report document no GGMPL/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

## CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/3115E/306/06

Reporting Date : 28/01/2026

M/s Moil Limited

Ukwa Manganese Mines L3=48.974 Ha Site PO. Ukwa,Tah.Paraswada, Dist.  
Balaghat (M.P) 481105



### SAMPLE DETAILS

Lab ID:	Lab/PN/3115E/306/06	Sampling Date:	19/01/2026
Sample Drawn By:	Shailesh Pandey	Sample Receipt Date:	21/01/2026
Sample Type:	Ground Water	Analysis Start Date:	21/01/2026
Sample Description:	Chindi Tola Village Open Dugwell	Analysis End Date:	27/01/2026
Sample Quantity:	6 L	Sampling Method:	GGMPL/WI/27A
Sample Condition:	Satisfactory	Packing:	Sealed

Sr.No	Parameters	Results	Unit	Test Method	AL	PL
1	Alkalinity as CaCO <sub>3</sub>	175.00	mg/L	APHA 24th Edn 2320 B	200	600
2	Calcium as Ca	62.12	mg/L	APHA 24th Edn 3500 Ca B	75	200
3	Chloride	95.47	mg/L	IS 3025- Part 32	250	1000
4	Colour	BQL (QL=2.5)	CU	IS 3025- Part 4	5	15
5	Fluoride	0.95	mg/L	APHA 24th Edn 4500 F D	1.0	1.5
6	Magnesium as Mg	20.65	mg/L	APHA 24th Edn 3500 Mg B	30	100
7	Odour	Agreeable	-	IS 3025- Part 5	Agreeable	Agreeable
8	pH at 25 °C	7.30	-	IS 3025- Part 11	6.5-8.5	No relaxation
9	Sulphate	33.33	mg/L	APHA 24th Edn 4500 SO <sub>4</sub> E	200	400
10	Total Dissolved Solids (TDS)	425.00	mg/L	APHA 24th Edn 2540 C	500	2000
11	Total Suspended Solids (TSS)	BQL (QL=5)	mg/L	APHA 24th Edn 2540 D	NS	NS
12	Total Hardness as CaCO <sub>3</sub>	240.00	mg/L	APHA 24th Edn 2340 C	200	600

AL & PL as per IS 10500

NS=Not Specified, BQL=Below Quantification Limit,QL= Quantification Limit



Reviewed & Authorized by  
Tantan kumar & Dr. Haragobinda Srichandan




Reviewed & Authorized by  
Payal Patel

Page No : 1/2

**Terms & Conditions :**

This test report document no GGMPL/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

## CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/3115E/306/06

Reporting Date : 28/01/2026

M/s Moil Limited

Ukwa Manganese Mines L3=48.974 Ha Site PO. Ukwa,Tah.Paraswada, Dist.  
Balaghat (M.P) 481105



### SAMPLE DETAILS

Lab ID:	Lab/PN/3115E/306/06	Sampling Date:	19/01/2026
Sample Drawn By:	Shailesh Pandey	Sample Receipt Date:	21/01/2026
Sample Type:	Ground Water	Analysis Start Date:	21/01/2026
Sample Description:	Chindi Tola Village Open Dugwell	Analysis End Date:	27/01/2026
Sample Quantity:	6 L	Sampling Method:	GGMPL/WI/27A
Sample Condition:	Satisfactory	Packing:	Sealed


Sr.No	Parameters	Results	Unit	Test Method	AL	PL
13	Turbidity	1.0	NTU	APHA 24th Edn 2130 B	1	5
14	Iron	BQL (QL=0.05)	mg/L	GGMPL/SOP/W&WW/46	1	No relaxation
15	Manganese	BQL (QL=0.05)	mg/L	GGMPL/SOP/W & WW/46	0.1	0.3
16	Nitrate	3.45	mg/L	APHA 24th Edn 4500 NO3 B	45	No relaxation
17	Total coliform	Absent	Per 100ml	APHA 9221 B 24th Edition	Absent	Absent
18	E. coli	Absent	Per 100ml	APHA 9221 G 24th Edition	Absent	Absent

AL & PL as per IS 10500

NS=Not Specified, BQL=Below Quantification Limit,QL= Quantification Limit



Reviewed & Authorized by  
Tantan kumar & Dr. Haragobinda Srichandan

Reviewed & Authorized by  
Payal Patel

Page No : 2/2

**Terms & Conditions :**

This test report document no GGMPL/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

## CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/3115E/306/07

Reporting Date : 28/01/2026

M/s Moil Limited

Ukwa Manganese Mines L3=48.974 Ha Site PO. Ukwa,Tah.Paraswada, Dist.  
Balaghat (M.P) 481105



### SAMPLE DETAILS

Lab ID:	Lab/PN/3115E/306/07	Sampling Date:	19/01/2026
Sample Drawn By:	Shailesh Pandey	Sample Receipt Date:	21/01/2026
Sample Type:	Ground Water	Analysis Start Date:	21/01/2026
Sample Description:	Dugwell Near Pit Office	Analysis End Date:	27/01/2026
Sample Quantity:	6 L	Sampling Method:	GGMPL/WI/27A
Sample Condition:	Satisfactory	Packing:	Sealed

Sr.No	Parameters	Results	Unit	Test Method	AL	PL
1	Alkalinity as CaCO <sub>3</sub>	180.00	mg/L	APHA 24th Edn 2320 B	200	600
2	Calcium as Ca	72.14	mg/L	APHA 24th Edn 3500 Ca B	75	200
3	Chloride	115.46	mg/L	IS 3025- Part 32	250	1000
4	Colour	BQL (QL=2.5)	CU	IS 3025- Part 4	5	15
5	Fluoride	1.02	mg/L	APHA 24th Edn 4500 F D	1.0	1.5
6	Magnesium as Mg	22.59	mg/L	APHA 24th Edn 3500 Mg B	30	100
7	Odour	Agreeable	-	IS 3025- Part 5	Agreeable	Agreeable
8	pH at 25 °C	7.25	-	IS 3025- Part 11	6.5-8.5	No relaxation
9	Sulphate	38.38	mg/L	APHA 24th Edn 4500 SO <sub>4</sub> E	200	400
10	Total Dissolved Solids (TDS)	470.00	mg/L	APHA 24th Edn 2540 C	500	2000
11	Total Suspended Solids (TSS)	BQL (QL=5)	mg/L	APHA 24th Edn 2540 D	NS	NS
12	Total Hardness as CaCO <sub>3</sub>	273.00	mg/L	APHA 24th Edn 2340 C	200	600

AL & PL as per IS 10500

NS=Not Specified, BQL=Below Quantification Limit,QL= Quantification Limit



Reviewed & Authorized by  
Tantan kumar & Dr. Haragobinda Srichandan




Reviewed & Authorized by  
Payal Patel

Page No : 1/2

**Terms & Conditions :**

This test report document no GGMPL/F7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

## CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/3115E/306/07

Reporting Date : 28/01/2026

M/s Moil Limited

Ukwa Manganese Mines L3=48.974 Ha Site PO. Ukwa,Tah.Paraswada, Dist.  
Balaghat (M.P) 481105



### SAMPLE DETAILS

Lab ID:	Lab/PN/3115E/306/07	Sampling Date:	19/01/2026
Sample Drawn By:	Shailesh Pandey	Sample Receipt Date:	21/01/2026
Sample Type:	Ground Water	Analysis Start Date:	21/01/2026
Sample Description:	Dugwell Near Pit Office	Analysis End Date:	27/01/2026
Sample Quantity:	6 L	Sampling Method:	GGMPL/WI/27A
Sample Condition:	Satisfactory	Packing:	Sealed

Sr.No	Parameters	Results	Unit	Test Method	AL	PL
13	Turbidity	0.5	NTU	APHA 24th Edn 2130 B	1	5
14	Iron	BQL (QL=0.05)	mg/L	GGMPL/SOP/W&WW/46	1	No relaxation
15	Manganese	BQL (QL=0.05)	mg/L	GGMPL/SOP/W & WW/46	0.1	0.3
16	Nitrate	4.22	mg/L	APHA 24th Edn 4500 NO3 B	45	No relaxation
17	Total coliform	Absent	Per 100ml	APHA 9221 B 24th Edition	Absent	Absent
18	E. coli	Absent	Per 100ml	APHA 9221 G 24th Edition	Absent	Absent

AL & PL as per IS 10500

NS=Not Specified, BQL=Below Quantification Limit,QL= Quantification Limit



Reviewed & Authorized by  
Tantan kumar & Dr. Haragobinda Srichandan




Reviewed & Authorized by  
Payal Patel

Page No : 2/2

**Terms & Conditions :**

This test report document no GGMPL/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

## CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/3115E/306/08

Reporting Date : 28/01/2026

M/s Moil Limited

Ukwa Manganese Mines L3=48.974 Ha Site PO. Ukwa,Tah.Paraswada, Dist.  
Balaghat (M.P) 481105



### SAMPLE DETAILS

Lab ID:	Lab/PN/3115E/306/08	Sampling Date:	19/01/2026
Sample Drawn By:	Shailesh Pandey	Sample Receipt Date:	21/01/2026
Sample Type:	Ground Water	Analysis Start Date:	21/01/2026
Sample Description:	Dugwell near Haul Road-2 Borewell	Analysis End Date:	27/01/2026
Sample Quantity:	6 L	Sampling Method:	GGMPL/WI/27A
Sample Condition:	Satisfactory	Packing:	Sealed

Sr.No	Parameters	Results	Unit	Test Method	AL	PL
1	Alkalinity as CaCO <sub>3</sub>	190.00	mg/L	APHA 24th Edn 2320 B	200	600
2	Calcium as Ca	74.15	mg/L	APHA 24th Edn 3500 Ca B	75	200
3	Chloride	102.47	mg/L	IS 3025- Part 32	250	1000
4	Colour	BQL (QL=2.5)	CU	IS 3025- Part 4	5	15
5	Fluoride	1.07	mg/L	APHA 24th Edn 4500 F D	1.0	1.5
6	Magnesium as Mg	20.65	mg/L	APHA 24th Edn 3500 Mg B	30	100
7	Odour	Agreeable	-	IS 3025- Part 5	Agreeable	Agreeable
8	pH at 25 °C	7.35	-	IS 3025- Part 11	6.5-8.5	No relaxation
9	Sulphate	38.38	mg/L	APHA 24th Edn 4500 SO <sub>4</sub> E	200	400
10	Total Dissolved Solids (TDS)	450.00	mg/L	APHA 24th Edn 2540 C	500	2000
11	Total Suspended Solids (TSS)	BQL (QL=5)	mg/L	APHA 24th Edn 2540 D	NS	NS
12	Total Hardness as CaCO <sub>3</sub>	270.00	mg/L	APHA 24th Edn 2340 C	200	600

AL & PL as per IS 10500

NS=Not Specified, BQL=Below Quantification Limit,QL= Quantification Limit



Reviewed & Authorized by  
Tantan kumar & Dr. Haragobinda Srichandan




Reviewed & Authorized by  
Payal Patel

Page No : 1/2

**Terms & Conditions :**

This test report document no GGMPL/F7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

## CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/3115E/306/08

Reporting Date : 28/01/2026

M/s Moil Limited

Ukwa Manganese Mines L3=48.974 Ha Site PO. Ukwa,Tah.Paraswada, Dist.  
Balaghat (M.P) 481105



### SAMPLE DETAILS

Lab ID:	Lab/PN/3115E/306/08	Sampling Date:	19/01/2026
Sample Drawn By:	Shailesh Pandey	Sample Receipt Date:	21/01/2026
Sample Type:	Ground Water	Analysis Start Date:	21/01/2026
Sample Description:	Dugwell near Haul Road-2 Borewell	Analysis End Date:	27/01/2026
Sample Quantity:	6 L	Sampling Method:	GGMPL/WI/27A
Sample Condition:	Satisfactory	Packing:	Sealed


Sr.No	Parameters	Results	Unit	Test Method	AL	PL
13	Turbidity	0.3	NTU	APHA 24th Edn 2130 B	1	5
14	Iron	BQL (QL=0.05)	mg/L	GGMPL/SOP/W&WW/46	1	No relaxation
15	Manganese	BQL (QL=0.05)	mg/L	GGMPL/SOP/W & WW/46	0.1	0.3
16	Nitrate	6.05	mg/L	APHA 24th Edn 4500 NO3 B	45	No relaxation
17	Total coliform	Absent	Per 100ml	APHA 9221 B 24th Edition	Absent	Absent
18	E. coli	Absent	Per 100ml	APHA 9221 G 24th Edition	Absent	Absent

AL & PL as per IS 10500

NS=Not Specified, BQL=Below Quantification Limit,QL= Quantification Limit



Reviewed & Authorized by  
Tantan kumar & Dr. Haragobinda Srichandan

Reviewed & Authorized by  
Payal Patel

Page No : 2/2

**Terms & Conditions :**

This test report document no GGMPL/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

## CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/3115E/306/09

M/s Moil Limited

Ukwa Manganese Mines L3=48.974 Ha Site PO. Ukwa,Tah.Paraswada, Dist.  
Balaghat (M.P) 481105

Reporting Date : 28/01/2026



### SAMPLE DETAILS


Lab ID:	Lab/PN/3115E/306/09	Sampling Date:	19/01/2026
Sample Drawn By:	Shailesh Pandey	Sample Receipt Date:	21/01/2026
Sample Type:	Waste Water	Analysis Start Date:	21/01/2026
Sample Description:	Near Mine Seepage Vertical-2	Analysis End Date:	27/01/2026
Sample Quantity:	4 L	Sampling Method:	GGMPL/WI/27A
Sample Condition:	Satisfactory	Packing:	Sealed

Sr.No	Parameters	Results	Unit	Test Method	Norm
1	pH at 25 °C	7.30	-	IS 3025- Part 11	-
2	Total Suspended Solids (TSS)	10.00	mg/L	APHA 24th Edn 2540 D	-
3	Oil and Grease	BQL (QL=2)	mg/L	IS 3025- Part 39	-
4	Chemical Oxygen Demand (COD)	24.00	mg/L	APHA 24th Edn 5220 B	-
5	Dissolved Oxygen	4.50	mg/L	IS 3025- Part 38	-
6	BOD at 27 o C for 3 days	6.13	mg/L	IS 3025- Part 44	-
7	Manganese	0.58	mg/L	GGMPL/SOP/W&WW/46	-

NS=Not Specified, BQL=Below Quantification Limit,QL= Quantification Limit

  
Reviewed & Authorized by  
Tantan Kumar



  
Reviewed & Authorized by  
Manish Kumawat

--- End of Report ---

Page No : 1/1

**Terms & Conditions :**

This test report document no GGMPL/F7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/ore said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

## CERTIFICATE OF ANALYSIS

Report Number: GGMP/ PN/3115E/306/10

Reporting Date: 28.01.2026

**M/s Moil Limited**

Ukwa Manganese Mines L3=48.974 Ha Site PO. Ukwa,Tah.Paraswada, Dist. Balaghat (M.P) 481105



TC-7053

### SAMPLE DETAILS

Lab ID	: Lab//PN/3115E/306/10	Sampling Start Date	: 18.01.2026
Sampling Instrument	: Weather Monitoring Station	Sampling End Date	: 19.01.2026
Sample Type	: Meteorological Parameter	Sample Receipt Date	: 21.01.2026
Sample Location	: Near Chindi Tola Village		

Sr. No.	Parameters	Results	Unit	Test Method
1	Temperature	26.0	°C	GGMPL/SOP/MP/01
2	Relative Humidity	64.0	%	GGMPL/SOP/MP/01
3	Rainfall	BQL (QL=0.254)	mm	GGMPL/SOP/MP/01
4	Wind Speed	1.2	m/s	GGMPL/SOP/MP/01



Reviewed & Authorized by

Tantan Kumar



---End of Report---



Reviewed & Authorized by

Manish Kumawat

**Terms & Conditions :**

This test report document no GGMP/ F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

## CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/3115E/306/11

Reporting Date: 28.01.2026

**M/s Moil Limited**

Ukwa Manganese Mines L3=48.974 Ha Site PO. Ukwa,Tah.Paraswada, Dist. Balaghat (M.P) 481105



TC-7073

### SAMPLE DETAILS

Lab ID	: Lab//PN/3115E/306/11	Sampling Start Date	: 18.01.2026
Sampling Instrument	: Weather Monitoring Station	Sampling End Date	: 19.01.2026
Sample Type	: Meteorological Parameter	Sample Receipt Date	: 21.01.2026
Sample Location	: Near Haul Road		

Sr. No.	Parameters	Results	Unit	Test Method
1	Temperature	26.0	°C	GGMPL/SOP/MP/01
2	Relative Humidity	64.0	%	GGMPL/SOP/MP/01
3	Rainfall	BQL (QL=0.254)	mm	GGMPL/SOP/MP/01
4	Wind Speed	1.2	m/s	GGMPL/SOP/MP/01



Reviewed & Authorized by

Tantan Kumar



---End of Report---



Reviewed & Authorized by

Manish Kumawat

**Terms & Conditions :**

This test report document no GGMPL/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

## CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/3115E/306/12

Reporting Date: 28.01.2026

**M/s Moil Limited**

Ukwa Manganese Mines L3=48.974 Ha Site PO. Ukwa,Tah.Paraswada, Dist. Balaghat (M.P) 481105



TC-7073

### SAMPLE DETAILS

Lab ID	: Lab//PN/3115E/306/12	Sampling Start Date	: 18.01.2026
Sampling Instrument	: Weather Monitoring Station	Sampling End Date	: 19.01.2026
Sample Type	: Meteorological Parameter	Sample Receipt Date	: 21.01.2026
Sample Location	: Near Explosive Magazine		

Sr. No.	Parameters	Results	Unit	Test Method
1	Temperature	26.0	°C	GGMPL/SOP/MP/01
2	Relative Humidity	64.0	%	GGMPL/SOP/MP/01
3	Rainfall	BQL (QL=0.254)	mm	GGMPL/SOP/MP/01
4	Wind Speed	1.2	m/s	GGMPL/SOP/MP/01

Reviewed & Authorized by

Tantan Kumar



Reviewed & Authorized by

Manish Kumawat

----End of Report----

Page 1 of 1

**Terms & Conditions:**

This test report document no GGMPL/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

## CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/3115E/306/13

Reporting Date: 28.01.2026

**M/s Moil Limited**

Ukwa Manganese Mines L3=48.974 Ha Site PO. Ukwa,Tah.Paraswada, Dist. Balaghat (M.P) 481105



TC-7073

### SAMPLE DETAILS

Lab ID	: Lab//PN/3115E/306/13	Sampling Start Date	: 18.01.2026
Sampling Instrument	: Weather Monitoring Station	Sampling End Date	: 19.01.2026
Sample Type	: Meteorological Parameter	Sample Receipt Date	: 21.01.2026
Sample Location	: Near New Mine Colony		

Sr. No.	Parameters	Results	Unit	Test Method
1	Temperature	26.0	°C	GGMPL/SOP/MP/01
2	Relative Humidity	64.0	%	GGMPL/SOP/MP/01
3	Rainfall	BQL (QL=0.254)	mm	GGMPL/SOP/MP/01
4	Wind Speed	1.2	m/s	GGMPL/SOP/MP/01

 Reviewed & Authorized by Tantan Kumar	 ---End of Report---	 Reviewed & Authorized by Manish Kumawat
---	--	--

**Terms & Conditions :**

This test report document no GGMPL/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.