

CERTIFICATE OF ANALYSIS

Report Number : GGMP/ PN/2400E/292/01

Reporting Date: 01/12/2025

M/s Moil Limited

Chikla Manganese Mines L1=150.650 Ha Site PO. Sitasongi Tah-Tumsar
District:- Bhandara (M.S) 441907



SAMPLE DETAILS

Lab ID:	Lab/PN/2400E/292/01	Sampling Start Date:	21/11/2025
Sample Drawn By:	Shailesh Pandey	Sampling End Date:	22/11/2025
Sample Type:	Ambient Air	Sample Receipt Date:	24/11/2025
Sample Description:	Near Mine Office	Analysis start- End Date:	24/11/2025-29/11/2025
Env. Cond.-Sampling:	Temp-26°C/ Humidity-62%	Total Sampling hours:	24
Env. Cond.-Sample Receipt:	Satisfactory	Env. Cond.-Testing:	25±5°C

Sr.No	Parameters	Results	Unit	Test Method	Norms
1	Particulate Matter (PM2.5)	36.24	µg/m3	GGMP/SOP/AA/60	60
2	Sulphur Dioxide (SO2)	16.52	µg/m3	IS 5182-Part 2	80
3	Oxides of Nitrogen	30.01	µg/m3	IS 5182- Part 6	80
4	Ozone (O3)	14.07	µg/m3	IS 5182- Part 9	180
5	Ammonia (NH3)	15.40	µg/m3	GGMP/SOP/AA/62	400
6	Benzene	BQL (QL=2.5)	µg/m3	IS 5182- Part 11	5
7	Benzo(a) pyrene	BQL (QL=0.5)	ng/m3	Is 5182- Part 12	1
8	Carbon Monoxide (CO)	1.05	mg/m3	IS 5182- Part 10	4
9	Nickel as Ni	BQL (QL=5)	ng/m3	Method IO 3.4	20
10	Arsenic as As	BQL (QL=1)	ng/m3	Method IO 3.4	6
11	Lead	BQL (QL=0.001)	µg/m3	Method IO 3.4	1
12	Particulate Matter (PM10)	70.14	µg/m3	IS 5182- Part 23	100

Norms As Per National Ambient Air Quality Standards.

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit

Reviewed & Authorized by
Gyanvati Shukla



--- End of Report ---

Reviewed & Authorized by
Manish Kumawat

Page No : 1/1

Terms & Conditions :

This test report document no GGMP/ F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number : GGMPL/PN/2400E/292/02

Reporting Date: 01/12/2025

M/s Moil Limited

Chikla Manganese Mines L1=150.650 Ha Site PO. Sitasangi Tah-Tumsar
District:- Bhandara (M.S) 441907



SAMPLE DETAILS

Lab ID:	Lab/PN/2400E/292/02	Sampling Start Date:	21/11/2025
Sample Drawn By:	Shailesh Pandey	Sampling End Date:	22/11/2025
Sample Type:	Ambient Air	Sample Receipt Date:	24/11/2025
Sample Description:	Near Sita Sawangi Village	Analysis start- End Date:	24/11/2025-29/11/2025
Env. Cond.-Sampling:	Temp-26°C/ Humidity-62%	Total Sampling hours:	24
Env. Cond.-Sample Receipt:	Satisfactory	Env. Cond.-Testing:	25±5°C

Sr.No	Parameters	Results	Unit	Test Method	Norms
1	Particulate Matter (PM2.5)	38.32	µg/m3	GGMPL/SOP/AA/60	60
2	Sulphur Dioxide (SO2)	15.04	µg/m3	IS 5182-Part 2	80
3	Oxides of Nitrogen	28.32	µg/m3	IS 5182- Part 6	80
4	Ozone (O3)	15.03	µg/m3	IS 5182- Part 9	180
5	Ammonia (NH3)	16.80	µg/m3	GGMPL/SOP/AA/62	400
6	Benzene	BQL (QL=2.5)	µg/m3	IS 5182- Part 11	5
7	Benzo(a) pyrene	BQL (QL=0.5)	ng/m3	Is 5182- Part 12	1
8	Carbon Monoxide (CO)	1.06	mg/m3	IS 5182- Part 10	4
9	Nickel as Ni	BQL (QL=5)	ng/m3	Method IO 3.4	20
10	Arsenic as As	BQL (QL=1)	ng/m3	Method IO 3.4	6
11	Lead	BQL (QL=0.001)	µg/m3	Method IO 3.4	1
12	Particulate Matter (PM10)	68.14	µg/m3	IS 5182- Part 23	100

Norms As Per National Ambient Air Quality Standards.

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit


Reviewed & Authorized by
Gyanvati Shukla



--- End of Report ---


Reviewed & Authorized by
Manish Kumawat

Page No : 1/1

Terms & Conditions :

This test report document no GGMPL/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number : GGMPL/PN/2400E/292/03

Reporting Date: 01/12/2025

M/s Moil Limited

Chikla Manganese Mines L1=150.650 Ha Site PO. Sitsaongi Tah-Tumsar
District:- Bhandara (M.S) 441907



SAMPLE DETAILS

Lab ID:	Lab/PN/2400E/292/03	Sampling Start Date:	21/11/2025
Sample Drawn By:	Shailesh Pandey	Sampling End Date:	22/11/2025
Sample Type:	Ambient Air	Sample Receipt Date:	24/11/2025
Sample Description:	Near Mine Vertical Shaft-2	Analysis start- End Date:	24/11/2025-29/11/2025
Env. Cond.-Sampling:	Temp-26°C/ Humidity-62%	Total Sampling hours:	24
Env. Cond.-Sample Receipt:	Satisfactory	Env. Cond.-Testing:	25±5°C

Sr.No	Parameters	Results	Unit	Test Method	Norms
1	Particulate Matter (PM2.5)	37.49	µg/m3	GGMPL/SOP/AA/60	60
2	Sulphur Dioxide (SO2)	18.53	µg/m3	IS 5182-Part 2	80
3	Oxides of Nitrogen	32.55	µg/m3	IS 5182- Part 6	80
4	Ozone (O3)	12.79	µg/m3	IS 5182- Part 9	180
5	Ammonia (NH3)	14.00	µg/m3	GGMPL/SOP/AA/62	400
6	Benzene	BQL (QL=2.5)	µg/m3	IS 5182- Part 11	5
7	Benzo(a) pyrene	BQL (QL=0.5)	ng/m3	IS 5182- Part 12	1
8	Carbon Monoxide (CO)	1.05	mg/m3	IS 5182- Part 10	4
9	Nickel as Ni	BQL (QL=5)	ng/m3	Method IO 3.4	20
10	Arsenic as As	BQL (QL=1)	ng/m3	Method IO 3.4	6
11	Lead	BQL (QL=0.001)	µg/m3	Method IO 3.4	1
12	Particulate Matter (PM10)	72.45	µg/m3	IS 5182- Part 23	100

Norms As Per National Ambient Air Quality Standards.

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit


Reviewed & Authorized by
Gyanvati Shukla




Reviewed & Authorized by
Manish Kumawat

Page No : 1/1

Terms & Conditions :

This test report document no GGMPL/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are sold to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number : GGMPL/PN/2400E/292/04

Reporting Date: 01/12/2025

M/s Moil Limited

Chikla Manganese Mines L1=150.650 Ha Site PO. Sitasangi Tah-Tumsar
District:- Bhandara (M.S) 441907




SAMPLE DETAILS

Lab ID:	Lab/PN/2400E/292/04	Sampling Start Date:	21/11/2025
Sample Drawn By:	Shailesh Pandey	Sampling End Date:	22/11/2025
Sample Type:	Ambient Air	Sample Receipt Date:	24/11/2025
Sample Description:	Near BDC	Analysis start- End Date:	24/11/2025-29/11/2025
Env. Cond.-Sampling:	Temp-26°C/ Humidity-62%	Total Sampling hours:	24
Env. Cond.-Sample Receipt:	Satisfactory	Env. Cond.-Testing:	25±5°C


Sr.No	Parameters	Results	Unit	Test Method	Norms
1	Particulate Matter (PM2.5)	35.40	µg/m3	GGMPL/SOP/AA/60	60
2	Sulphur Dioxide (SO2)	14.32	µg/m3	IS 5182-Part 2	80
3	Oxides of Nitrogen	27.18	µg/m3	IS 5182- Part 6	80
4	Ozone (O3)	11.19	µg/m3	IS 5182- Part 9	180
5	Ammonia (NH3)	12.60	µg/m3	GGMPL/SOP/AA/62	400
6	Benzene	BQL (QL=2.5)	µg/m3	IS 5182- Part 11	5
7	Benzo(a) pyrene	BQL (QL=0.5)	ng/m3	IS 5182- Part 12	1
8	Carbon Monoxide (CO)	1.00	mg/m3	IS 5182- Part 10	4
9	Nickel as Ni	BQL (QL=5)	ng/m3	Method IO 3.4	20
10	Arsenic as As	BQL (QL=1)	ng/m3	Method IO 3.4	6
11	Lead	BQL (QL=0.001)	µg/m3	Method IO 3.4	1
12	Particulate Matter (PM10)	69.72	µg/m3	IS 5182- Part 23	100

Norms As Per National Ambient Air Quality Standards.

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit


Reviewed & Authorized by
Gyanvati Shukla




Reviewed & Authorized by
Manish Kumawat

Page No : 1/1

Terms & Conditions :

This test report document no GGMPL/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/2400E/292/05

Reporting Date: 01/12/2025

M/s Moil Limited

Chikla Manganese Mines L1=150.650 Ha Site PO. Sitasongi Tah-Tumsar
District:- Bhandara (M.S) 441907



SAMPLE DETAILS

Sampling Instrument : Sound Level Meter
Sample By Shailesh pandey

Sampling Date: 21/11/2025
Sample Description: Source Noise

Sr.No	Lab Id	Location	Time	Unit	Test Method	Reading	Norms
1	Lab/PN/2400E/2 92/05A	Near Workshop Area	Day Time	dB(A)Leq	IS 4758	66	-
2	Lab/PN/2400E/2 92/05B	Near vertical fan	Day Time	dB(A)Leq	IS 4758	65	-
3	Lab/PN/2400E/2 92/05C	Near Crushing Plant	Day Time	dB(A)Leq	IS 4758	61	-
4	Lab/PN/2400E/2 92/05D	Near DG Set	Day Time	dB(A)Leq	IS 4758	67	-

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit


Reviewed & Authorized by
Gyanvati Shukla




Reviewed & Authorized by
Manish Kumawat

Page No : 1/1

Terms & Conditions :

This test report document no GGMPL/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number: GGMP/ PN/2400E/292/06

Reporting Date : 01/12/2025

M/s Moil Limited

Chikla Manganese Mines L1=150.650 Ha Site PO. Sitasaongi Tah-Tumsar

District:- Bhandara (M.S) 441907



TC-7073

SAMPLE DETAILS

Lab ID:	Lab/PN/2400E/292/06	Sampling Date:	22/11/2025
Sample Drawn By:	Shailesh Pandey	Sample Receipt Date:	24/11/2025
Sample Type:	Ground Water	Analysis Start Date:	24/11/2025
Sample Description:	Officer Colony Borewell Water	Analysis End Date:	29/11/2025
Sample Quantity:	6 L	Sampling Method:	GGMPL/WI/27A
Sample Condition:	Satisfactory	Packing:	Sealed


Sr.No	Parameters	Results	Unit	Test Method	AL	PL
1	Alkalinity as CaCO3	300.00	mg/L	APHA 24th Edn 2320 B	200	600
2	Calcium as Ca	110.62	mg/L	APHA 24th Edn 3500 Ca B	75	200
3	Chloride	180.94	mg/L	IS 3025- Part 32	250	1000
4	Colour	BQL (QL=2.5)	CU	IS 3025- Part 4	5	15
5	Fluoride	1.22	mg/L	APHA 24th Edn 4500 F D	1.0	1.5
6	Magnesium as Mg	44.71	mg/L	APHA 24th Edn 3500 Mg B	30	100
7	Odour	Agreeable	-	IS 3025- Part 5	Agreeable	Agreeable
8	pH at 25 °C	7.25	-	IS 3025- Part 11	6.5-8.5	No relaxation
9	Sulphate	118.34	mg/L	APHA 24th Edn 4500 SO4 E	200	400
10	Total Dissolved Solids (TDS)	788.00	mg/L	APHA 24th Edn 2540 C	500	2000
11	Total Suspended Solids (TSS)	BQL (QL=5)	mg/L	APHA 24th Edn 2540 D	NS	NS
12	Total Hardness as CaCO3	460.00	mg/L	APHA 24th Edn 2340 C	200	600

AL & PL as per IS 10500

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit



Reviewed & Authorized by
Tantan kumar & Dr. Haragobinda Srichandan

Reviewed & Authorized by
Payal Patel

Page No : 1/2

Terms & Conditions :

This test report document no GGMP/ F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/2400E/292/06

Reporting Date : 01/12/2025

M/s Moil Limited

Chikla Manganese Mines L1=150.650 Ha Site PO. Sitasaongi Tah-Tumsar

District:- Bhandara (M.S) 441907



TC-7073

SAMPLE DETAILS

Lab ID:	Lab/PN/2400E/292/06	Sampling Date:	22/11/2025
Sample Drawn By:	Shailesh Pandey	Sample Receipt Date:	24/11/2025
Sample Type:	Ground Water	Analysis Start Date:	24/11/2025
Sample Description:	Officer Colony Borewell Water	Analysis End Date:	29/11/2025
Sample Quantity:	6 L	Sampling Method:	GGMPL/WI/27A
Sample Condition:	Satisfactory	Packing:	Sealed

Sr.No	Parameters	Results	Unit	Test Method	AL	PL
13	Turbidity	BQL (QL=0.1)	NTU	APHA 24th Edn 2130 B	1	5
14	Iron	BQL (QL=0.05)	mg/L	GGMPL/SOP/W&WW/46	1	No relaxation
15	Manganese	BQL (QL=0.05)	mg/L	GGMPL/SOP/W & WW/46	0.1	0.3
16	Nitrate	6.38	mg/L	APHA 24th Edn 4500 NO3 B	45	No relaxation
17	Total coliform	Absent	Per 100ml	APHA 9221 B 24th Edition	Absent	Absent
18	E. coli	Absent	Per 100ml	APHA 9221 G 24th Edition	Absent	Absent

AL & PL as per IS 10500

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit



Reviewed & Authorized by
Tantan kumar & Dr. Haragobinda Srichandan



--- End of Report ---



Reviewed & Authorized by
Payal Patel

Page No : 2/2

Terms & Conditions :

This test report document no GGMPL/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number: GGMP/L/PN/2400E/292/07

Reporting Date : 01/12/2025

M/s Moil Limited

Chikla Manganese Mines L1=150.650 Ha Site PO. Sitasaongi Tah-Tumsar

District:- Bhandara (M.S) 441907



TC-7073

SAMPLE DETAILS

Lab ID:	Lab/PN/2400E/292/07	Sampling Date:	22/11/2025
Sample Drawn By:	Shailesh Pandey	Sample Receipt Date:	24/11/2025
Sample Type:	Ground Water	Analysis Start Date:	24/11/2025
Sample Description:	Vertical Shaft-1 Borewell Water	Analysis End Date:	29/11/2025
Sample Quantity:	6 L	Sampling Method:	GGMP/L/WI/27A
Sample Condition:	Satisfactory	Packing:	Sealed

Sr.No	Parameters	Results	Unit	Test Method	AL	PL
1	Alkalinity as CaCO ₃	140.00	mg/L	APHA 24th Edn 2320 B	200	600
2	Calcium as Ca	49.29	mg/L	APHA 24th Edn 3500 Ca B	75	200
3	Chloride	110.46	mg/L	IS 3025- Part 32	250	1000
4	Colour	BQL (QL=2.5)	CU	IS 3025- Part 4	5	15
5	Fluoride	0.84	mg/L	APHA 24th Edn 4500 F D	1.0	1.5
6	Magnesium as Mg	30.86	mg/L	APHA 24th Edn 3500 Mg B	30	100
7	Odour	Agreeable	-	IS 3025- Part 5	Agreeable	Agreeable
8	pH at 25 °C	7.36	-	IS 3025- Part 11	6.5-8.5	No relaxation
9	Sulphate	84.19	mg/L	APHA 24th Edn 4500 SO ₄ E	200	400
10	Total Dissolved Solids (TDS)	440.00	mg/L	APHA 24th Edn 2540 C	500	2000
11	Total Suspended Solids (TSS)	BQL (QL=5)	mg/L	APHA 24th Edn 2540 D	NS	NS
12	Total Hardness as CaCO ₃	250.00	mg/L	APHA 24th Edn 2340 C	200	600

AL & PL as per IS 10500

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit



Reviewed & Authorized by
Tantan kumar & Dr. Haragobinda Srichandan




Reviewed & Authorized by
Payal Patel

Page No : 1/2

Terms & Conditions :

This test report document no GGMP/L/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/ore said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/2400E/292/07

Reporting Date : 01/12/2025

M/s Moil Limited

Chikla Manganese Mines L1=150.650 Ha Site PO. Sitasangi Tah-Tumsar

District:- Bhandara (M.S) 441907



TC-7073

SAMPLE DETAILS

Lab ID:	Lab/PN/2400E/292/07	Sampling Date:	22/11/2025
Sample Drawn By:	Shailesh Pandey	Sample Receipt Date:	24/11/2025
Sample Type:	Ground Water	Analysis Start Date:	24/11/2025
Sample Description:	Vertical Shaft-1 Borewell Water	Analysis End Date:	29/11/2025
Sample Quantity:	6 L	Sampling Method:	GGMPL/WI/27A
Sample Condition:	Satisfactory	Packing:	Sealed

Sr.No	Parameters	Results	Unit	Test Method	AL	PL
13	Turbidity	BQL (QL=0.1)	NTU	APHA 24th Edn 2130 B	1	5
14	Iron	BQL (QL=0.05)	mg/L	GGMPL/SOP/W&WW/46	1	No relaxation
15	Manganese	BQL (QL=0.05)	mg/L	GGMPL/SOP/W & WW/46	0.1	0.3
16	Nitrate	1.36	mg/L	APHA 24th Edn 4500 NO3 B	45	No relaxation
17	Total coliform	Absent	Per 100ml	APHA 9221 B 24th Edition	Absent	Absent
18	E. coli	Absent	Per 100ml	APHA 9221 G 24th Edition	Absent	Absent

AL & PL as per IS 10500

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit

T. H.

Reviewed & Authorized by
Tantan kumar & Dr. Haragobinda Srichandan



--- End of Report ---

P. B. Patel

Reviewed & Authorized by
Payal Patel

Page No : 2/2

Terms & Conditions :

This test report document no GGMPL/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/2400E/292/08

Reporting Date : 01/12/2025

M/s Moil Limited

Chikla Manganese Mines L1=150.650 Ha Site PO. Sitasangi Tah-Tumsar

District:- Bhandara (M.S) 441907



TC-7073

SAMPLE DETAILS

Lab ID:	Lab/PN/2400E/292/08	Sampling Date:	22/11/2025
Sample Drawn By:	Shailesh Pandey	Sample Receipt Date:	24/11/2025
Sample Type:	Drinking Water	Analysis Start Date:	24/11/2025
Sample Description:	Vertical Shaft-1 R.O Water	Analysis End Date:	29/11/2025
Sample Quantity:	6 L	Sampling Method:	GGMPL/WI/27A
Sample Condition:	Satisfactory	Packing:	Sealed


Sr.No	Parameters	Results	Unit	Test Method	AL	PL
1	Alkalinity as CaCO ₃	16.00	mg/L	APHA 24th Edition (2320 B)	200	600
2	Calcium as Ca	6.41	mg/L	APHA 24th Edition (3500 Ca B)	75	200
3	Chloride	13.99	mg/L	IS 3025 -Part 32	250	1000
4	Colour	BQL (QL=2.5)	CU	IS 3025 Part-4	5	15
5	Magnesium as Mg	3.40	mg/L	APHA 24th Edition (3500 Mg B)	30	100
6	Odour	Agreeable	-	IS 3025 Part 5	Agreeable	Agreeable
7	pH at 25 °C	7.43	-	IS 3025-Part 11	6.5-8.5	No Relaxation
8	Sulphate	4.07	mg/L	APHA 24th Edition (4500 SO ₄ E)	200	400
9	Total Dissolved Solids (TDS)	52.00	mg/L	APHA 24th Edition (2540 C)	500	2000
10	Total Hardness as CaCO ₃	30.00	mg/L	APHA 24th Edition (2340 C)	200	600
11	Total Suspended Solids (TSS)	BQL (QL=5)	mg/L	APHA 24th Edition (2540 D)	NS	NS
12	Turbidity	BQL (QL=0.1)	NTU	APHA 24th Edition (2130 B)	1	5

AL & PL as per IS 10500

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit



Reviewed & Authorized by
Tantan kumar & Dr. Haragobinda Srichandan

Reviewed & Authorized by
Payal Patel

Page No : 1/2

Terms & Conditions :

This test report document no GGMPL/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number: GGMP/ PN/2400E/292/08

Reporting Date : 01/12/2025

M/s Moil Limited

Chikla Manganese Mines L1=150.650 Ha Site PO. Sitasangi Tah-Tumsar

District:- Bhandara (M.S) 441907



SAMPLE DETAILS

Lab ID:	Lab/PN/2400E/292/08	Sampling Date:	22/11/2025
Sample Drawn By:	Shailesh Pandey	Sample Receipt Date:	24/11/2025
Sample Type:	Drinking Water	Analysis Start Date:	24/11/2025
Sample Description:	Vertical Shaft-1 R.O Water	Analysis End Date:	29/11/2025
Sample Quantity:	6 L	Sampling Method:	GGMPL/W1/27A
Sample Condition:	Satisfactory	Packing:	Sealed

Sr.No	Parameters	Results	Unit	Test Method	AL	PL
13	Iron	BQL (QL=0.05)	mg/L	GGMPL/SOP/W&WW/46	1.0	No Relaxation
14	Manganese	BQL (QL=0.05)	mg/L	GGMPL/SOP/W&WW/46	0.1	0.3
15	Fluoride	BQL (QL=0.1)	mg/L	APHA 24th Edn 4500 F D	1	1.5
16	Nitrate	BQL (QL=0.5)	mg/L	APHA 24th Edn 4500 NO3 B	45	No Relaxation
17	Total coliform	Absent	per 100ml	APHA 9222 A&B 24th Edition	Absent	Absent
18	E.coli	Absent	per 100ml	APHA 9222H 24th Edition	Absent	Absent

AL & PL as per IS 10500

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit



Reviewed & Authorized by
Tantan kumar & Dr. Haragobinda Srichandan



--- End of Report ---



Reviewed & Authorized by
Payal Patel

Terms & Conditions :

This test report document no GGMP/ F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/2400E/292/09

Reporting Date : 01/12/2025

M/s Moil Limited

Chikla Manganese Mines L1=150.650 Ha Site PO. Sitasongli Tah-Tumsar

District:- Bhandara (M.S) 441907



TC-7073

SAMPLE DETAILS

Lab ID:	Lab/PN/2400E/292/09	Sampling Date:	22/11/2025
Sample Drawn By:	Shailesh Pandey	Sample Receipt Date:	24/11/2025
Sample Type:	Waste Water	Analysis Start Date:	24/11/2025
Sample Description:	STP Outlet	Analysis End Date:	29/11/2025
Sample Quantity:	4 L	Sampling Method:	GGMPL/WI/27A
Sample Condition:	Satisfactory	Packing:	Sealed

Sr.No	Parameters	Results	Unit	Test Method	Norm
1	pH at 25 °C	7.39	-	IS 3025- Part 11	-
2	Total Suspended Solids (TSS)	32.00	mg/L	APHA 24th Edn 2540 D	-
3	Oil and Grease	BQL (QL=2)	mg/L	IS 3025- Part 39	-
4	Chemical Oxygen Demand (COD)	52.00	mg/L	APHA 24th Edn 5220 B	-
5	Dissolved Oxygen	3.80	mg/L	IS 3025- Part 38	-
6	BOD at 27 o C for 3 days	15	mg/L	IS 3025- Part 44	-
7	Manganese	0.18	mg/L	GGMPL/SOP/W&WW/46	-

NS=Not Specified, BQL=Below Quantification Limit,QL= Quantification Limit



Reviewed & Authorized by
Gyanvati Shukla




Reviewed & Authorized by
Manish Kumawat

--- End of Report ---

Page No : 1/1

Terms & Conditions :

This test report document no GGMPL/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/2400E/292/10

M/s Moil Limited

Chikla Manganese Mines L1=150.650 Ha Site PO. Sitasaongi Tah-Tumsar

District:- Bhandara (M.S) 441907

Reporting Date : 01/12/2025




TC-7073

SAMPLE DETAILS

Lab ID:	Lab/PN/2400E/292/10	Sampling Date:	22/11/2025
Sample Drawn By:	Shailesh Pandey	Sample Receipt Date:	24/11/2025
Sample Type:	Waste Water	Analysis Start Date:	24/11/2025
Sample Description:	ETP Outlet	Analysis End Date:	29/11/2025
Sample Quantity:	4 L	Sampling Method:	GGMPL/WI/27A
Sample Condition:	Satisfactory	Packing:	Sealed

Sr.No	Parameters	Results	Unit	Test Method	Norm
1	pH at 25 °C	7.78	-	IS 3025- Part 11	-
2	Total Suspended Solids (TSS)	30.00	mg/L	APHA 24th Edn 2540 D	-
3	Oil and Grease	BQL (QL=2)	mg/L	IS 3025- Part 39	-
4	Chemical Oxygen Demand (COD)	20.00	mg/L	APHA 24th Edn 5220 B	-
5	Dissolved Oxygen	5.20	mg/L	IS 3025- Part 38	-
6	BOD at 27 °C for 3 days	5.6	mg/L	IS 3025- Part 44	-
7	Manganese	0.39	mg/L	GGMPL/SOP/W&WW/46	-

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit


Reviewed & Authorized by
Gyanvati Shukla




Reviewed & Authorized by
Manish Kumawat

Page No : 1/1

Terms & Conditions :

This test report document no GGMPL/F7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/2400E/292/11

Reporting Date : 01/12/2025

M/s Moil Limited

Chikla Manganese Mines L1=150.650 Ha Site PO. Sitasaongi Tah-Tumsar

District:- Bhandara (M.S) 441907




TC-7073

SAMPLE DETAILS


Lab ID:	Lab/PN/2400E/292/11	Sampling Date:	22/11/2025
Sample Drawn By:	Shailesh Pandey	Sample Receipt Date:	24/11/2025
Sample Type:	Waste Water	Analysis Start Date:	24/11/2025
Sample Description:	Mine Discharge Water	Analysis End Date:	29/11/2025
Sample Quantity:	4 L	Sampling Method:	GGMPL/WI/27A
Sample Condition:	Satisfactory	Packing:	Sealed

Sr.No	Parameters	Results	Unit	Test Method	Norm
1	pH at 25 °C	7.65	-	IS 3025- Part 11	-
2	Total Suspended Solids (TSS)	34.00	mg/L	APHA 24th Edn 2540 D	-
3	Oil and Grease	BQL (QL=2)	mg/L	IS 3025- Part 39	-
4	Chemical Oxygen Demand (COD)	32.00	mg/L	APHA 24th Edn 5220 B	-
5	Dissolved Oxygen	5.00	mg/L	IS 3025- Part 38	-
6	BOD at 27 o C for 3 days	9.3	mg/L	IS 3025- Part 44	-
7	Manganese	0.21	mg/L	GGMPL/SOP/W&WW/46	-

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit


Reviewed & Authorized by
Gyanvati Shukla




Reviewed & Authorized by
Manish Kumawat

--- End of Report ---

Page No : 1/1

Terms & Conditions :

This test report document no GGMPL/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number: GGMP/ PN/2400E/292/12

Reporting Date: 01.12.2025

M/s Moil Limited

Chikla Manganese Mines L1=150.650 Ha Site PO, Sitasangi Tah-Tumsar
District:- Bhandara (M.S) 441907



SAMPLE DETAILS

Lab ID	: Lab/PN/2400E/292/12	Sampling Start Date	: 21.11.2025
Sampling Instrument	: Weather Monitoring Station	Sampling End Date	: 22.11.2025
Sample Type	: Meteorological Parameter	Sample Receipt Date	: 24.11.2025
Sample Location	: Near Mine Office		

Sr. No.	Parameters	Results	Unit	Test Method
1	Temperature	26.0	°C	GGMP/SOP/MP/01
2	Relative Humidity	62.0	%	GGMP/SOP/MP/01
3	Rainfall	BQL (QL=0.254)	mm	GGMP/SOP/MP/01
4	Wind Speed	1.3	m/s	GGMP/SOP/MP/01


Reviewed & Authorized by
Gyanvati Shukla




Reviewed & Authorized by
Manish Kumawat

---End of Report---

Terms & Conditions :

This test report document no GGMP/ F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number: GGMP/L/PN/2400E/292/13

Reporting Date: 01.12.2025

M/s Moil Limited

Chikla Manganese Mines L1=150.650 Ha Site PO. Sitasangi Tah-Tumsar
District:- Bhandara (M.S) 441907



SAMPLE DETAILS

Lab ID	: Lab/PN/2400E/292/13	Sampling Start Date	: 21.11.2025
Sampling Instrument	: Weather Monitoring Station	Sampling End Date	: 22.11.2025
Sample Type	: Meteorological Parameter	Sample Receipt Date	: 24.11.2025
Sample Location	: Near Sita Sawangi Village		

Sr. No.	Parameters	Results	Unit	Test Method
1	Temperature	26.0	°C	GGMPL/SOP/MP/01
2	Relative Humidity	62.0	%	GGMPL/SOP/MP/01
3	Rainfall	BQL (QL=0.254)	mm	GGMPL/SOP/MP/01
4	Wind Speed	1.3	m/s	GGMPL/SOP/MP/01


Reviewed & Authorized by
Gyanvati Shukla




Reviewed & Authorized by
Manish Kumawat

Terms & Conditions :

This test report document no GGMP/L/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number: GGMP/ PN/2400E/292/14

Reporting Date: 01.12.2025

M/s Moil Limited

Chikla Manganese Mines L1=150.650 Ha Site PO. Sitasangi Tah-Tumsar
District:- Bhandara (M.S) 441907



TC-7073

SAMPLE DETAILS

Lab ID	: Lab/PN/2400E/292/14	Sampling Start Date	: 21.11.2025
Sampling Instrument	: Weather Monitoring Station	Sampling End Date	: 22.11.2025
Sample Type	: Meteorological Parameter	Sample Receipt Date	: 24.11.2025
Sample Location	: Near Mine Vertical Shaft-2		

Sr. No.	Parameters	Results	Unit	Test Method
1	Temperature	26.0	°C	GGMP/ SOP/MP/01
2	Relative Humidity	62.0	%	GGMP/ SOP/MP/01
3	Rainfall	BQL (QL=0.254)	mm	GGMP/ SOP/MP/01
4	Wind Speed	1.3	m/s	GGMP/ SOP/MP/01

Reviewed & Authorized by

Gyanvati Shukla



----End of Report----

Reviewed & Authorized by

Manish Kumawat

Terms & Conditions :

This test report document no GGMP/ F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/ hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number: GGMP/L/PN/2400E/292/15

Reporting Date: 01.12.2025

M/s Moil Limited

Chikla Manganese Mines L1=150.650 Ha Site PO. Sitasangi Tah-Tumsar
District:- Bhandara (M.S) 441907



TC-7073

SAMPLE DETAILS

Lab ID	: Lab/PN/2400E/292/15	Sampling Start Date	: 21.11.2025
Sampling Instrument	: Weather Monitoring Station	Sampling End Date	: 22.11.2025
Sample Type	: Meteorological Parameter	Sample Receipt Date	: 24.11.2025
Sample Location	: Near BDC		

Sr. No.	Parameters	Results	Unit	Test Method
1	Temperature	26.0	°C	GGMPL/SOP/MP/01
2	Relative Humidity	62.0	%	GGMPL/SOP/MP/01
3	Rainfall	BQL (QL=0.254)	mm	GGMPL/SOP/MP/01
4	Wind Speed	1.3	m/s	GGMPL/SOP/MP/01

Reviewed & Authorized by

Gyanvati Shukla



---End of Report---

Reviewed & Authorized by

Manish Kumawat

Terms & Conditions :

This test report document no GGMP/L/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number : GGMPL/PN/2401E/293/01

Reporting Date: 01/12/2025

M/s Moil Limited

Chikla Railway Siding PO. Sitasangi Tah-Tumsar District:- Bhandara (M.S)
441907



TC-7073

SAMPLE DETAILS

Lab ID:	Lab/PN/2401E/293/01	Sampling Start Date:	21/11/2025
Sample Drawn By:	Shailesh Pandey	Sampling End Date:	22/11/2025
Sample Type:	Ambient Air	Sample Receipt Date:	24/11/2025
Sample Description:	Near Railway Siding	Analysis start- End Date:	24/11/2025-29/11/2025
Env. Cond.-Sampling:	Temp-26°C/ Humidity-62%	Total Sampling hours:	24
Env. Cond.-Sample Receipt:	Satisfactory	Env. Cond.-Testing:	25±5°C

Sr.No	Parameters	Results	Unit	Test Method	Norms
1	Particulate Matter (PM2.5)	42.91	µg/m3	GGMPL/SOP/AA/60	60
2	Sulphur Dioxide (SO2)	14.68	µg/m3	IS 5182-Part 2	80
3	Oxides of Nitrogen	26.61	µg/m3	IS 5182- Part 6	80
4	Ozone (O3)	10.87	µg/m3	IS 5182- Part 9	180
5	Ammonia (NH3)	11.20	µg/m3	GGMPL/SOP/AA/62	400
6	Benzene	BQL (QL=2.5)	µg/m3	IS 5182- Part 11	5
7	Benzo(a) pyrene	BQL (QL=0.5)	ng/m3	IS 5182- Part 12	1
8	Carbon Monoxide (CO)	1.06	mg/m3	IS 5182- Part 10	4
9	Nickel as Ni	BQL (QL=5)	ng/m3	Method IO 3.4	20
10	Arsenic as As	BQL (QL=1)	ng/m3	Method IO 3.4	6
11	Lead	BQL (QL=0.001)	µg/m3	Method IO 3.4	1
12	Particulate Matter (PM10)	81.74	µg/m3	IS 5182- Part 23	100

Norms As Per National Ambient Air Quality Standards.

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit


Reviewed & Authorized by
Gyanvati Shukla




Reviewed & Authorized by
Manish Kumawat

---End of Report---

Page No : 1/1

Terms & Conditions :

This test report document no GGMPL/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/2401E/293/03

Reporting Date : 01/12/2025

M/s Moil Limited

Chikla Railway Siding PO. Sitasaongi Tah-Tumsar District:- Bhandara (M.S)
441907



TC-7073

SAMPLE DETAILS

Lab ID:	Lab/PN/2401E/293/03	Sampling Date:	22/11/2025
Sample Drawn By:	Shailesh Pandey	Sample Receipt Date:	24/11/2025
Sample Type:	Ground Water	Analysis Start Date:	24/11/2025
Sample Description:	Railway Siding Water Supply Borewell Water	Analysis End Date:	29/11/2025
Sample Quantity:	6 L	Sampling Method:	GGMPL/WI/27A
Sample Condition:	Satisfactory	Packing:	Sealed

Sr.No	Parameters	Results	Unit	Test Method	AL	PL
1	Alkalinity as CaCO ₃	250.00	mg/L	APHA 24th Edn 2320 B	200	600
2	Calcium as Ca	60.12	mg/L	APHA 24th Edn 3500 Ca B	75	200
3	Chloride	58.98	mg/L	IS 3025- Part 32	250	1000
4	Colour	BQL (QL=2.5)	CU	IS 3025- Part 4	5	15
5	Fluoride	1.22	mg/L	APHA 24th Edn 4500 F D	1.0	1.5
6	Magnesium as Mg	36.45	mg/L	APHA 24th Edn 3500 Mg B	30	100
7	Odour	Agreeable	-	IS 3025- Part 5	Agreeable	Agreeable
8	pH at 25 °C	7.25	-	IS 3025- Part 11	6.5-8.5	No relaxation
9	Sulphate	76.24	mg/L	APHA 24th Edn 4500 SO ₄ E	200	400
10	Total Dissolved Solids (TDS)	470.00	mg/L	APHA 24th Edn 2540 C	500	2000
11	Total Suspended Solids (TSS)	BQL (QL=5)	mg/L	APHA 24th Edn 2540 D	NS	NS
12	Total Hardness as CaCO ₃	300.00	mg/L	APHA 24th Edn 2340 C	200	600

AL & PL AS Per IS 10500

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit




Reviewed & Authorized by
Tantan kumar & Dr. Haragobinda Srichandan




Reviewed & Authorized by
Payal Patel

Page No : 1/2

Terms & Conditions :

This test report document no GGMPL/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/2401E/293/03

Reporting Date : 01/12/2025

M/s Moil Limited

Chikla Railway Siding PO. Sitasongji Tah-Tumsar District:- Bhandara (M.S)
441907



SAMPLE DETAILS

Lab ID:	Lab/PN/2401E/293/03	Sampling Date:	22/11/2025
Sample Drawn By:	Shailesh Pandey	Sample Receipt Date:	24/11/2025
Sample Type:	Ground Water	Analysis Start Date:	24/11/2025
Sample Description:	Railway Siding Water Supply Borewell Water	Analysis End Date:	29/11/2025
Sample Quantity:	6 L	Sampling Method:	GGMPL/WI/27A
Sample Condition:	Satisfactory	Packing:	Sealed

Sr.No	Parameters	Results	Unit	Test Method	AL	PL
13	Turbidity	BQL (QL=0.1)	NTU	APHA 24th Edn 2130 B	1	5
14	Iron	BQL (QL=0.05)	mg/L	GGMPL/SOP/W&WW/46	1	No relaxation
15	Manganese	BQL (QL=0.05)	mg/L	GGMPL/SOP/W & WW/46	0.1	0.3
16	Nitrate	6.34	mg/L	APHA 24th Edn 4500 NO3 B	45	No relaxation
17	Total coliform	Absent	Per 100ml	APHA 9221 B 24th Edition	Absent	Absent
18	E. coli	Absent	Per 100ml	APHA 9221 G 24th Edition	Absent	Absent

AL & PL AS Per IS 10500

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit




Reviewed & Authorized by
Tantan kumar & Dr. Haragobinda Srichandan



--- End of Report ---



Reviewed & Authorized by
Payal Patel

Page No : 2/2

Terms & Conditions :

This test report document no GGMPL/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number: GGMP/L/PN/2401E/293/04

Reporting Date: 01.12.2025

M/s Moil Limited

Chikla Railway Siding PO, Sitasangi Tah-Tumsar District:- Bhandara (M.S)
441907



SAMPLE DETAILS

Lab ID	: Lab/PN/2401E/293/04	Sampling Start Date	: 21.11.2025
Sampling Instrument	: Weather Monitoring Station	Sampling End Date	: 22.11.2025
Sample Type	: Meteorological Parameter	Sample Receipt Date	: 24.11.2025
Sample Location	: Near Railway Siding		

Sr. No.	Parameters	Results	Unit	Test Method
1	Temperature	26.0	°C	GGMPL/SOP/MP/01
2	Relative Humidity	62.0	%	GGMPL/SOP/MP/01
3	Rainfall	BQL (QL=0.254)	mm	GGMPL/SOP/MP/01
4	Wind Speed	1.3	m/s	GGMPL/SOP/MP/01

Reviewed & Authorized by

Gyanvati Shukla



Reviewed & Authorized by

Payal Patel

----End of Report----

Terms & Conditions :

This test report document no GGMP/L/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number : GGMP/ PN/2412E/279/01

Reporting Date: 01/12/2025

M/s Moil Limited

Pathari Sand Leases 40.41 PO. Sitasangi Tah-Tumsar District:- Bhandara
(M.S) 441907



SAMPLE DETAILS

Lab ID:	Lab/PN/2412E/279/01	Sampling Start Date:	22/11/2025
Sample Drawn By:	Shailesh Pandey	Sampling End Date:	23/11/2025
Sample Type:	Ambient Air	Sample Receipt Date:	25/11/2025
Sample Description:	Pahari sand lease from 500 m	Analysis start- End Date:	25/11/2025-01/12/2025
Env. Cond.-Sampling:	Temp-26°C / Humidity-63%	Total Sampling hours:	24
Env. Cond.-Sample Receipt:	Satisfactory	Env. Cond.-Testing:	25±5°C

Sr.No	Parameters	Results	Unit	Test Method	Norms
1	Particulate Matter (PM2.5)	40.41	µg/m3	GGMP/SOP/AA/60	60
2	Sulphur Dioxide (SO2)	14.39	µg/m3	IS 5182-Part 2	80
3	Oxides of Nitrogen	27.62	µg/m3	IS 5182- Part 6	80
4	Ozone (O3)	12.92	µg/m3	IS 5182- Part 9	180
5	Ammonia (NH3)	12.82	µg/m3	GGMP/SOP/AA/62	400
6	Benzene	BQL (QL=2.5)	µg/m3	IS 5182- Part 11	5
7	Benzo(a) pyrene	BQL (QL=0.5)	ng/m3	IS 5182- Part 12	1
8	Carbon Monoxide (CO)	0.73	mg/m3	IS 5182- Part 10	4
9	Nickel as Ni	BQL (QL=5)	ng/m3	Method IO 3.4	20
10	Arsenic as As	BQL (QL=1)	ng/m3	Method IO 3.4	6
11	Lead	BQL (QL=0.001)	µg/m3	Method IO 3.4	1
12	Particulate Matter (PM10)	78.45	µg/m3	IS 5182- Part 23	100

Norms As Per National Ambient Air Quality Standard.

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit

Reviewed & Authorized by
Gyanvati Shukla



--- End of Report ---

Reviewed & Authorized by
Manish Kumawat

Page No : 1/1

Terms & Conditions :

This test report document no GGMP/ F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number : GGMPL/PN/2412E/279/02

Reporting Date: 01/12/2025

M/s Moil Limited

Pathari Sand Leases 40.41 PO. Sitasangi Tah-Tumsar District:- Bhandara
(M.S) 441907



SAMPLE DETAILS

Lab ID:	Lab/PN/2412E/279/02	Sampling Start Date:	22/11/2025
Sample Drawn By:	Shailesh Pandey	Sampling End Date:	23/11/2025
Sample Type:	Ambient Air	Sample Receipt Date:	25/11/2025
Sample Description:	Haul Road Of Sand Lease 2km East	Analysis start- End Date:	25/11/2025-01/12/2025
Env. Cond.-Sampling:	Temp-26°C / Humidity-63%	Total Sampling hours:	24
Env. Cond.-Sample Receipt:	Satisfactory	Env. Cond.-Testing:	25±5°C

Sr.No	Parameters	Results	Unit	Test Method	Norms
1	Particulate Matter (PM2.5)	37.91	µg/m3	GGMPL/SOP/AA/60	60
2	Sulphur Dioxide (SO2)	13.51	µg/m3	IS 5182-Part 2	80
3	Oxides of Nitrogen	26.90	µg/m3	IS 5182- Part 6	80
4	Ozone (O3)	13.24	µg/m3	IS 5182- Part 9	180
5	Ammonia (NH3)	12.82	µg/m3	GGMPL/SOP/AA/62	400
6	Benzene	BQL (QL=2.5)	µg/m3	IS 5182- Part 11	5
7	Benzo(a) pyrene	BQL (QL=0.5)	ng/m3	Is 5182- Part 12	1
8	Carbon Monoxide (CO)	0.87	mg/m3	IS 5182- Part 10	4
9	Nickel as Ni	BQL (QL=5)	ng/m3	Method IO 3.4	20
10	Arsenic as As	BQL (QL=1)	ng/m3	Method IO 3.4	6
11	Lead	BQL (QL=0.001)	µg/m3	Method IO 3.4	1
12	Particulate Matter (PM10)	76.12	µg/m3	IS 5182- Part 23	100

Norms As Per National Ambient Air Quality Standard.

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit


Reviewed & Authorized by
Gyanvati Shukla




Reviewed & Authorized by
Manish Kumawat

Page No : 1/1

Terms & Conditions :

This test report document no GGMPL/F7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number : GGMPL/PN/2412E/279/03

Reporting Date: 01/12/2025

M/s Moil Limited

Pathari Sand Leases 40.41 PO. Sitasongi Tah-Tumsar District:- Bhandara
(M.S) 441907



SAMPLE DETAILS

Lab ID:	Lab/PN/2412E/279/03	Sampling Start Date:	22/11/2025
Sample Drawn By:	Shailesh Pandey	Sampling End Date:	23/11/2025
Sample Type:	Ambient Air	Sample Receipt Date:	25/11/2025
Sample Description:	Point Of sand Lease	Analysis start- End Date:	25/11/2025-01/12/2025
Env. Cond.-Sampling:	Temp-26°C / Humidity-63%	Total Sampling hours:	24
Env. Cond.-Sample Receipt:	Satisfactory	Env. Cond.-Testing:	25±5°C

Sr.No	Parameters	Results	Unit	Test Method	Norms
1	Particulate Matter (PM2.5)	38.32	µg/m3	GGMPL/SOP/AA/60	60
2	Sulphur Dioxide (SO2)	14.79	µg/m3	IS 5182-Part 2	80
3	Oxides of Nitrogen	29.75	µg/m3	IS 5182- Part 6	80
4	Ozone (O3)	16.15	µg/m3	IS 5182- Part 9	180
5	Ammonia (NH3)	14.24	µg/m3	GGMPL/SOP/AA/62	400
6	Benzene	BQL (QL=2.5)	µg/m3	IS 5182- Part 11	5
7	Benzo(a) pyrene	BQL (QL=0.5)	ng/m3	IS 5182- Part 12	1
8	Carbon Monoxide (CO)	0.97	mg/m3	IS 5182- Part 10	4
9	Nickel as Ni	BQL (QL=5)	ng/m3	Method IO 3.4	20
10	Arsenic as As	BQL (QL=1)	ng/m3	Method IO 3.4	6
11	Lead	BQL (QL=0.001)	µg/m3	Method IO 3.4	1
12	Particulate Matter (PM10)	71.81	µg/m3	IS 5182- Part 23	100

Norms As Per National Ambient Air Quality Standard.

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit


Reviewed & Authorized by
Gyanvati Shukla




Reviewed & Authorized by
Manish Kumawat

Page No : 1/1

Terms & Conditions :

This test report document no GGMPL/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number : GGMPL/PN/2412E/279/04

Reporting Date: 01/12/2025

M/s Moil Limited

Pathari Sand Leases 40.41 PO. Sitasangli Tah-Tumsar District:- Bhandara
(M.S) 441907



SAMPLE DETAILS

Lab ID:	Lab/PN/2412E/279/04	Sampling Start Date:	22/11/2025
Sample Drawn By:	Shailesh Pandey	Sampling End Date:	23/11/2025
Sample Type:	Ambient Air	Sample Receipt Date:	25/11/2025
Sample Description:	Pathari Village	Analysis start- End Date:	25/11/2025-01/12/2025
Env. Cond.-Sampling:	Temp-26°C / Humidity-63%	Total Sampling hours:	24
Env. Cond.-Sample Receipt:	Satisfactory	Env. Cond.-Testing:	25±5°C

Sr.No	Parameters	Results	Unit	Test Method	Norms
1	Particulate Matter (PM2.5)	39.16	µg/m3	GGMPL/SOP/AA/60	60
2	Sulphur Dioxide (SO2)	13.51	µg/m3	IS 5182-Part 2	80
3	Oxides of Nitrogen	26.48	µg/m3	IS 5182- Part 6	80
4	Ozone (O3)	14.53	µg/m3	IS 5182- Part 9	180
5	Ammonia (NH3)	15.66	µg/m3	GGMPL/SOP/AA/62	400
6	Benzene	BQL (QL=2.5)	µg/m3	IS 5182- Part 11	5
7	Benzo(a) pyrene	BQL (QL=0.5)	ng/m3	Is 5182- Part 12	1
8	Carbon Monoxide (CO)	0.95	mg/m3	IS 5182- Part 10	4
9	Nickel as Ni	BQL (QL=5)	ng/m3	Method IO 3.4	20
10	Arsenic as As	BQL (QL=1)	ng/m3	Method IO 3.4	6
11	Lead	BQL (QL=0.001)	µg/m3	Method IO 3.4	1
12	Particulate Matter (PM10)	74.94	µg/m3	IS 5182- Part 23	100

Norms As Per National Ambient Air Quality Standard.

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit


Reviewed & Authorized by
Gyanvati Shukla




Reviewed & Authorized by
Manish Kumawat

Page No : 1/1

Terms & Conditions :

This test report document no GGMPL/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number: GGML/PN/2412E/279/05

Reporting Date: 01/12/2025

M/s Moil Limited

Pathari Sand Leases 40.41 PO. Sitasoongi Tah-Tumsar District:- Bhandara
(M.S) 441907



SAMPLE DETAILS

Sampling Instrument : Sound Level Meter
Sample By : Shailesh Pandey

Sampling Date: 22/11/2025
Sample Description: Source Noise

Sr.No	Lab Id	Location	Time	Unit	Test Method	Reading	Norms
1	Lab/PN/2412E/2 79/05A	Pahari sand lease from 500 m	Day Time	dB(A)Leq	IS 4758	56.6	-
2	Lab/PN/2412E/2 79/05B	Haul Road Of Sand Lease 2km East	Day Time	dB(A)Leq	IS 4758	58.1	-
3	Lab/PN/2412E/2 79/05C	Point Of sand Lease	Day Time	dB(A)Leq	IS 4758	59.4	-
4	Lab/PN/2412E/2 79/05D	Pathari Village	Day Time	dB(A)Leq	IS 4758	55.9	-

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit

Reviewed & Authorized by
Gyanvati Shukla



Reviewed & Authorized by
Manish Kumawat

Page No : 1/1

Terms & Conditions :

This test report document no GGML/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/2412E/279/06

Reporting Date : 01/12/2025

M/s Moil Limited

Pathari Sand Leases 40.41 PO. Sitasaongi Tah-Tumsar District:- Bhandara
(M.S) 441907



TC-7073

SAMPLE DETAILS

Lab ID:	Lab/PN/2412E/279/06	Sampling Date:	23/11/2025
Sample Drawn By:	Shailesh Pandey	Sample Receipt Date:	25/11/2025
Sample Type:	Surface Water	Analysis Start Date:	25/11/2025
Sample Description:	S.W Pathari Sand Lease River	Analysis End Date:	01/12/2025
Sample Quantity:	6 L	Sampling Method:	GGMPL/WI/27A
Sample Condition:	Satisfactory	Packing:	Sealed

Sr.No	Parameters	Results	Unit	Test Method	Norm
1	Alkalinity as CaCO ₃	120.00	mg/L	APHA 24th Edn 2320 B	-
2	Calcium as Ca	38.47	mg/L	APHA 24th Edn 3500 Ca B	-
3	Chloride	23.99	mg/L	IS 3025- Part 32	-
4	Colour	BQL (QL=2.5)	CU	IS 3025- Part 4	-
5	Fluoride	0.32	mg/L	APHA 24th Edn 4500 F D	-
6	Magnesium as Mg	12.63	mg/L	APHA 24th Edn 3500 Mg B	-
7	Odour	Agreeable	-	IS 3025- Part 5	-
8	pH at 25 °C	7.39	-	IS 3025- Part 11	-
9	Sulphate	15.65	mg/L	APHA 24th Edn 4500 SO ₄ E	-
10	Total Dissolved Solids (TDS)	182.00	mg/L	APHA 24th Edn 2540 C	-
11	Total Suspended Solids (TSS)	19.00	mg/L	APHA 24th Edn 2540 D	-
12	Total Hardness as CaCO ₃	148.0	mg/L	APHA 24th Edn 2340 C	-

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit



Reviewed & Authorized by
Tantan kumar & Dr. Haragobinda Srichandan




Reviewed & Authorized by
Payal Patel

Page No : 1/2

Terms & Conditions :

This test report document no GGMPL/F7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/2412E/279/06

Reporting Date : 01/12/2025

M/s Moil Limited

Pathari Sand Leases 40.41 PO. Sitasaongi Tah-Tumsar District:- Bhandara
(M.S) 441907



TC-7073

SAMPLE DETAILS

Lab ID:	Lab/PN/2412E/279/06	Sampling Date:	23/11/2025
Sample Drawn By:	Shailesh Pandey	Sample Receipt Date:	25/11/2025
Sample Type:	Surface Water	Analysis Start Date:	25/11/2025
Sample Description:	S.W Pathari Sand Lease River	Analysis End Date:	01/12/2025
Sample Quantity:	6 L	Sampling Method:	GGMPL/WI/27A
Sample Condition:	Satisfactory	Packing:	Sealed

Sr.No	Parameters	Results	Unit	Test Method	Norm
13	Turbidity	5.0	NTU	APHA 24th Edn 2130 B	-
14	Iron	BQL (QL=0.05)	mg/L	GGMPL/SOP/W & WW/46	-
15	Manganese	BQL (QL=0.05)	mg/L	GGMPL/SOP/W & WW/46	-
16	Total coliform	40	MPN/100ml	APHA 9221B 24th Edition 2021	-
17	E. coli	17	MPN/100ml	APHA 9221G 24th Edition	-
18	Nitrate	1.63	mg/L	APHA 24th Edn 4500 NO3 B	-


NS=Not Specified, BQL=Below Quantification Limit,QL= Quantification Limit



Reviewed & Authorized by
Tantan kumar & Dr. Haragobinda Srichandan



--- End of Report ---



Reviewed & Authorized by
Payal Patel

Page No : 2/2

Terms & Conditions :

This test report document no GGMPL/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/2412E/279/07

Reporting Date : 01/12/2025

M/s Moil Limited

Pathari Sand Leases 40.41 PO. Sitasongli Tah-Tumsar District:- Bhandara
(M.S) 441907



TC-7073

SAMPLE DETAILS


Lab ID:	Lab/PN/2412E/279/07	Sampling Date:	23/11/2025
Sample Drawn By:	Shailesh Pandey	Sample Receipt Date:	25/11/2025
Sample Type:	Surface Water	Analysis Start Date:	25/11/2025
Sample Description:	S.W Pathari Sand Lease 2km From Site	Analysis End Date:	01/12/2025
Sample Quantity:	6 L	Sampling Method:	GGMPL/WI/27A
Sample Condition:	Satisfactory	Packing:	Sealed

Sr.No	Parameters	Results	Unit	Test Method	Norm
1	Alkalinity as CaCO ₃	130.00	mg/L	APHA 24th Edn 2320 B	-
2	Calcium as Ca	28.85	mg/L	APHA 24th Edn 3500 Ca B	-
3	Chloride	9.99	mg/L	IS 3025- Part 32	-
4	Colour	BQL (QL=2.5)	CU	IS 3025- Part 4	-
5	Fluoride	0.23	mg/L	APHA 24th Edn 4500 F D	-
6	Magnesium as Mg	12.63	mg/L	APHA 24th Edn 3500 Mg B	-
7	Odour	Agreeable	-	IS 3025- Part 5	-
8	pH at 25 °C	7.36	-	IS 3025- Part 11	-
9	Sulphate	10.66	mg/L	APHA 24th Edn 4500 SO ₄ E	-
10	Total Dissolved Solids (TDS)	188.00	mg/L	APHA 24th Edn 2540 C	-
11	Total Suspended Solids (TSS)	10.00	mg/L	APHA 24th Edn 2540 D	-
12	Total Hardness as CaCO ₃	124.00	mg/L	APHA 24th Edn 2340 C	-

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit



Reviewed & Authorized by
Tantan kumar & Dr. Haragobinda Srichandan

Reviewed & Authorized by
Payal Patel

Page No : 1/2

Terms & Conditions :

This test report document no GGMPL/WI/7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/2412E/279/07

Reporting Date : 01/12/2025

M/s Moil Limited

Pathari Sand Leases 40.41 PO. Sitasaongi Tah-Tumsar District:- Bhandara
(M.S) 441907



TC-7073

SAMPLE DETAILS

Lab ID:	Lab/PN/2412E/279/07	Sampling Date:	23/11/2025
Sample Drawn By:	Shailesh Pandey	Sample Receipt Date:	25/11/2025
Sample Type:	Surface Water	Analysis Start Date:	25/11/2025
Sample Description:	S.W Pathari Sand Lease 2km From Site	Analysis End Date:	01/12/2025
Sample Quantity:	6 L	Sampling Method:	GGMPL/WI/27A
Sample Condition:	Satisfactory	Packing:	Sealed

Sr.No	Parameters	Results	Unit	Test Method	Norm
13	Turbidity	2.0	NTU	APHA 24th Edn 2130 B	-
14	Iron	BQL (QL=0.05)	mg/L	GGMPL/SOP/W & WW/46	-
15	Manganese	BQL (QL=0.05)	mg/L	GGMPL/SOP/W & WW/46	-
16	Total coliform	27	MPN/100ml	APHA 9221B 24th Edition 2021	-
17	E. coli	7.8	MPN/100ml	APHA 9221G 24th Edition	-
18	Nitrate	1.08	mg/L	APHA 24th Edn 4500 NO3 B	-


NS=Not Specified, BQL=Below Quantification Limit,QL= Quantification Limit



Reviewed & Authorized by
Tantan kumar & Dr. Haragobinda Srichandan



--- End of Report ---



Reviewed & Authorized by
Payal Patel

Page No : 2/2

Terms & Conditions :

This test report document no GGMPL/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/2412E/279/08

Reporting Date : 01/12/2025

M/s Moil Limited

Pathari Sand Leases 40.41 PO. Sitasangi Tah-Tumsar District:- Bhandara
(M.S) 441907



TC-7073

SAMPLE DETAILS

Lab ID:	Lab/PN/2412E/279/08	Sampling Date:	23/11/2025
Sample Drawn By:	Shailesh Pandey	Sample Receipt Date:	25/11/2025
Sample Type:	Ground Water	Analysis Start Date:	25/11/2025
Sample Description:	Pathari Village Borewell	Analysis End Date:	01/12/2025
Sample Quantity:	6 L	Sampling Method:	GGMPL/WI/27A
Sample Condition:	Satisfactory	Packing:	Sealed

Sr.No	Parameters	Results	Unit	Test Method	AL	PL
1	Alkalinity as CaCO ₃	136.00	mg/L	APHA 24th Edn 2320 B	200	600
2	Calcium as Ca	32.06	mg/L	APHA 24th Edn 3500 Ca B	75	200
3	Chloride	16.49	mg/L	IS 3025- Part 32	250	1000
4	Colour	BQL (QL=2.5)	CU	IS 3025- Part 4	5	15
5	Fluoride	0.28	mg/L	APHA 24th Edn 4500 F D	1.0	1.5
6	Magnesium as Mg	15.55	mg/L	APHA 24th Edn 3500 Mg B	30	100
7	Odour	Agreeable	-	IS 3025- Part 5	Agreeable	Agreeable
8	pH at 25 °C	7.44	-	IS 3025- Part 11	6.5-8.5	No relaxation
9	Sulphate	11.16	mg/L	APHA 24th Edn 4500 SO ₄ E	200	400
10	Total Dissolved Solids (TDS)	196.00	mg/L	APHA 24th Edn 2540 C	500	2000
11	Total Suspended Solids (TSS)	BQL (QL=5)	mg/L	APHA 24th Edn 2540 D	NS	NS
12	Total Hardness as CaCO ₃	144.00	mg/L	APHA 24th Edn 2340 C	200	600

AL & PL AS Per IS 10500.

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit



Reviewed & Authorized by
Tantan kumar & Dr. Haragobinda Srichandan




Reviewed & Authorized by
Payal Patel

Page No : 1/2

Terms & Conditions :

This test report document no GGMPL/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/2412E/279/08

Reporting Date : 01/12/2025

M/s Moil Limited

Pathari Sand Leases 40.41 PO. Sitasongli Tah-Tumsar District:- Bhandara
(M.S) 441907



TC-7073

SAMPLE DETAILS

Lab ID:	Lab/PN/2412E/279/08	Sampling Date:	23/11/2025
Sample Drawn By:	Shailesh Pandey	Sample Receipt Date:	25/11/2025
Sample Type:	Ground Water	Analysis Start Date:	25/11/2025
Sample Description:	Pathari Village Borewell	Analysis End Date:	01/12/2025
Sample Quantity:	6 L	Sampling Method:	GGMPL/WI/27A
Sample Condition:	Satisfactory	Packing:	Sealed

Sr.No	Parameters	Results	Unit	Test Method	AL	PL
13	Turbidity	1.0	NTU	APHA 24th Edn 2130 B	1	5
14	Iron	BQL (QL=0.05)	mg/L	GGMPL/SOP/W&WW/46	1	No relaxation
15	Manganese	BQL (QL=0.05)	mg/L	GGMPL/SOP/W & WW/46	0.1	0.3
16	Nitrate	1.89	mg/L	APHA 24th Edn 4500 NO3 B	45	No relaxation
17	Total coliform	Absent	Per 100ml	APHA 9221 B 24th Edition	Absent	Absent
18	E. coli	Absent	Per 100ml	APHA 9221 G 24th Edition	Absent	Absent

AL & PL AS Per IS 10500.

NS=Not Specified, BQL=Below Quantification Limit,QL= Quantification Limit



Reviewed & Authorized by
Tantan kumar & Dr. Haragobinda Srichandan



End of Report ---



Reviewed & Authorized by
Payal Patel

Page No : 2/2

Terms & Conditions :

This test report document no GGMPL/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/2412E/279/09

Reporting Date : 01/12/2025

M/s Moil Limited

Pathari Sand Leases 40.41 PO. Sitasangi Tah-Tumsar District:- Bhandara
(M.S) 441907



TC-7073

SAMPLE DETAILS

Lab ID:	Lab/PN/2412E/279/09	Sampling Date:	23/11/2025
Sample Drawn By:	Shailesh Pandey	Sample Receipt Date:	25/11/2025
Sample Type:	Ground Water	Analysis Start Date:	25/11/2025
Sample Description:	Pathari Village(Tola) Borewell	Analysis End Date:	01/12/2025
Sample Quantity:	6 L	Sampling Method:	GGMPL/WI/27A
Sample Condition:	Satisfactory	Packing:	Sealed

Sr.No	Parameters	Results	Unit	Test Method	AL	PL
1	Alkalinity as CaCO ₃	320.00	mg/L	APHA 24th Edn 2320 B	200	600
2	Calcium as Ca	109.01	mg/L	APHA 24th Edn 3500 Ca B	75	200
3	Chloride	70.97	mg/L	IS 3025- Part 32	250	1000
4	Colour	BQL (QL=2.5)	CU	IS 3025- Part 4	5	15
5	Fluoride	0.66	mg/L	APHA 24th Edn 4500 F D	1.0	1.5
6	Magnesium as Mg	21.38	mg/L	APHA 24th Edn 3500 Mg B	30	100
7	Odour	Agreeable	-	IS 3025- Part 5	Agreeable	Agreeable
8	pH at 25 °C	7.37	-	IS 3025- Part 11	6.5-8.5	No relaxation
9	Sulphate	34.09	mg/L	APHA 24th Edn 4500 SO ₄ E	200	400
10	Total Dissolved Solids (TDS)	520.00	mg/L	APHA 24th Edn 2540 C	500	2000
11	Total Suspended Solids (TSS)	BQL (QL=5)	mg/L	APHA 24th Edn 2540 D	NS	NS
12	Total Hardness as CaCO ₃	360.00	mg/L	APHA 24th Edn 2340 C	200	600

AL & PL AS Per IS 10500.

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit



Reviewed & Authorized by
Tantan kumar & Dr. Haragobinda Srichandan




Reviewed & Authorized by
Payal Patel

Page No : 1/2

Terms & Conditions :

This test report document no GGMPL/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/2412E/279/09

Reporting Date : 01/12/2025

M/s Moil Limited

Pathari Sand Leases 40.41 PO. Sitasongi Tah-Tumsar District:- Bhandara
(M.S) 441907



TC-7073

SAMPLE DETAILS

Lab ID:	Lab/PN/2412E/279/09	Sampling Date:	23/11/2025
Sample Drawn By:	Shailesh Pandey	Sample Receipt Date:	25/11/2025
Sample Type:	Ground Water	Analysis Start Date:	25/11/2025
Sample Description:	Pathari Village(Tola) Borewell	Analysis End Date:	01/12/2025
Sample Quantity:	6 L	Sampling Method:	GGMPL/WI/27A
Sample Condition:	Satisfactory	Packing:	Sealed

Sr.No	Parameters	Results	Unit	Test Method	AL	PL
13	Turbidity	1.0	NTU	APHA 24th Edn 2130 B	1	5
14	Iron	BQL (QL=0.05)	mg/L	GGMPL/SOP/W&WW/46	1	No relaxation
15	Manganese	BQL (QL=0.05)	mg/L	GGMPL/SOP/W & WW/46	0.1	0.3
16	Nitrate	5.18	mg/L	APHA 24th Edn 4500 NO3 B	45	No relaxation
17	Total coliform	Absent	Per 100ml	APHA 9221 B 24th Edition	Absent	Absent
18	E. coli	Absent	Per 100ml	APHA 9221 G 24th Edition	Absent	Absent

AL & PL AS Per IS 10500.

NS=Not Specified, BQL=Below Quantification Limit, QL= Quantification Limit

T. H.

Reviewed & Authorized by
Tantan kumar & Dr. Haragobinda Srichandan



--- End of Report ---

P. B. Patel

Reviewed & Authorized by
Payal Patel

Page No : 2/2

Terms & Conditions :

This test report document no GGMPL/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number: GGMP/ PN/2412E/279/10

Reporting Date: 01.12.2025

M/s Moil Limited

Pathari Sand Leases 40.41 PO. Sitasaongi Tah-Tumsar District:-
Bhandara (M.S) 441907



TC-7973

SAMPLE DETAILS

Lab ID	: Lab/PN/2412E/279/10	Sampling Start Date	: 22.11.2025
Sampling Instrument	: Weather Monitoring Station	Sampling End Date	: 23.11.2025
Sample Type	: Meteorological Parameter	Sample Receipt Date	: 25.11.2025
Sample Location	: Pathri sand lease from 500 m		

Sr. No.	Parameters	Results	Unit	Test Method
1	Temperature	26.0	°C	GGMP/ SOP/MP/01
2	Relative Humidity	63.0	%	GGMP/ SOP/MP/01
3	Rainfall	BQL (QL=0.254)	mm	GGMP/ SOP/MP/01
4	Wind Speed	1.1	m/s	GGMP/ SOP/MP/01

Reviewed & Authorized by

Gyanvati Shukla



End of Report

Reviewed & Authorized by

Manish Kumawat

Terms & Conditions :

This test report document no GGMP/ F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/2412E/279/11

Reporting Date: 01.12.2025

M/s Moil Limited

Pathari Sand Leases 40.41 PO. Sitasangi Tah-Tumsar District:- Bhandara (M.S) 441907



TC-2073

SAMPLE DETAILS

Lab ID	: Lab/PN/2412E/279/11	Sampling Start Date	: 22.11.2025
Sampling Instrument	: Weather Monitoring Station	Sampling End Date	: 23.11.2025
Sample Type	: Meteorological Parameter	Sample Receipt Date	: 25.11.2025
Sample Location	: Haul Road Of Sand Lease 2km East		

Sr. No.	Parameters	Results	Unit	Test Method
1	Temperature	26.0	°C	GGMPL/SOP/MP/01
2	Relative Humidity	63.0	%	GGMPL/SOP/MP/01
3	Rainfall	BQL (QL=0.254)	mm	GGMPL/SOP/MP/01
4	Wind Speed	1.1	m/s	GGMPL/SOP/MP/01

Reviewed & Authorized by

Gyanvati Shukla



Reviewed & Authorized by

Manish Kumawat

-----End of Report-----

Terms & Conditions :

This test report document no GGMPL/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number: GGMPL/PN/2412E/279/12

Reporting Date: 01.12.2025

M/s Moil Limited

Pathari Sand Leases 40.41 PO, Sitasangi Tah-Tumsar District:- Bhandara
(M.S) 441907



TC-7073

SAMPLE DETAILS

Lab ID	: Lab/PN/2412E/279/12	Sampling Start Date	: 22.11.2025
Sampling Instrument	: Weather Monitoring Station	Sampling End Date	: 23.11.2025
Sample Type	: Meteorological Parameter	Sample Receipt Date	: 25.11.2025
Sample Location	: Point Of sand Lease		

Sr. No.	Parameters	Results	Unit	Test Method
1	Temperature	26.0	°C	GGMPL/SOP/MP/01
2	Relative Humidity	63.0	%	GGMPL/SOP/MP/01
3	Rainfall	BQL (QL=0.254)	mm	GGMPL/SOP/MP/01
4	Wind Speed	1.1	m/s	GGMPL/SOP/MP/01

Reviewed & Authorized by

Gyanvati Shukla



Reviewed & Authorized by

Manish Kumawat

-----End of Report-----

Terms & Conditions :

This test report document no GGMPL/F7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.

CERTIFICATE OF ANALYSIS

Report Number: GGML/PN/2412E/279/13

Reporting Date: 01.12.2025

M/s Moil Limited

Pathari Sand Leases 40.41 PO. Sitasongi Tah-Tumsar District:- Bhandara (M.S) 441907



TC-7073

SAMPLE DETAILS

Lab ID	: Lab/PN/2412E/279/13	Sampling Start Date	: 22.11.2025
Sampling Instrument	: Weather Monitoring Station	Sampling End Date	: 23.11.2025
Sample Type	: Meteorological Parameter	Sample Receipt Date	: 25.11.2025
Sample Location	: Pathari Village		

Sr. No.	Parameters	Results	Unit	Test Method
1	Temperature	26.0	°C	GGMPL/SOP/MP/01
2	Relative Humidity	63.0	%	GGMPL/SOP/MP/01
3	Rainfall	BQL (QL=0.254)	mm	GGMPL/SOP/MP/01
4	Average Wind Speed	1.1	m/s	GGMPL/SOP/MP/01

Reviewed & Authorized by

Gyanvati Shukla



----End of Report----

Reviewed & Authorized by

Manish Kumawat

Terms & Conditions :

This test report document no GGML/F/7.7/05 shall not be reproduced except in full, without written approval from Go Green Mechanisms Pvt. Ltd. Test results furnished herein this report to the sample received. Report cannot be used as an evidence anywhere without prior permission. Total liability of our institution is limited to the invoiced amount. Endorsement of products is neither inferred nor implied. The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the client or by a third party acting at the client's direction. The findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample (s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. This document is issued by the Company under its General Conditions of Service available on request. Attention is drawn to the limited liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 15 days for air/ water/hazardous waste samples and 30 days for soil samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the company. Any dispute arising out of this test report is subject to Ahmedabad jurisdiction.